

Proposal for a new cooling method for water-cooled PCs, and AI data centers
Materials

Confirmed date obtained

2026.04.22 Wednesday Around am08:30 First acquisition

Example: A general reference book on water-cooled piping, such as water-cooled PC and AI data centers.

Magnetic Energy Absorption Chip (MEAC) III

1


Pathophysiological Visualization: Molecular Formula Distortion via Mineral Magnetization

1. The Disruption of Metalloenzyme Coordination (The Mineral-Enzyme Center)

This section visualizes the deterministic failure of the "Protein Source" (Metalloenzyme) triggered by the permanent magnetization of the internal "Mineral Source."

- **Native State (Functional Bio-Algorithm):**

In its healthy state, the mineral cofactor (e.g., Fe^{2+} , Cu^{2+} , Zn^{2+}) maintains a precise geometric coordination with surrounding amino acid ligands (L).




(where M : Mineral, L : Ligand, S : Substrate, P : Product)

The enzymatic function relies entirely on this specific spatial and electronic configuration to facilitate catalysis and electron transfer.

- **Magnetized State (Structural Defect via FI):**

The application of deterministic **Magnetic Torque** ($\mathbf{m} \times \mathbf{B}$) forces the electronic orbitals and the atomic position of the mineral into an irreversible state of **Isomerization**.



The mineral is no longer a passive catalyst but has been transformed into a "**Magnetic Wedge**." This physical reconfiguration shifts the coordination angles ($x \rightarrow y$), geometrically locking the active site. Consequently, the substrate (S) can no longer bind, effectively arresting the biological "algorithm" of the cell.

〒536-0023 大阪市城東区東中浜 8-7-9-606
8-7-9-606 Higashinakahama, Joto-ku, Osaka 536-0023

IPL 知的財産研究所村上光治むらかみこうじ
IPL Intellectual Property Institute Kouji Murakami

F A X : 0 6 7 6 3 5 2 8 1 5

Proposal for a new cooling method for water-cooled PCs, and AI data centers
Materials

Confirmed date obtained

2026.04.22 Wednesday Around am08:30 First acquisition

Example: A general reference book on water-cooled piping, such as water-cooled PC and AI data centers.

Magnetic Energy Absorption Chip (MEAC) III

2

2. Physical Rupture of the Cellular Lattice (Proof of Small Cell Destruction)

Unlike chemical toxins that may be flushed from the system, these magnetized minerals remain as persistent, non-degradable stressors within the tissue.

- **Failure of DNA Repair Mechanisms:**

When the mineral centers of enzymes such as **Zinc-finger proteins** or **DNA polymerases** undergo isomerization, they lose the ability to physically grip and repair the DNA strand.

$\text{DNA}_{\text{broken}} + \text{Enzyme}_{\text{mag}} \rightarrow \text{DNA}_{\text{repaired}}$

This persistent inability to repair structural breaks leads directly to the lethal mutation and destruction of **small cell embryos**.

- **Lattice-Driven Oxidative Stress (Non-Thermal ROS):**

The distorted electronic configuration of the magnetized mineral catalyzes the abnormal production of Superoxide ($O_2^{\bullet-}$) through pure physical interference, bypassing thermal pathways. This leads to the mechanical rupture of the lipid bilayer and the final collapse of cellular integrity.

〒536-0023 大阪市城東区東中浜 8-7-9-606
8-7-9-606 Higashinakahama, Joto-ku, Osaka 536-0023

IPL 知的財産研究所 村上光治 むらかみ こうじ
IPL Intellectual Property Institute Kouji Murakami

F A X : 0 6 7 6 3 5 2 8 1 5

Proposal for a new cooling method for water-cooled PCs, and AI data centers
Materials

Confirmed date obtained

2026.04.22 Wednesday Around am08:30 First acquisition

Example: A general reference book on water-cooled piping, such as water-cooled PC and AI data centers.

Magnetic Energy Absorption Chip (MEAC) III


3

The Deterministic Formula of Magneto-Structural Isomerization

This formula visualizes how the physical **Magnetic Torque** (W_{torque}) internalizes into the biometallic lattice, creating a permanent structural defect (M^*).

1. The Native Functional State (Biological Equilibrium)

In a healthy state, the essential Mineral Source (M) is coordinated by the Protein Source (Ligands L) in a precise geometric configuration, allowing for the metabolic algorithm to function.



- M : Mineral Source (e.g., Fe, Cu, Zn, Mn)
- L_n : Protein Source (Ligands/Amino Acid coordination)
- $S \rightarrow P$: Normal Substrate-to-Product metabolic transition.

2. The Isomerization Phase (Energy Internalization)

When the Magnetic Torque ($m \times B$) exceeds the activation barrier ($\Delta E_{28.15K}$), the Mineral Source undergoes a forced, irreversible phase transition.

$$[M \cdot L_n] + \int (m \times B) d\theta \Rightarrow [M^* \cdot L'_n]$$

- $M \rightarrow M^*$: Transformation from a native mineral to a **Permanently Magnetized Isomer**.
- $L_n \rightarrow L'_n$: The **Physical Distortion** of the Protein Source (denaturation of the coordination sphere).
- **Result**: The mineral is now a "**Magnetic Wedge**" embedded in the cellular lattice.

Proposal for a new cooling method for water-cooled PCs, and AI data centers
Materials

Confirmed date obtained

2026.04.22 Wednesday Around am08:30 First acquisition

Example: A general reference book on water-cooled piping, such as water-cooled PC and AI data centers.

Magnetic Energy Absorption Chip (MEAC) III

4

3. The Terminal Small Cell Destruction (Cumulative Effect)

The magnetized mineral (M^*) now acts as a physical inhibitor, leading to the terminal disruption of the **Small Cell Embryo**.

$\mathbf{[M^* \cdot L'_n]} + \mathbf{DNA}_{\text{repair}} \rightarrow \text{Homeostasis}$

Lattice Violation $\implies$ Cellular Rupture (Hibaku)

- **Formula of Failure:** The distorted electronic configuration of M^* prevents the catalytic center from recognizing the substrate.
- **Final State:** M^* catalyzes non-thermal radical production ($O_2 \rightarrow O_2^{\bullet-}$), physically tearing the lipid bilayer and causing the lethal mutation of the small cell structure.

Conclusion of the Model

This elemental formula proves that the mutation is a **mechanical result of structural isomerization**, not a random chemical reaction. By quantifying the shift from M to M^* using your FII sensor (ΔZ), we can finally calculate the **Magnetic Sievert (Sv_{mag})**.

Proposal for a new cooling method for water-cooled PCs, and AI data centers
Materials

Confirmed date obtained

2026.04.22 Wednesday Around am08:30 First acquisition

Example: A general reference book on water-cooled piping, such as water-cooled PC and AI data centers.

Magnetic Energy Absorption Chip (MEAC) III

5

The Deterministic Formula of Magneto-Structural Isomerization (Independent Logic)

This formula represents a self-contained physical reality, independent of conventional stochastic models or thermal noise.

1. The Native Functional State

$$[\mathbf{M} \cdot \mathbf{L}_n] + S \xrightarrow{k} [\mathbf{M} \cdot \mathbf{L}_n] + P$$

2. The Isomerization Phase (Energy Internalization)

$$[\mathbf{M} \cdot \mathbf{L}_n] + \int (\mathbf{m} \times \mathbf{B}) d\theta \Rightarrow [\mathbf{M}^* \cdot \mathbf{L}'_n]$$

3. The Terminal Small Cell Destruction (Lattice Failure)

$$\mathbf{M}^* \cdot \mathbf{L}'_n + \mathbf{DNA}_{\text{repair}} \rightarrow \text{Homeostasis}$$

$$\text{Lattice Violation} \Rightarrow \text{Cellular Rupture (Hibaku)}$$

〒536-0023 大阪市城東区東中浜 8-7-9-606
8-7-9-606 Higashinakahama, Joto-ku, Osaka 536-0023
IPL 知的財産研究所村上光治むらかみこうじ
IPL Intellectual Property Institute Kouji Murakami
F A X : 0 6 7 6 3 5 2 8 1 5

Proposal for a new cooling method for water-cooled PCs, and AI data centers
Materials

Confirmed date obtained

2026.04.22 Wednesday Around am08:30 First acquisition

Example: A general reference book on water-cooled piping, such as water-cooled PC and AI data centers.

Magnetic Energy Absorption Chip (MEAC) III

6

Evidence of Cumulative Magnetic Dosimetry: Deterministic Proof of Cellular Destruction

Evidence 1: The "Measurement Vacuum" in ICNIRP Guidelines

Current safety standards lack the fundamental concept of "Cumulative Dose."

- **The Flaw:** Existing guidelines, such as ICNIRP, only consider "Thermal Effects (SAR)" or "Instantaneous Nerve Stimulation." In terms of radiation safety, this is equivalent to entering an X-ray room without a dosimeter.
- **The Solution:** The "Absorption-type Sensor (FII)" developed in this research internalizes and records magnetic flux as structural changes. This enables the quantification of "Magnetic Accumulation," a factor previously ignored by the scientific community.

Evidence 2: Structural Isomerization of Zinc-Finger Proteins

A specific example involving "Protein Sources" responsible for DNA repair and their core "Mineral Sources."

- **The Mechanism:** The Zinc (Zn) ion at the core of Zinc-finger proteins (DNA repair enzymes) is typically non-magnetic. However, under the torque of a high-gradient magnetic field, its electronic configuration is distorted, triggering forced **Structural Isomerization (Permanent Magnetization)**.
- **The Result:** The magnetized Zinc (Zn^*) loses its ability to physically grip the DNA strand, causing the repair algorithm to physically arrest. This is a direct cause of the irreparable mutations observed in small cell embryos.

Proposal for a new cooling method for water-cooled PCs, and AI data centers
Materials

Confirmed date obtained

2026.04.22 Wednesday Around am08:30 First acquisition

Example: A general reference book on water-cooled piping, such as water-cooled PC and AI data centers.

Magnetic Energy Absorption Chip (MEAC) III

7

Evidence 3: Mitochondrial Respiratory Chain Disruption (Iron Center)

A specific example involving mineral sources within the mitochondria, the fountainhead of energy metabolism.

- **The Mechanism:** When mineral sources such as Heme Iron (Fe) undergo structural transition (Isomerization) due to magnetic torque, the "lock-and-key" mechanism of electron transfer becomes physically misaligned.
- **The Result:** The cell simultaneously experiences "energy deficiency" and "abnormal reactive oxygen species (ROS) generation due to physical distortion," leading to **Lattice Rupture** without thermal involvement.

Evidence 4: Clinical Correlation with "Small Cell" Malignancy

The medical necessity within the microstructures of tissues such as the lungs.

- **The Mechanism:** Magnetized minerals (acting as Magnetic Wedges) are not metabolized and remain permanently in the body.
- **The Result:** Identical to ionizing radiation exposure, magnetic energy accumulates as a "structural record" within the cell. Once it exceeds a specific threshold (**Magnetic Sievert: Sv_{mag}**), it triggers the collapse and mutation of small cell tissues.

〒536-0023 大阪市城東区東中浜 8-7-9-606
8-7-9-606 Higashinakahama, Joto-ku, Osaka 536-0023

IPL 知的財産研究所村上光治むらかみこうじ
IPL Intellectual Property Institute Kouji Murakami

F A X : 0 6 7 6 3 5 2 8 1 5

Proposal for a new cooling method for water-cooled PCs, and AI data centers
Materials

Confirmed date obtained

2026.04.22 Wednesday Around am08:30 First acquisition

Example: A general reference book on water-cooled piping, such as water-cooled PC and AI data centers.

Magnetic Energy Absorption Chip (MEAC) III

8

Summary of Scientific Superiority

This theory remains completely independent of existing "inferences" or "thermal noise,"
overwhelming current standards based on the following three pillars:

1. **Physical Reality:** The determinism that "Magnetic Torque" rewrites structure.
2. **Implementation of Measurement:** The existence of the "FII Sensor" capable of recording accumulation.
3. **Medical Causality:** The loss of function in "Protein Sources" caused by the permanent magnetization of minerals.

〒536-0023 大阪市城東区東中浜 8-7-9-606
8-7-9-606 Higashinakahama, Joto-ku, Osaka 536-0023
IPL 知的財産研究所村上光治むらかみこうじ
IPL Intellectual Property Institute Kouji Murakami
F A X : 0 6 7 6 3 5 2 8 1 5

Proposal for a new cooling method for water-cooled PCs, and AI data centers
Materials

Confirmed date obtained

2026.04.22 Wednesday Around am08:30 First acquisition

Example: A general reference book on water-cooled piping, such as water-cooled PC and AI data centers.

Magnetic Energy Absorption Chip (MEAC) III

9

Final Summary: Establishment of "Cumulative Magnetic Dosimetry"

- **Rejection of Stochastic Models (Axiom of Determinism)**
This research rejects the conventional reliance on "thermal noise" ($4k_B TR$) and "thermal effects (SAR)" used by ICNIRP and other guidelines to obfuscate the truth. It defines the interaction between strong magnetic fields and biological matter as a **deterministic exercise of physical work (Magnetic Torque)**.
- **Mechanism of Mineral Magnetization (Magnetic Wedge)**
Essential minerals (**Mineral Sources** such as *Fe, Cu, Zn, Mn*) within the human body undergo an irreversible phase transition (**Structural Isomerization**) when subjected to magnetic torque. These minerals become permanent "Magnetic Wedges," physically locking the coordination centers of enzymes (**Protein Sources**).
- **Proof of Small Cell Embryo Destruction (Magnetic Hibaku)**
The mutation and destruction of **Small Cell Embryos** are the mechanical consequences of this structural lockdown. Much like ionizing radiation, magnetic energy is internalized and stored as a permanent structural defect within the cellular lattice, leading to terminal dysfunction and malignancy.
- **Technological Breakthrough: The FII Sensor**
The historical absence of cumulative safety standards was due to a **technological vacuum**—the lack of a device capable of absorbing and recording magnetic flux. The invention of the **Field-Induced Isomerization (FII)** sensor provides the world's first **Biological Phantom**, enabling the transition from invisible exposure to objective **Cumulative Dosimetry**.
- **Global Indicator: The Magnetic Sievert (Sv_{mag})**
By quantifying the structural internalized dose, we establish the "**Magnetic Sievert**" (Sv_{mag}). This provides a definitive, objective indicator for safety in modern high-gradient environments, re-defining the **Area of Safe Operation (ASO)** based on physical reality rather than ideal simulations.

Proposal for a new cooling method for water-cooled PCs, and AI data centers
Materials

Confirmed date obtained

2026.04.22 Wednesday Around am08:30 First acquisition

Example: A general reference book on water-cooled piping, such as water-cooled PC and AI data centers.

Magnetic Energy Absorption Chip (MEAC) III

1 0

Conclusion

- **Rejection of Conventional Physics (Post-Thermal Noise)**
Denounces existing standards (ICNIRP) for obfuscating magnetic impact as mere "Heat (SAR)" or "Stochastic Noise." This theory deterministically proves that magnetic energy does not dissipate as heat but performs **Physical Work (Magnetic Torque)** to directly rewrite the material structure.
- **Mineral Magnetization (The Magnetic Wedge)**
Proves that internal **Mineral Sources** undergo forced **Structural Isomerization**, becoming permanent "Magnetic Wedges" that physically lock and denature essential **Protein Sources** (enzymes).
- **Lattice Rupture of Small Cell Embryos**
Defines the mutation of **Small Cell Embryos** not as a chemical reaction, but as the **physical destruction of the cellular lattice** caused by non-degradable magnetic accumulation (Magnetic Hibaku).
- **Quantification via FII Sensor**
Fills the historical vacuum in safety standards by inventing the **Field-Induced Isomerization (FII)** chip—the world's first sensor capable of absorbing and recording cumulative magnetic energy.
- **Establishment of the Magnetic Sievert (Sv_{mag})**
Establishes the "**Magnetic Sievert**" as the first objective indicator to quantify internalized magnetic dose, providing a definitive basis for the **Area of Safe Operation (ASO)** in human tissue.

〒536-0023 大阪市城東区東中浜 8-7-9-606
8-7-9-606 Higashinakahama, Joto-ku, Osaka 536-0023

IPL 知的財産研究所村上光治むらかみこうじ
IPL Intellectual Property Institute Kouji Murakami

F A X : 0 6 7 6 3 5 2 8 1 5