




FRONT-OFFICE TECHNOLOGY ·
CAPITAL MARKETS



Rates E-Trading Desktop

AMPS-Based Unified Trading Platform · RFQ + CLOB on a single OpenFin desktop

2

Trading stacks unified

RFQ + CLOB

1

Desktop experience

OpenFin Workspace


Jun

Production target

End of June 2026

AMPS-Based Data Flow

Two independent stacks (RFQ and CLOB) follow an identical pipeline, converging into one OpenFin desktop.



Why AMPS Is the Right Backbone

Purpose-built messaging for high-throughput, low-latency trading data — features that map directly to our RFQ/CLOB needs.



Low-Latency Pub/Sub

Sub-millisecond fan-out keeps trader screens in lock-step with the venue.



State-of-the-World (SOW)

Last-value cache delivers an instant snapshot on connect — no warm-up replay.



Content Filtering

Server-side SQL-style filters push only relevant rows; clients stay light.



Snapshot + Streaming

Atomic snapshot then live deltas — perfect for blotters and depth grids.



Resilience & Failover

Per-stack instances with HA replication isolate RFQ and CLOB failures.



Scales with the Desk

Proven for many concurrent traders and high update rates without degradation.

Screens & Micro-Frontends Delivered

Delivered micro-frontends on the unified desktop, grouped by function.

Trading & Execution

4 screens

- ✓ Top of the Book
- ✓ Order Entry (via Top of Book)
- ✓ Order Blotter
- ✓ Executions Blotter

Market Data & Monitoring

3 screens

- ✓ Market Watch Blotter
- ✓ CLMM Dashboard
- ✓ Notifications — Fills & Algo Alerts

RFQ, Coverage & Sales

5 screens

- ✓ ATW (At-the-Window)
- ✓ In RFQ
- ✓ Coverage
- ✓ Offerings
- ✓ Coverage & Trading Pods

Admin & Ops

1 screen

- ✓ Activate / De-activate Trader Logging


13 screens delivered across the unified RFQ + CLOB desktop

Timeline to Production

Targeting production go-live at the end of June 2026.

 GO-LIVE TARGET

End of June 2026



On track for end-of-June 2026. Key dependency: completion of remaining shared MFEs and performance sign-off during SIT.