



EVERYONE

Demo run sheet

One new student is followed through every layer of the app, so each part of the presentation hands over to the next.

22

minutes of demo

6

speakers, in order

1

student followed end to end

The demo student

Tiya creates this account live. Nobody else uses it before then, and **-Reseed** removes it afterwards.

FIELD	TYPE EXACTLY
Full name	Demo Student
Email	demo.student.cs@gmail.com (a real domain, so the domain check passes)
Password	Demo@2026x
Roll number	CS26100
Branch, year	Computer Science, 2026
CGPA, backlogs	8.0, 0
Mobile	9876543210

With CGPA 8.0 and no backlogs, this student qualifies for several drives and is refused by others for a clear reason, which is exactly what Chandra needs to show.

The order

TIME	WHO	WHAT	SCREEN
0:00	Karan	What the app is, who uses it, how data moves in and out, the architecture picture	Login page, then 00-start-here diagram
2:30	Tiya	Creating an account: fake email refused, valid signup, password hash in MySQL, wrong password, sign in, student blocked from admin	Browser, then MySQL
7:00	Kinjal	The pages and the validation: an error on the profile form, resume upload, how a JSP gets its data	Browser, then VS Code

10:30	Chandra	Drives board and the eligibility engine, apply, officer moves the status, audit row appears, EJB types	Browser (two windows), then VS Code
15:00	Yuvraj	The connectivity story: the row Chandra just created, found in MySQL; Reports; Database page; Classroom JDBC against the practical sample	VS Code, browser, MySQL
20:00	Karan	Close: the officer overview now shows the new application, what was not built, questions	Officer overview

The hand overs

- 1 Karan to Tiya.** "To use any of this, someone has to get an account. Tiya will create one live."
- 2 Tiya to Kinjal.** "The student is signed in and lands on a dashboard with a getting started checklist that says step 2, finish your profile, is next. Kinjal will show how the pages work and finish the profile."
- 3 Kinjal to Chandra.** "With a complete profile the student can look at the drives. Chandra will show how the app decides what they can apply for."
- 4 Chandra to Yuvraj.** "That application is now a row in MySQL. Yuvraj will show how the app reaches the database and prove the row is there."
- 5 Yuvraj to Karan.** "Karan will close by showing the officer's overview, which now counts this application."

Before you start: setup checklist

WHEN	WHO	DO THIS
Sunday night	Karan	Pull the latest code. Run the whole demo once, start to finish, on the presenting laptop. Time it.
Monday, before leaving	Karan	Start MySQL. Run <code>.\run.ps1 -Reseed</code> and wait for "deployed". Fresh dates, and the demo student does not exist yet.
Monday, at the venue	Karan	Open <code>http://localhost:8080/placement/</code> . Sign in as the officer once, then sign out, to prove it works.
Monday, at the venue	Yuvraj	Open MySQL Workbench or a terminal on <code>placement_cell</code> with the queries from <code>demo-queries.sql</code> ready.
Monday, at the venue	Everyone	VS Code open on <code>placement-cell</code> with your own files already open in tabs, in the order you will show them.

Monday, at the venue	Chandra	Two browser windows: one normal for the student, one private for the officer, so the two sessions do not collide.
Monday, at the venue	Chandra	A spare terminal running <code>Get-Content server\glassfish7\glassfish\domains\domain1\logs\server.log -Wait -Tail 3</code> . When the student applies, a line <code>Notification delivered: Demo Student applied to ...</code> appears: that is the message driven bean.
Monday, at the venue	Yuvraj	Before you begin, the table <code>mock_score</code> does not exist. The first classroom save creates it, which is worth saying aloud.

CAREFUL

Do not press the reseed on the presenting laptop once the demo has begun: it deletes the demo student and the application you are about to show. If something breaks in the middle, reload the page first. Only reseed between runs.

If the projector, network or server fails

PROBLEM	DO THIS
Server not answering	<code>.\run.ps1</code> in the project folder, wait about a minute. Meanwhile talk through the architecture picture.
Email domain check is slow or fails	It looks up the domain's mail records on the network. Without internet, a valid domain can be refused. Use an account from the seeded list instead and explain the check using the code.
Everything is broken	Screenshots of every step of this demo are in <code>docs/team/backup-screenshots/</code> , numbered in the order of the presentation. Show those and the code.

What each person shows, in one line

PERSON	THE ONE THING THAT MUST LAND
Karan	Two kinds of user, and how information flows in and out.
Tiya	A fake email is refused, the password is never stored as text, and a student cannot enter the officer pages.
Kinjal	Pages contain no Java, every value is escaped, and the server re-checks what the browser checked.
Chandra	The business rules live in EJB beans, and every write is audited without the beans knowing.
Yuvraj	The app reaches MySQL through a pool by name, and the row created a moment ago is in the table.