CUI Devices is now Same Sky! Learn More



# SERIES: RCJ-21 | DESCRIPTION: RCA JACK

## FEATURES

- through hole
- mounting tab
- 2 ports




RoHS

## PART NUMBER KEY

RCJ - 21 X X

Base Number | Input X1 | Input X2

Input Color Options
1 = black
2 = red
3 = white
4 = yellow
5 = blue
6 = green




Example part number: **RCJ-2121**

input 1 = red
input 2 = black


## SPECIFICATIONS


| parameter | conditions/description | min | typ | max | units |
|---|---|---|---|---|---|
| contact resistance | | | | 30 | mΩ |
| insulation resistance | at 500 Vdc | 100 | | | MΩ |
| voltage withstand | for 1 minute | | | 500 | Vac |
| operating temperature | | -25 | | 70 | °C |
| life | | | 5,000 | | cycles |
| flammability rating | UL94V-0 | | | | |
| RoHS | yes | | | | |


## MECHANICAL DRAWING


units: mm
tolerance: ±0.30 mm
PCB tolerance: ±0.10 mm
unless otherwise specified

| DESCRIPTION | MATERIAL | PLATING/COLOR |
|---|---|---|
| barrel terminal (1, 3) | brass | nickel |
| center terminal (2, 4) | brass | tin |
| insulator (X1, X2) | PBT (UL94V-0) | see color code |
| housing | PBT (UL94V-0) | black |
| cover | PBT (UL94V-0) | black |







Recommended PCB Layout
Top View

| Model No. | RCJ-21XX |
|---|---|
| Schematic |  |

## REVISION HISTORY

| rev. | description | date |
|---|---|---|
| 1.0 | initial release | 06/13/2007 |
| 1.01 | new template applied | 06/07/2012 |
| 1.02 | brand update | 06/11/2020 |
| 1.03 | logo, datasheet style update | 11/22/2022 |
| 1.04 | CUI Devices rebranded to Same Sky | 09/12/2024 |
| 1.05 | factory location change | 06/23/2026 |
| 1.06 | updated tolerance details | 09/01/2026 |

The revision history provided is for informational purposes only and is believed to be accurate.

Same Sky offers a one (1) year limited warranty. Complete warranty information is listed on our website.

Same Sky reserves the right to make changes to the product at any time without notice. Information provided by Same Sky is believed to be accurate and reliable. However, no responsibility is assumed by Same Sky for its use, nor for any infringements of patents or other rights of third parties which may result from its use.

Same Sky products are not authorized or warranted for use as critical components in equipment that requires an extremely high level of reliability. A critical component is any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.