




5V DC POWER



Size A	FCSM No.	DWG No.	Rev
Scale		Sheet	







BOOT ORDER.....MMC.....SPI.....UART.....USB.....24MHZ

SYSBOOT[15:14]	SYSBOOT[13:12]	SYSBOOT[11:10]	SYSBOOT[9]	SYSBOOT[8]	SYSBOOT[7:6]	SYSBOOT[5]	SYSBOOT[4:0]	Boot Sequence			
00b = 19.2MHz 01b = 24MHz 10b = 25MHz 11b = 26MHz	00b (all other values reserved)	Don't care for ROM code	Don't care for ROM code	Don't care for ROM code	Don't care for ROM code	0 = CLKOUT1 disabled 1 = CLKOUT1 enabled	11100b	MMC1	MMC0	UART0	USB0[5]
00b = 19.2MHz 01b = 24MHz 10b = 25MHz 11b = 26MHz	00b (all other values reserved)	Don't care for ROM code	Don't care for ROM code	Don't care for ROM code	Don't care for ROM code	0 = CLKOUT1 disabled 1 = CLKOUT1 enabled	11000b	SPI0	MMC0	USB0[5]	UART0

Title			
Size	Number		Revision
A			
Date:	01/05/2020		Sheet of
File:	E:\Documents\...\P06_Boot_SchDoc Drawn By:		



ETHERNET
CONNECTOR

Title

Size

Number



Revision

Date: 01/05/2020

Sheet

of

File: E:\Documents\...\P09_Ethernet_SchDocn By: [Signature]



Title			
Size	Number	Revision	
A			
Date:	01/05/2020	Sheet	of
File:	E:\Documents\...\P10_uSD.SchDoc	Drawn By:	