Math 113 Definitions.

- 1. **Set.** A set is an unordered collection of elements.
- 2. **Map.** A map from X to Y is $f: X \to Y$ (a rule that assigns elements to Y to elements in X). So, for any $x \in X$ there exists a unique $y \in Y$ such that f(x) = y.
- 3. Cartesian Product. The Cartesian product of X and Y is the set $X \times Y = \{(x,y) \mid x \in X, y \in Y\}$.
- 4. **Equivalence Relation.** An equivalence relation R, \sim on X is a subset $R \subset X \times X$ such that
 - (a) Reflexive. $((x, x) \in R \text{ for all } x \in X)$.
 - (b) Symmetric. (if $(x, y) \in R$, then $(y, x) \in R$).
 - (c) Transitive. (if $(x, y) \in R$ and $(y, z) \in R$, then $(x, z) \in R$).
- 5. **Equivalence Class.** Let X be a set and R be an equivalence relation on X. Then, an equivalence class of $x \in X$ is the set $[x] = [x]_R = [x]_\sim = \{a \in X \mid x \sim a\}$.
- 6. $\mathbb{Z}/m\mathbb{Z}$. The set of distinct equivalence classes of $\equiv \pmod{n}$ is $\mathbb{Z}/m\mathbb{Z}$.
- 7. **Group.** A group G (denote: (G, \star)) is a set G with a closed binary operation $\star : G \times G \to G$ such that:
 - (a) Associativity: $(a \star b) \star c = a \star (b \star c)$ for all $a, b, c \in G$.
 - (b) Identity: There exists an $e \in G$ such that for any $a \in G$, we have $a \star e = e \star a = a$.
 - (c) Inverse: For any $a \in G$, there exists an $a^{-1} \in G$ such that $a \star a^{-1} = a^{-1} \star a = e$.
- 8. Symmetric Group. The symmetric group on n letters is S_n .
- 9. **Disjoint Cycles.** Two cycles (a_1, \ldots, a_k) and (b_1, \ldots, b_l) are disjoint if $a_i \neq b_j$ for all i, j.
- 10. **Transpositions.** The simplest permutation is a cycle of length 2, which is called a transposition.
- 11. Even, Odd Permuatations. A permutation is even if it can be expressed as an even number of transpositions. A permutation is odd if it can be expressed as an odd number of transpositions.
- 12. **Subgroup.** A subgroup H of a group G is a subset H of G such that when the group operation of G is restricted to H, then H is a group.
- 13. **Trivial/Proper Subgroup.** The trivial subgroup of a group G is $\{e\}$ and a proper subgroup is a subgroup H of G where H is a proper subset of G.

- 14. **General/Special Linear Group.** $GL_2(\mathbb{R})$ is the set of 2x2 invertible matrices with real entries. $SL_2(\mathbb{R})$ is the set of 2x2 invertible matrices with real entries and with determinant 1.
- 15. Cyclic Group. A cyclic group is a group generated by one element.
- 16. **Isomorphism.** An isomorphism is a homomorphism which is bijective.
- 17. **Kernel of homomorphism.** If $\phi : G \to H$ is a homomorphism, then $\ker \phi$ is the pre-image of $e_H \in H$, that is, $\ker \phi \{g \in G \mid \phi(g) = e_H\}$.
- 18. **Coset.** Let $(G, \star) \ge (H, \star)$ and $g \in G$. Then, an H- coset of g is a (sub)set of G where $gH = g \star H = \{g \star h \mid h \in H\}$ (left coset) and $Hg = \{h \star g \mid h \in H\}$ (right coset).
- 19. **Index.** A set of distinct equivalence classes with respect to H is G/H, a quotient of G by H. Then, |G/H| = [G:H] is the index of H in G.
- 20. The following are definitions listed in the homeworks:
 - (a) Group of units in $\mathbb{Z}/n\mathbb{Z}$ is the set $(\mathbb{Z}/n\mathbb{Z})^{\times} = \mathbb{Z}/n\mathbb{Z}^{\times} := \{[a] \in \mathbb{Z} \mid \exists [b] \in \mathbb{Z}/n\mathbb{Z} \text{ with } [a] \times [b] = [1]\}.$
 - (b) If G is a group, then the center of G is the set $Z(G) := \{a \in G \mid ga = ag \forall g \in G\}.$
 - (c) \mathbb{C}^{\times} is the set of nonzero complex numbers.
 - (d) \mathbb{R}^{\times} is the set of nonzero real numbers.
 - (e) GL(n, K) is the set of $n \times n$ invertible matrices with entries in K.
 - (f) If G is a group, then the torsion subgroup of G is called G_T , which is the set of all elements of G with finite order.
 - (g) The Klein four-group is V is a subgroup of S_4 and consists of $V = \{id, (12), (34), (12)(34)\}.$
- 21. (External) Direct Product Let $G = (G, \star)$ and $H = (H, \circ)$ be groups. Then, $G \times H = \{G \times H, (\star, \circ)\}.$
- 22. **Normal Subgroup.** Let G be a group and H a subgroup of G. Then H is a normal subgroup (write $H \subseteq G$) iff for all $g \in G$, gH = Hg, or equivalently, for all hinH, $ghg^{-1} \in H$ for all $g \in G$.
- 23. **Internal Direct Product.** Let G be a group and $H, K \leq G$. G is an internal direct product of H and K iff:
 - (a) $G = H \cdot K := \{h \cdot k \mid h \in H, k \in K\}.$
 - (b) $H \cap K = \{e_G\}$ ("as small as possible").
 - (c) $h \cdot k = k \cdot h$ for all $h \in H, k \in K$.

- 24. **Simple group.** A group G is simple if the only normal subgroups are $\{e_G\}$ are G.
- 25. **Symmetry.** A symmetry of X is a bijective map $\sigma: X \to X$ preserving the structure where X is some set with some additional structure.
- 26. Group of permutations on a set X. G is a group of permutations on a set X if $\phi: G \to \operatorname{Sym}(X) = S_X = S_{|X|}$ is a homomorphism that is 1-1.
- 27. G acts on a set X. G acts on a set X is a homomorphism $\phi: G \to \operatorname{Sym}(X)$.
- 28. **Stabilizer of** $x \in X$. Let G be a group and X a set. Then, the stabilizer of $x \in X$ is $\operatorname{Stab}_G(x) = \{g \in G \mid g(x) = x\}$, which are elements of g that preserve $x \in X$.
- 29. Orbit of $x \in X$. Take $x \in X$. Then the orbit of X is $\operatorname{orb}_G(x) = \mathcal{O}_G(x) = \mathcal{O}(x) = \{g(x) \mid g \in G\} \subseteq X$.
- 30. G acts on a set X (equivalent) def. A group G acts on a set X iff $\Phi: G \times X \to X$ with $(g, x) \mapsto \Phi(g, x) = g \circ x$ such that:
 - (a) for all $x \in X$, $\Phi(e_G, x) = x$.
 - (b) for all $x \in X$, $g, h \in G$, $\Phi(gh, x) = \Phi(g, \Phi(h, x))$.