Lab PBO B1

1. PersonDAO.java

```
/* Nama File: PersonDAO.java
    Pembuat: Vicoriza Ramadhani
    NIM: 24060121130053
    LAB: B1
    30/05/2023
*/
public interface PersonDAO
{
    public void savePerson(Person P) throws Exception;
}
```

2. Person.java

```
Nama File: Person.java
    Pembuat: Vicoriza Ramadhani
   NIM: 24060121130053
    LAB: B1
    30/05/2023
public class Person
   private int id;
   private String name;
   public Person(String n)
       name = n;
   public Person(int i, String n)
       id = i;
        name = n;
   public int getID()
       return id;
   public String getName()
       return name;
    }
```

3. MySQLPersonDAO.java

```
Nama File: MySQLPersonDAO.java
    Pembuat: Vicoriza Ramadhani
   NIM: 24060121130053
    LAB: B1
    30/05/2023
import java.sql.*;
public class MySQLPersonDAO implements PersonDAO
    public void savePerson(Person person) throws Exception
        String name = person.getName();
        Class.forName("com.mysql.jdbc.Driver");
        Connection con =
DriverManager.getConnection("jdbc:mysql://localhost/pbo", "root",
"*********");
        String query = "INSERT INTO person(name) VALUES('"+ name
+"')";
        System.out.println(query);
        Statement s = con.createStatement();
        s.executeUpdate(query);
        con.close();
    }
```

4. DAOManager.java

```
/* Nama File: DAOManager.java
    Pembuat: Vicoriza Ramadhani
    NIM: 24060121130053
    LAB: B1
    30/05/2023
*/

public class DAOManager
{
    private PersonDAO personDAO;


    public void setPersonDAO (PersonDAO person)
    {
        personDAO = person;
    }

    public PersonDAO getPersonDAO()
    {
        return personDAO;
    }
}
```

5. MainDAO.java

Dokumentasi:

```
mysql> select * from person;
Empty set (0.00 sec)
mysql>
```



ER 4\PRAKTIKUM\PBO\Pertemuan 9> > d:; cd 'd:\UNDIP\SE
MESTER 4\PRAKTIKUM\PBO\Pertemuan 9'; & 'C:\Program Files\Java\jdk-19\b
in\java.exe' '@C:\Users\Medkit\AppData\Local\Temp\cp_4md9p86jyf2vo4dlb
jcg18lnx.argfile' 'MainDAO'
Loading class `com.mysql.jdbc.Driver'. This is deprecated. The new dri
ver class is `com.mysql.cj.jdbc.Driver'. The driver is automatically r
egistered via the SPI and manual loading of the driver class is genera
lly unnecessary.
INSERT INTO person(name) VALUES('Indra')
PS D:\UNDIP\SEMESTER 4\PRAKTIKUM\PBO\Pertemuan 9> []

```
mysql> select * from person;
+----+
| id | name |
+---+----+
| 1 | Indra |
```