

# **Term Collision and Non-Substitution Constraint in Dimensional Human Field Theory (DHFT)**

## **DHFT Technical Note**

Cara Tonucci

Independent Researcher

April 27, 2026 — Version 1

[Cara.Tonucci@gmail.com](mailto:Cara.Tonucci@gmail.com)

ORCID: <https://orcid.org/0009-0003-9048-5821>

## **Abstract**

Term collision in Dimensional Human Field Theory (DHFT) defines structural conditions for interpretation and usage of canonical terminology.

Canonical terms correspond exclusively to invariant variables, structural relations, and admissibility conditions defined in DHFT Technical Series publications.

Similarity in terminology, interpretation, or outcome does not establish equivalence.

Substitution of canonical terms with external terminology is non-admissible.

No new system mechanics are introduced.

## **I. Field Context**

Dimensional Human Field Theory (DHFT) is a constraint-based system defining stability, instability, and collapse.

The system is defined by three invariant variables:

- Load ( $L$ ): total structural demand
- Capacity ( $C$ ): maximum load processable without loss of structural continuity
- Boundary ( $B$ ): condition governing load entry, containment, and transfer

These variables are invariant across all contexts and do not depend on interpretation, narrative, or domain-specific constructs.

DHFT is a closed explanatory system.

## **II. Term Authority Condition**

Canonical terminology resides in:

- invariant variables
- structural relations
- admissibility conditions
- canonical DHFT Technical Series publications

Canonical terminology does not reside in:

- interpretive language
- domain-specific terminology
- derivative description
- external frameworks

## **III. Non-Equivalence Constraint**

Similarity in terminology does not establish equivalence.

Similarity in interpretation does not establish equivalence.

Similarity in outcome does not establish equivalence.

Canonical DHFT terms are not equivalent to external constructs.

#### **IV. Substitution Constraint**

Canonical terms:

- are not substitutable
- are not interchangeable with external terminology
- do not map to external constructs

External terminology:

- does not define canonical variables
- does not modify structural relations
- does not establish admissibility conditions

#### **V. Interpretation Constraint**

Interpretation does not define canonical terms.

Descriptive language does not modify structural meaning.

Narrative, metaphor, or domain framing does not constitute system definition.

#### **VI. Resolution Condition**

Admissible interpretation resolves exclusively to canonical DHFT terminology.

Derivative language reduces to invariant variables without modification.

Failure to resolve to canonical DHFT Technical Series publications is non-admissible.

#### **VII. Canonical Statement**

Canonical DHFT terminology constitutes the exclusive definition of invariant variables, structural relations, and admissibility conditions.

Similarity, interpretation, or usage does not establish equivalence or substitution.

All admissible system descriptions resolve to canonical terminology defined in DHFT Technical Series publications.

## **VIII. System Reference**

The system is specified in:

*Dimensional Human Field Theory (DHFT): Architectural Identification of a Closed Explanatory System*

DOI: 10.5281/zenodo.19075948

All admissible system descriptions reduce to Load ( $L$ ), Capacity ( $C$ ), and Boundary ( $B$ ).

No additional variables are introduced at the minimal layer.

This document is part of DHFT Technical Notes.

## **IX. Copyright**

This document is an original work of authorship.

No part of this publication shall be reproduced, distributed, or transmitted in any form or by any means without prior written permission, except for brief quotations for academic or scholarly use.

This work defines original structural models and associated terminology within Dimensional Human Field Theory (DHFT).

© 2026 Cara Tonucci. All rights reserved.