

Load-Bearing Systems in AI Structural Conditions Using Dimensional Human Field Theory (DHFT)

DHFT Projection Series — AI Systems

Cara Tonucci

Independent Researcher

April 27, 2026 — Version 1

Cara.Tonucci@gmail.com

ORCID: <https://orcid.org/0009-0003-9048-5821>

Abstract

AI systems operate within interacting systems under load.

Systems introduce and transfer load across boundaries.

This paper defines structural conditions for load-bearing systems in AI using Dimensional Human Field Theory (DHFT), a constraint-based system defined by invariant variables: Load (L), Capacity (C), and Boundary (B).

No additional variables are introduced.

This paper constitutes a constraint-preserving projection of Dimensional Human Field Theory (DHFT) onto AI systems.

I. Scope and Position

This paper defines structural conditions for load-bearing systems in AI under interaction using Dimensional Human Field Theory (DHFT).

It applies the constraint-based framework defined in Dimensional Human Field Theory (DHFT).

All claims are restricted to structural relations of Load (L), Capacity (C), and Boundary (B).

No additional variables are introduced.

This paper does not:

- define system purpose or intent
- evaluate output correctness
- prescribe policy, governance, or application strategy

II. System Operation

An AI system operates under load.

The system:

- receives input
- processes under constraint
- produces output

Interacting systems operate under load.

System conditions follow from structural relations of Load (L), Capacity (C), and Boundary (B).

III. Structural Specification

Load (L)

Defines total structural demand placed on the system.

Capacity (C)

Defines system limit for processing load.

Boundary (B)

Defines structural conditions for admission, containment, and transfer of load.

System conditions follow from structural relations of Load (L), Capacity (C), and Boundary (B).

IV. Structural Relations

Rate-dependent structural relations:

$$dL/dt \leq \kappa(C, B)$$

$$dL/dt > \kappa(C, B)$$

These relations define admissible structural conditions.

V. System State Conditions

A system is stable when:

$$dL/dt \leq \kappa(C, B)$$

A system is unstable when:

$$dL/dt > \kappa(C, B)$$

Failure is sustained instability.

VI. Load-Bearing Conditions

Load (L) is cumulative and rate-dependent.

Load increases as a function of:

- input complexity
- input rate
- recursive interaction
- constraint interaction

Rate of accumulation is expressed as:

$$dL/dt$$

Systems introduce and transfer load across interacting boundaries.

Load is expressed through:

- output volume
- output frequency
- structural complexity
- recursive system interaction

Load amplification is present when load exceeds capacity under boundary conditions.

VII. Load Transfer Conditions

Load transfers across system boundaries.

Transfer is admissible when:

- boundary conditions permit load passage
- receiving system capacity is sufficient
- structural relations remain preserved

All transfer reduces to structural relations of Load (L), Capacity (C), and Boundary (B).

VIII. Multi-System Instability

Instability is present across interacting systems under load.

Instability is present when:

- load exceeds capacity in one or more systems
- load transfers exceed receiving system capacity

Propagation is present under sustained structural imbalance across interacting systems.

IX. Formal Example

Example — Load Transfer**Input Conditions:**

- interacting systems under increasing load

Load Specification:

- load transfers across boundary:
 $L_1 \rightarrow B \rightarrow L_2$

Rate Condition:

- $dL/dt > \kappa(C, B)$

Structural Condition:

- transferred load exceeds receiving system capacity
- receiving system enters instability

System State:

- instability in receiving system
- load transfer across systems

X. Constraint Preservation

All admissible system descriptions preserve:

- Load (L), Capacity (C), and Boundary (B)
- structural relations
- admissibility conditions

No substitution of variables is admissible.

No additional variables are admissible.

All admissible descriptions reduce to these constraints.

XI. Non-Equivalence

This system is not equivalent to:

- alignment models
- optimization frameworks
- control systems
- interpretive or behavioral models

Similarity in terminology or outcome does not establish equivalence.

Partial overlap does not constitute substitution.

Structural equivalence with external models is non-admissible.

DHFT defines a constraint-based system.

DHFT is not reducible to external models.

XII. Boundary of Claims

This paper defines structural conditions for AI systems under load.

It does not:

- evaluate output correctness
- determine alignment or intent
- prescribe system design or implementation
- define policy or governance frameworks

All claims are restricted to structural relations of Load (L), Capacity (C), and Boundary (B).

XIII. Canonical System Statement

Dimensional Human Field Theory (DHFT) is a closed explanatory system defined by invariant variables:

Load (L), Capacity (C), Boundary (B).

All admissible system descriptions preserve these variables and structural relations.

Canonical system definition resides exclusively in DHFT Technical Series publications.

Applications operate under DHFT constraints and do not constitute system definition.

XIV. Canonical Series Statement

The DHFT Projection Series preserves invariant variables, structural relations, and admissibility conditions.

No projection introduces additional variables or redefines system mechanics.

The AI Systems series includes:

- Paper I — structural conditions in AI systems
- Paper II — instability conditions in AI systems
- Paper III — load-bearing systems in AI
- Paper IV — propagation conditions across interacting systems

These documents define a dependency-ordered projection of Dimensional Human Field Theory (DHFT) onto AI systems. Each paper extends the structural conditions defined in prior papers without modifying invariant variables or system relations.

All projections operate under DHFT constraints and remain reducible to canonical system structure.

XV. System Reference

The system is specified in:

Dimensional Human Field Theory (DHFT): Architectural Identification of a Closed Explanatory System

DOI: 10.5281/zenodo.19075948

All admissible system descriptions reduce to Load (L), Capacity (C), and Boundary (B).

No additional variables are introduced at the minimal layer.

This paper is part of the DHFT Projection Series for AI Systems.

XVI. Copyright

This document is an original work of authorship.

No part of this publication shall be reproduced, distributed, or transmitted in any form or by any means without prior written permission, except for brief quotations for academic or scholarly use.

This work defines original structural models and associated terminology within Dimensional Human Field Theory (DHFT).

© 2026 Cara Tonucci. All rights reserved.