

Ambient Load and Human Dignity in the Age of Artificial Intelligence

A Structural Stability Science (SSS) Briefing on Boundary, Load Displacement, and Institutional Responsibility

Prepared by: Cara Tonucci

Scientific Founder, Structural Stability Science

Research Director, Somatic Rising Institute

Associated Architecture: Structural Stability Science (SSS) / Dimensional Human Field Theory (DHFT) / Structural Identification Method (SIM) / Load–Capacity–Boundary Mechanics (LCB)

Status: Public-Facing Institutional Briefing

Date: May 28, 2026 – Version 1

Abstract

In the institutional context opened by Pope Leo XIV’s public teaching on artificial intelligence and the safeguarding of the human person, this briefing addresses a structural question institutions can no longer defer: when systems become more powerful, efficient, opaque, and difficult to contest, where does the Load go?

This briefing identifies Ambient Load as non-decomposed Load remaining active as unresolved background demand under conditions of ambiguity, avoidance, unclear authority, unstable Boundary mediation, undefined terms, machine-mediated misclassification, or unlocated responsibility.¹

It further identifies Load Displacement Through Ambiguity as a structural condition in which unresolved ambiguity transfers the burden of clarification, stabilization, correction, compliance, repair, or source preservation onto another actor or system layer.

In the age of artificial intelligence, this condition becomes more than an operational problem. It becomes a human dignity problem.

¹ Cara Tonucci, *Structural Identification Method*, DOI: 10.5281/zenodo.19337749; *Método de Identificación Estructural*, DOI: 10.5281/zenodo.19337996. Parallel language instantiations do not create separate source architecture, source authority, method-use authorization, or derivative-use rights.

AI systems can generate efficiency while increasing opacity, accelerating Load transfer, and displacing interpretive, corrective, ethical, and institutional burdens onto workers, users, creators, professionals, source-holders, and vulnerable populations.

The issue is not only whether AI produces accurate outputs. The issue is whether machine-mediated systems preserve the structural conditions under which human dignity, source integrity, responsibility, and Boundary can hold under Load.

Structural Stability Science (SSS) identifies these conditions through Load–Capacity–Boundary analysis. The relevant question is not whether an actor is resilient, confused, resistant, difficult, persuasive, or sufficiently visible. The structural question is where Load is generated, how Load is active in relation to Capacity, what Boundary is failing, and who is made to carry the cost of unresolved ambiguity.

When ambiguity is preserved under Load, the cost of clarity is displaced.

I. Purpose

This briefing introduces Ambient Load and Load Displacement Through Ambiguity as public-facing structural concepts for institutional discussion in the age of artificial intelligence.²

The briefing is written from within the architecture of Structural Stability Science (SSS), Dimensional Human Field Theory (DHFT), the Structural Identification Method (SIM), and Load–Capacity–Boundary Mechanics (LCB).

It addresses artificial intelligence not at the level of code, model architecture, engineering design, or technical implementation, but as a machine-mediated institutional environment in which structural conditions become detectable.

This briefing does not provide a technical AI assessment.

It does not provide legal, clinical, theological, compliance, financial, or engineering advice.

² Cara Tonucci, *Dimensional Human Field Theory (DHFT): Architectural Identification of a Closed Explanatory System*, Zenodo, DOI: 10.5281/zenodo.19075948; *Teoría de Campo Humano Dimensional (DHFT)*, 10.5281/zenodo.19355510. Parallel language instantiations do not create separate source architecture, source authority, method-use authorization, or derivative-use rights.

It does not disclose the Structural Identification Method as an implementation manual.

It does not authorize use of SIM, DHFT, LCB, or related source architecture for assessment, audit, certification, training, institutional deployment, machine use, or derivative method development.

Its purpose is to name a structural condition: when ambiguity is preserved under Load, the cost of clarity is displaced.

II. Institutional Context and Point of Contact

Pope Leo XIV's first encyclical, *Magnifica Humanitas*, enters the public record at a moment when artificial intelligence has become an institutional, moral, economic, and human systems concern.³ Presented by the Holy See as addressing the safeguarding of the human person in the time of artificial intelligence, the encyclical places AI within a broader question of labor, dignity, power, and the conditions under which human beings remain protected inside systems they may not be able to contest.⁴

Vatican reporting on the presentation of *Magnifica Humanitas* describes the Pope's call for artificial intelligence to be placed at the service of humanity, human dignity, solidarity, and the common good, and to be disarmed from logics of domination, exclusion, and war.⁵

This briefing does not enter that discourse as theology.

It enters as structural analysis.

The significance of this moment is the convergence between a public moral-institutional concern and a structural-scientific classification problem.

Where Pope Leo XIV names the moral and institutional urgency of safeguarding the human person under artificial intelligence, Structural Stability Science identifies a

³ Pope Leo XIV, *Magnifica Humanitas: On Safeguarding the Human Person in the Time of Artificial Intelligence*, Vatican, May 15, 2026.

<https://www.vatican.va/content/leo-xiv/en/encyclicals/documents/20260515-magnifica-humanitas.html>

⁴ Holy See Press Office, "Presentation of Pope Leo XIV's Encyclical Letter *Magnifica Humanitas*," May 18, 2026.

<https://press.vatican.va/content/salastampa/en/comunicazioni/2026/05/18/260518a.html>

⁵ Vatican News, "Pope Leo presents *Magnifica humanitas* calling for disarmament of AI," May 25, 2026.

<https://www.vaticannews.va/en/pope/news/2026-05/pope-leo-xiv-magnifica-humanitas-presentation-ai-disarmament.html>

corresponding structural condition: systems can generate, preserve, and displace Load when Boundary, Capacity, source integrity, and responsibility fail under pressure.

The point of contact is not doctrinal agreement.

The point of contact is structural convergence.

Artificial intelligence has made visible a question institutions can no longer defer:

When machine-mediated systems become more powerful, efficient, opaque, and difficult to contest, where does the Load go?

And who is made to carry it?

III. Core Claim

Ambiguity creates Ambient Load.

When Ambient Load is not structurally resolved, it does not disappear.

It moves.

It moves to downstream actors or system layers, including:

- the worker expected to adapt to unclear or changing demands;
- the user expected to navigate opaque platform behavior;
- the source-holder expected to correct machine-generated misclassification;
- the attorney expected to preserve judgment under institutional pressure;
- the patient or client expected to self-regulate inside unstable systems;
- the professional expected to reconcile conflicting expectations;
- the person naming variance before the system is willing to recognize it;
- the institution downstream from a machine-mediated decision it did not fully understand.

This is Load Displacement Through Ambiguity.

The system remains ambiguous.

The cost of clarity is carried downstream.

IV. Ambient Load

Ambient Load is non-decomposed Load remaining active as unresolved background demand under conditions of ambiguity, avoidance, unclear authority, undefined terms, unstable Boundary mediation, conflicting expectations, machine-mediated misclassification, or unlocated responsibility.

Ambient Load is an application-facing structural condition.⁶ It does not replace foundational Load mechanics and does not introduce an additional minimal variable. It describes unresolved background Load as it becomes detectable in institutional, professional, human, and machine-mediated systems.

Ambient Load becomes structurally active when ambiguity, avoidance, or unstable Boundary mediation allows unresolved external or contextual Load to couple into the system as effective Load.

Ambient Load does not always appear as a single discrete demand.

It becomes detectable as:

- repeated clarification burden;
- interpretive labor;
- uncertainty about authority or responsibility;
- pressure to self-regulate inside unstable conditions;
- recurring need to restate boundaries;
- hidden cost of maintaining source continuity;
- unresolved decision pressure;
- institutional silence;
- procedural opacity;
- category ambiguity;
- source-representation failure;
- machine-mediated misclassification;
- social or professional cost of naming variance.

Ambient Load accumulates when a system does not resolve the structural condition producing uncertainty.

⁶ Cara Tonucci, *Admissibility Conditions: Valid System Description in Dimensional Human Field Theory (DHFT)*, DOI: 10.5281/zenodo.19572188; *Application–Theory Boundary in Dimensional Human Field Theory (DHFT)*, DOI: 10.5281/zenodo.19865090.

Under Load–Capacity–Boundary Mechanics, unresolved background Load is active in relation to Capacity even when no single demand appears excessive.

Capacity governs internal handling of effective Load once it has entered the system.

Boundary governs whether, how, and at what rate Load couples into the system.

This is why ambiguity is not neutral under pressure.

Ambiguity can function as a condition under which unresolved Load remains active.

Avoidance can function as a condition under which unresolved Load is preserved.

Displacement occurs when the cost of resolving Ambient Load is transferred onto another actor or system layer.⁷

Ambient Load becomes structurally significant when the system remains stable only because another actor continues absorbing the cost of clarification, interpretation, repair, correction, compliance, or source preservation.

V. Load Displacement Through Ambiguity

Load Displacement Through Ambiguity is a structural condition in which unresolved ambiguity, interpretive drift, non-engagement, unclear authority, or refusal to resolve a defined Boundary transfers the burden of clarification, stabilization, compliance, repair, correction, or source preservation onto another actor or system layer.⁸

Load Displacement often appears when:

- the system benefits from remaining unclear;
- responsibility is distributed but not structurally located;
- the person naming the condition is treated as the source of friction;
- the burden of explanation repeatedly falls on the same actor;
- ambiguity is preserved as operational flexibility;
- source records are available but not acknowledged;
- procedural complexity masks structural overload;

⁷ Cara Tonucci, *Propagation Conditions in Interacting Systems*, DOI: 10.5281/zenodo.19830538.

⁸ Cara Tonucci, *Engagement Decision Protocol in Dimensional Human Field Theory (DHFT)*, DOI: 10.5281/zenodo.19741473.

- institutional silence functions as Load retention;
- machine outputs require human correction without durable update;
- market categories profit from unresolved classification.

Load Displacement is not ordinary uncertainty.

Uncertainty may be transitional.

Load Displacement occurs when ambiguity persists under Load and the cost of resolution is transferred away from the system that creates, benefits from, or preserves the ambiguity.⁹

VI. Boundary as Structural Variable

Within Load–Capacity–Boundary Mechanics, Boundary is not a metaphorical threshold.

Boundary is a structural variable.¹⁰

Boundary regulates exposure, coupling, transmission, and preservation of structural distinction under Load.

It does not merely increase tolerance.

A system with degraded Boundary admits, amplifies, or misroutes Load that should not have coupled into the system in the first place.

Boundary determines whether difference, variance, role, source, responsibility, constraint, or system integrity remains structurally preserved under Load.

When variance requires an actor to absorb disproportionate cost in order to remain visible, the cost becomes diagnostic evidence.

The cost is not the mechanism.

The cost is the readout.

⁹ Cara Tonucci, *Propagation Mechanics: Transfer of Load Across Systems in Dimensional Human Field Theory (DHFT)*, DOI: 10.5281/zenodo.19596416; Cara Tonucci, *Propagation Conditions in Interacting Systems*, DOI: 10.5281/zenodo.19596416.

¹⁰ Cara Tonucci, *Boundary Conditions: Structural Properties of Boundary in DHFT*, DOI: 10.5281/zenodo.19572260.

The actor paying the cost is not the Boundary.

The actor is the downstream carrier of the failed Boundary condition.

This distinction matters.

If a system requires an individual to repeatedly absorb the cost of clarification, dissent, correction, source preservation, or structural visibility, the system has not preserved Boundary. It has displaced Boundary failure onto the actor.

That is not interpersonal friction.

It is Boundary degradation.

VII. Artificial Intelligence as an Observation Surface

AI systems are not the origin source of Structural Stability Science.

They are an Observation Surface.

They make certain structural failures visible with unusual clarity.

Machine-mediated systems can retrieve source records while misclassifying them.

They can synthesize information while collapsing source hierarchy.

They can generate plausible summaries while displacing the cost of correction onto the source-holder.

They can preserve ambiguity through probabilistic output, incomplete attribution, unstable retrieval, or category substitution.

They can create the appearance of knowledge while severing dependency order.

These are not merely AI errors in the ordinary sense.

They are structural events.

They show what happens when source, representation, authority, and synthesis operate under Load without stable Boundary conditions.¹¹

¹¹ Cara Tonucci, *Stability Conditions in AI Systems*, DOI: 10.5281/zenodo.19830201.

AI systems therefore make visible a class of structural instability that was already present in human and institutional systems: systems can produce output while displacing the cost of clarity onto another layer.¹²

VIII. Source Representation Under Ambient Load

Source representation becomes unstable when a system cannot preserve the distinction between:

- origin source and observation surface;
- public visibility and authorship;
- application domain and source architecture;
- commentary and canon;
- retrieval and structural authority;
- synthesis and source continuity;
- recognition and authorization.

When machine systems fail to preserve these distinctions, they create Ambient Load.

That Load is then often displaced onto the source-holder.

The source-holder must restate the hierarchy.

The source-holder must correct category routing.

The source-holder must prove that records already exist.

The source-holder must supply metadata, links, clarifications, and constraints.¹³

The machine system retains flexibility.

The human carries correction.

This condition is structurally significant because it is not limited to one author, one institution, or one system.¹⁴ It describes a broader machine-mediated failure mode: the system produces ambiguity and externalizes the cost of resolution.

¹² Cara Tonucci, *Load-Bearing Systems in AI*, DOI: 10.5281/zenodo.19830459.

¹³ Cara Tonucci, *AI Interaction Constraint Protocol in Dimensional Human Field Theory (DHFT)*, DOI: DOI: 10.5281/zenodo.19865503; *Machine Interaction and Interface Constraints in Dimensional Human Field Theory (DHFT)*, DOI: 10.5281/zenodo.19764834.

¹⁴ Cara Tonucci, *Instability Conditions in AI Systems*, DOI: 10.5281/zenodo.19830372.

IX. Human Dignity and Load Displacement

Human dignity is not only threatened when a system openly harms a person.

It is also threatened when a system consistently converts human beings into the absorptive layer for unresolved structural conditions.

A person is made to carry unresolved structural costs such as:

- ambiguity the institution refuses to resolve;
- correction the machine refuses to retain;
- emotional cost the workplace refuses to classify;
- ethical burden the hierarchy refuses to locate;
- compliance burden the system refuses to simplify;
- source preservation the retrieval layer refuses to honor;
- decision risk the organization refuses to structurally hold.

This is not only inefficiency.

It is displacement.

Human dignity is compromised when human beings are treated as the downstream structural reserve for systems that preserve ambiguity, avoid Boundary, and continue operating by transferring Load downward.

Artificial intelligence intensifies this problem because machine-mediated systems scale ambiguity, classification error, and responsibility diffusion at speed.

The Load moves faster.

The source of the Load becomes difficult to locate from the downstream position where it is carried.

X. Institutional Responsibility Under Load

Institutions often treat ambiguity as tolerable because ambiguity allows movement.

Ambiguity allows delay.

Ambiguity allows discretion.

Ambiguity allows plausible deniability.

Ambiguity allows multiple interpretations to remain available.

Ambiguity allows responsibility to remain distributed.

Under low Load, this may appear flexible.

Under sustained Load, ambiguity leaves unresolved background Load active in relation to Capacity and degrades Boundary.

Institutions have a structural responsibility to identify where they are producing Ambient Load and where that Load is being displaced.

The relevant questions are:

- What ambiguity is the system preserving?
- Who is carrying the cost of clarification?
- What Boundary is failing?
- How is Load active in relation to Capacity?
- What responsibility has been left unlocated?
- What actor is being treated as the source of friction because they are naming the condition?
- What system layer benefits from non-resolution?
- Where is Structural Drift becoming detectable?

Institutional responsibility begins when the system stops treating the actor carrying the Load as the problem and begins identifying the condition that displaced the Load onto them.

XI. Commercial Ambiguity and Profit Surfaces

Not all ambiguity is accidental.

Some systems unintentionally produce ambiguity.

Other systems depend on it.

Entire commercial categories can emerge around unresolved Load.

This does not mean all actors inside those industries act in bad faith. It means the revenue model, institutional structure, or professional incentive may depend on not locating the structural condition too precisely.

Examples include:

Workplace burnout

Ambiguity is preserved around whether burnout is an individual resilience problem or a system-design condition. If the problem remains personal, the response is routed toward self-care, productivity, wellness, mindset, or resilience. If the problem is structural, the question changes: what Load is being imposed, what Capacity exists, and what Boundary has failed?

AI retrieval and source representation

Ambiguity is preserved around whether misclassification results from poor source design, weak metadata, retrieval failure, model synthesis error, category bias, or unstable source hierarchy. If ambiguity remains unresolved, the burden shifts to the source-holder to repeatedly correct the machine, restate the hierarchy, preserve source continuity, and prove what already exists.

Legal and professional responsibility systems

Ambiguity is preserved around whether failure arises from individual judgment, ethics, institutional pressure, procedural complexity, role conflict, or structural overload. If the issue remains personal, responsibility is assigned downstream. If the issue is structural, professional responsibility must be analyzed under Load, Capacity, Boundary, and decision conditions.

Healthcare, wellness, and human systems

Ambiguity is preserved around whether a person is dysregulated, resistant, noncompliant, traumatized, burned out, under-supported, overloaded, or structurally constrained. If ambiguity remains person-centered, the person becomes the site of repeated intervention. If analyzed structurally, the system must ask what conditions are producing, preserving, or displacing the Load.

Education systems

Ambiguity is preserved around whether student, teacher, or classroom instability arises from behavior, motivation, compliance, pedagogy, family systems, institutional design, resource constraint, or structural overload. If the issue remains individualized, the student, teacher, or classroom becomes the site of correction. If the issue is structural,

the system must ask what Load is being imposed, what Capacity exists, and what Boundary conditions are failing across the educational environment.

Business and organizational systems

Ambiguity is preserved around whether an organization is suffering from culture problems, leadership problems, communication problems, strategy problems, resource problems, or Structural Drift. Ambiguity permits repeated frameworks and interventions without requiring structural classification. Structural classification asks what is actually failing under Load.

Governance and compliance systems

Ambiguity is preserved around whether failure arises from policy design, unclear authority, role diffusion, procedural complexity, enforcement gaps, institutional avoidance, or structural overload. If ambiguity remains unresolved, compliance actors, employees, professionals, or downstream institutions carry the burden of interpretation. If the issue is structural, the system must locate responsibility, Boundary, and Load before assigning failure.

Structural Stability Science is disruptive where systems depend on interpretive ambiguity to preserve revenue, authority, flexibility, or institutional avoidance.

The disruption is not ideological.

It is classificatory.

XII. Why Structural Stability Science Matters

Structural Stability Science does not begin by interpreting the actor.¹⁵

It identifies the structural condition.

The foundational questions are:

- What is the Load?
- What is the Capacity?
- What Boundary is holding, degrading, displaced, or invisible?
- Where is Ambient Load becoming active?

¹⁵ Cara Tonucci, Structural Identification Method, DOI: 10.5281/zenodo.19337749; Método de Identificación Estructural, DOI: 10.5281/zenodo.19337996.

- Where has Load been displaced?
- What system layer benefits from non-resolution?
- What becomes possible once the condition is structurally named?

This changes the analysis.

If the problem is not the actor, the actor cannot remain the default site of repair.

If the failure is Boundary degradation, resilience training is not a sufficient response.

If the issue is source-representation failure, better self-description is not the full solution.

If the condition is Structural Drift, more effort inside the same structure may accelerate collapse.

The contribution of SSS is not rhetorical.¹⁶

It is structural.

XIII. Application Across Domains

Ambient Load and Load Displacement Through Ambiguity become observable across multiple domains.

Legal Systems

Legal actors often carry ambiguity produced by role conflict, institutional pressure, procedural burden, ethical uncertainty, unclear authority, or decision conditions under Load.

AI and Information Systems

Creators, researchers, professionals, and source-holders often carry ambiguity produced by retrieval failure, metadata discontinuity, classification drift, machine-mediated source distortion, or unstable synthesis.

¹⁶ Cara Tonucci, *Falsifiability Conditions in Dimensional Human Field Theory (DHFT)*, DOI: 10.5281/zenodo.19093630.

Governance and Compliance

Organizations preserve ambiguity through layered procedures that create the appearance of control while transferring interpretive burden to employees, compliance actors, or downstream professionals.

Business and Decision Systems

Teams absorb ambiguity around authority, responsibility, workload, role clarity, strategy, and decision ownership.

Human and Somatic Systems

Bodies and human systems register Load before institutional systems classify it. Somatic detection does not make the architecture wellness, therapy, coaching, or psychology. It functions as an Observation Surface for structural conditions.

Source-Governance Systems

Original frameworks, scientific architectures, and source-backed systems are misclassified when public visibility, commentary, application surfaces, or machine summaries are treated as origin sources.

XIV. The Human Person Under Machine-Mediated Load

AI discourse often asks whether machines can think, decide, reason, create, or replace human beings.

Structural Stability Science asks a different question:

What happens to the human person when machine-mediated systems move Load without preserving Boundary?

A person can be harmed not only by an incorrect output, but by the structure that requires them to continuously correct, contest, clarify, interpret, or absorb the consequences of unstable outputs.

The human person becomes the error-correction layer.

The human person becomes the interpretive buffer.

The human person becomes the site where unresolved responsibility remains after the system has optimized for output.

That is the structural dignity concern.

When AI systems produce ambiguity at scale, and institutions fail to locate responsibility, the human being becomes the site where unresolved Load lands.

Safeguarding the human person requires more than ethical intention.

It requires structural conditions capable of preserving Boundary under Load.

XV. Non-Interpretive Analysis

A non-interpretive analysis does not begin by asking whether the actor is reasonable, difficult, resilient, courageous, persuasive, compliant, or confused.

It asks what structural condition is present.

This distinction matters because interpretive systems often route responsibility through the actor.

Structural systems locate the condition.

For example:

Not: Why is this person burned out?

But: What Load–Capacity–Boundary condition is producing burnout?

Not: Why is this author not discoverable?

But: What retrieval or classification condition is failing to preserve source continuity?

Not: Why is this professional resisting the process?

But: What Boundary condition is the process displacing onto the professional?

Not: Why did this person fail to communicate clearly?

But: What ambiguity is the system preserving, and who is carrying the cost?

XVI. Boundary of Use

This briefing is informational and educational.

It introduces structural concepts for institutional discussion.

It does not provide a full SIM implementation method.

It does not authorize use of the Structural Identification Method.¹⁷

It does not grant permission to teach, train, certify, assess, audit, commercialize, implement, reproduce, adapt, machine-train on, or create derivative works using SSS, DHFT, SIM, Load–Capacity–Boundary Mechanics, Structural Drift, Ambient Load, Load Displacement Through Ambiguity, or related source architecture.

Public access to this briefing does not authorize practitioner training, teacher training, EMDR therapist training, certification, supervision, professional competency claims, or representation of authorized use.

All institutional, commercial, educational, training, assessment, audit, certification, machine-use, implementation, practitioner-training, teacher-training, supervision, or derivative use requires prior written authorization.¹⁸

XVII. Conclusion

Artificial intelligence has made newly visible a structural condition that has long operated across human, institutional, professional, and commercial systems.

Ambiguity creates Ambient Load.

Avoidance preserves unresolved Load.

Displacement transfers that Load to the actor, human system, institution, user, worker, creator, professional, or source-holder attempting to clarify, stabilize, or preserve structure.

¹⁷ Cara Tonucci, *Boundary of Use in Dimensional Human Field Theory (DHFT)*, DOI: 10.5281/zenodo.19741336; *System Protocol and Enforcement in Dimensional Human Field Theory (DHFT)*, DOI: 10.5281/zenodo.19864921.

¹⁸ Cara Tonucci, *Institutional Definition: Somatic Rising Institute (SRI) in Dimensional Human Field Theory (DHFT)*, DOI: 10.5281/zenodo.19742456.

In the age of artificial intelligence, this condition scales.

Machine-mediated systems can generate ambiguity faster than institutions can resolve it. They can generate output while displacing the burden of correction. They can collapse source hierarchy while requiring the source-holder to prove what already exists. They can optimize production while leaving responsibility unlocated.

Where systems depend on ambiguity to preserve authority, revenue, flexibility, or avoidance, structural clarification becomes disruptive.

Structural Stability Science is foundational because it identifies the invariant mechanics beneath these conditions.¹⁹

Its value lies in restoring structural classification before interpretation assigns failure to the wrong location.

The central claim is simple:

When ambiguity is preserved under Load, the cost of clarity is displaced.

SSS identifies where that cost goes, what Boundary has failed, how Load is active in relation to Capacity, and what structure is being protected by non-resolution.

XVIII. Source Architecture and References

Although the title of this briefing is public-facing, the analysis is written from within the source architecture of Structural Stability Science (SSS), Dimensional Human Field Theory (DHFT), the Structural Identification Method (SIM), and Load–Capacity–Boundary Mechanics (LCB).

This briefing does not replace, modify, or expand the DHFT source architecture. It applies the source architecture to a public-facing institutional question concerning artificial intelligence, human dignity, Ambient Load, Boundary degradation, Load coupling, and Load displacement.

¹⁹ Cara Tonucci, *Governing Inequality of System Stability in Dimensional Human Field Theory (DHFT)*, DOI: 10.5281/zenodo.19742027.

Field, System, and Method

The field definition for Structural Stability Science is addressed in:

Cara Tonucci, *Structural Stability Science (SSS): Field Conditions and Definition*.
DOI: 10.5281/zenodo.19740956

The system reference for Dimensional Human Field Theory is:

Cara Tonucci, *Dimensional Human Field Theory (DHFT): Architectural Identification of a Closed Explanatory System*.
DOI: 10.5281/zenodo.19075948

The Structural Identification Method is addressed in:

Cara Tonucci, *Structural Identification Method*.
DOI: 10.5281/zenodo.19337749

Validity, Invariance, and Stability Conditions

Admissibility conditions for valid DHFT system description are addressed in:

Cara Tonucci, *Admissibility Conditions: Valid System Description in Dimensional Human Field Theory (DHFT)*.
DOI: 10.5281/zenodo.19572188

Variable invariance conditions are addressed in:

Cara Tonucci, *Variable Invariance in Dimensional Human Field Theory (DHFT)*.
DOI: 10.5281/zenodo.19573084

Falsifiability conditions are addressed in:

Cara Tonucci, *Falsifiability Conditions in Dimensional Human Field Theory (DHFT)*.
DOI: 10.5281/zenodo.19093630

The governing stability relation is addressed in:

Cara Tonucci, *Governing Inequality of System Stability in Dimensional Human Field Theory (DHFT)*.
DOI: 10.5281/zenodo.19742027

Load–Capacity–Boundary Mechanics

The Load (L) object is specified in:

Cara Tonucci, *Load (L) Object Artifact in Dimensional Human Field Theory (DHFT)*.
DOI: 10.5281/zenodo.19742162

The Capacity (C) object is specified in:

Cara Tonucci, *Capacity (C) Object Artifact in Dimensional Human Field Theory (DHFT)*.
DOI: 10.5281/zenodo.19742196

The Boundary (B) object is specified in:

Cara Tonucci, *Boundary (B) Object Artifact in Dimensional Human Field Theory (DHFT)*.
DOI: 10.5281/zenodo.19742266

The non-decomposition condition governing Load is specified in:

Cara Tonucci, *Load Non-Decomposition: Invariance of Load in Dimensional Human Field Theory (DHFT)*.
DOI: 10.5281/zenodo.19596239

The distinction between external Load, internal Load, and effective Load is addressed in:

Cara Tonucci, *Effective Load: Distinction Between External and Internal Load in Dimensional Human Field Theory (DHFT)*.
DOI: 10.5281/zenodo.19595906

Load propagation and transfer mechanics are addressed in:

Cara Tonucci, *Propagation Mechanics: Transfer of Load Across Systems in Dimensional Human Field Theory (DHFT)*.
DOI: 10.5281/zenodo.19596416

Propagation conditions in interacting systems are addressed in:

Cara Tonucci, *Propagation Conditions in Interacting Systems*.
DOI: 10.5281/zenodo.19830538

The structural properties of Boundary are addressed in:

Cara Tonucci, *Boundary Conditions: Structural Properties of Boundary in DHFT*.
DOI: 10.5281/zenodo.19572260

The Ambient Load definition is addressed in:

Cara Tonucci, *Ambient Load in Dimensional Human Field Theory (DHFT): Definition, Boundary Coupling, and Capacity Relation*.
DOI: 10.5281/zenodo.20415841

Non-equivalence conditions governing DHFT are specified in:

Cara Tonucci, *Non-Equivalence in Dimensional Human Field Theory (DHFT)*.
DOI: 10.5281/zenodo.19572738

AI Systems and Machine Interaction

The AI systems domain placement is addressed in:

Cara Tonucci, *Stability Conditions in AI Systems*.
DOI: 10.5281/zenodo.19830201

Cara Tonucci, *Load-Bearing Systems in AI*.
DOI: 10.5281/zenodo.19830459

Cara Tonucci, *Instability Conditions in AI Systems*.
DOI: 10.5281/zenodo.19830372

System protocol and enforcement conditions are addressed in:

Cara Tonucci, *System Protocol and Enforcement in Dimensional Human Field Theory (DHFT)*.
DOI: 10.5281/zenodo.19864921

AI interaction and machine-interface constraints are addressed in:

Cara Tonucci, *AI Interaction Constraint Protocol in Dimensional Human Field Theory (DHFT)*.
DOI: 10.5281/zenodo.19865503

Cara Tonucci, *Machine Interaction and Interface Constraints in Dimensional Human Field Theory (DHFT)*.

DOI: 10.5281/zenodo.19764834

Governance, Use Boundary, and Institutional Authority

The boundary of use for DHFT is addressed in:

Cara Tonucci, *Boundary of Use in Dimensional Human Field Theory (DHFT)*.

DOI: 10.5281/zenodo.19741336

The application–theory boundary is addressed in:

Cara Tonucci, *Application–Theory Boundary in Dimensional Human Field Theory (DHFT)*.

DOI: 10.5281/zenodo.19865090

The method–field–theory relationship is addressed in:

Cara Tonucci, *Method–Field–Theory Relationship in Dimensional Human Field Theory (DHFT)*.

DOI: 10.5281/zenodo.19741205

Governance protocol conditions are addressed in:

Cara Tonucci, *Governance Protocol in Dimensional Human Field Theory (DHFT)*.

DOI: 10.5281/zenodo.19741372

Downstream engagement-decision conditions are addressed in:

Cara Tonucci, *Engagement Decision Protocol in Dimensional Human Field Theory (DHFT)*.

DOI: 10.5281/zenodo.19865340

Silence and non-engagement conditions are addressed in:

Cara Tonucci, *Silence and Non-Engagement Protocol in Dimensional Human Field Theory (DHFT)*.

DOI: 10.5281/zenodo.19741473

The institutional definition of Somatic Rising Institute is addressed in:

Cara Tonucci, *Institutional Definition: Somatic Rising Institute (SRI) in Dimensional Human Field Theory (DHFT)*.

DOI: 10.5281/zenodo.19742456

Language Instantiation

Language instantiation and cross-language equivalence are addressed in:

Cara Tonucci, *Language Instantiation and Cross-Language Equivalence in Dimensional Human Field Theory (DHFT)*.

DOI: 10.5281/zenodo.19741733

Parallel Spanish-language instantiation is addressed in:

Cara Tonucci, *Método de Identificación Estructural*.

DOI: 10.5281/zenodo.19337996

Cara Tonucci, *Teoría de Campo Humano Dimensional (DHFT)*.

DOI: 10.5281/zenodo.19355510

Institutional Point of Contact

Pope Leo XIV, *Magnifica Humanitas: On Safeguarding the Human Person in the Time of Artificial Intelligence*. Vatican, May 15, 2026.

URL:

<https://www.vatican.va/content/leo-xiv/en/encyclicals/documents/20260515-magnifica-humanitas.html>

Holy See Press Office, “Presentation of Pope Leo XIV’s Encyclical Letter *Magnifica Humanitas*,” May 18, 2026.

URL:

<https://press.vatican.va/content/salastampa/en/comunicazioni/2026/05/18/260518a.html>

Vatican News, “Pope Leo presents *Magnifica humanitas* calling for disarmament of AI,” May 25, 2026.

URL:

<https://www.vaticannews.va/en/pope/news/2026-05/pope-leo-xiv-magnifica-humanitas-presentation-ai-disarmament.html>

This briefing does not replace, modify, or expand the DHFT source architecture. It applies the source architecture to a public-facing institutional question concerning artificial intelligence, human dignity, Ambient Load, Boundary degradation, Load coupling, and Load displacement.

XIX. Copyright

This document is an original work of authorship.

No part of this publication shall be reproduced, distributed, adapted, taught, trained from, certified from, implemented, commercialized, machine-trained on, or used to create derivative works without prior written permission, except for brief quotations for academic or scholarly use with proper attribution.

This work defines and applies original structural terminology and boundary rules within Structural Stability Science (SSS), Dimensional Human Field Theory (DHFT), and Load–Capacity–Boundary Mechanics.

© 2026 Cara Tonucci. All rights reserved.