Test and Report information

Source file	"AdminApp_Last30DaysCreatedDateFilter_ManualRecording.csv"
Start Time	"6/22/23, 6:51 AM"
End Time	"6/22/23, 6:52 AM"
Filter for display	""

APDEX (Application Performance Index) (https://en.wikipedia.org/wiki/Apdex)

Apdex	T (Toleration threshold)	F (Frustration threshold)	Label
0.736	**500 ms**	**1 sec 500 ms**	**Total**
0.000	500 ms	1 sec 500 ms	/Collector/3.0/?qsp=true&content-type=application%2Fbond-compact-binary&client-id=NO_AUTH&sdk-version=AV encoding=base64&x-apikey=5c3a61f48d7c4522912765ae7465ab5c-8472b9b6-f99b-4baf-8db9-f97fcc0ca092-724: millis=1687387625024&time-delta-to-apply-millis=1144-121
0.000	500 ms	1 sec 500 ms	/Collector/3.0/?qsp=true&content-type=application%2Fbond-compact-binary&client-id=NO_AUTH&sdk-version=AV encoding=base64&x-apikey=5c3a61f48d7c4522912765ae7465ab5c-8472b9b6-f99b-4baf-8db9-f97fcc0ca092-724: millis=1687387634549&time-delta-to-apply-millis=1144-129
0.000	500 ms	1 sec 500 ms	/Collector/3.0/?qsp=true&content-type=application%2Fbond-compact-binary&client-id=NO_AUTH&sdk-version=AV encoding=base64&x-apikey=5c3a61f48d7c4522912765ae7465ab5c-8472b9b6-f99b-4baf-8db9-f97fcc0ca092-724: millis=1687387628137&time-delta-to-apply-millis=1144-125

file:///C:/Users/ricardo.piquero.jr/apache-jmeter-5.5/bin/AdminApp_Last30DaysCreatedDateFilter_ManualRecording/index.html

1/10

| Apdex	T (Toleration threshold)	F (Frustration threshold)	Label
0.000	500 ms	1 sec 500 ms	/Collector/3.0/?qsp=true&content-type=application%2Fbond-compact-binary&client-id=NO_AUTH&sdk-version=AV encoding=base64&x-apikey=5c3a61f48d7c4522912765ae7465ab5c-8472b9b6-f99b-4baf-8db9-f97fcc0ca092-724: millis=1687387636975&time-delta-to-apply-millis=1144-130
0.000	500 ms	1 sec 500 ms	/Collector/3.0/?qsp=true&content-type=application%2Fbond-compact-binary&client-id=NO_AUTH&sdk-version=AV encoding=base64&x-apikey=5c3a61f48d7c4522912765ae7465ab5c-8472b9b6-f99b-4baf-8db9-f97fcc0ca092-724: millis=1687387634336&time-delta-to-apply-millis=1144-128
0.000	500 ms	1 sec 500 ms	/Collector/3.0/?qsp=true&content-type=application%2Fbond-compact-binary&client-id=NO_AUTH&sdk-version=AV encoding=base64&x-apikey=5c3a61f48d7c4522912765ae7465ab5c-8472b9b6-f99b-4baf-8db9-f97fcc0ca092-724: millis=1687387623839&time-delta-to-apply-millis=1144-115
0.050	500 ms	1 sec 500 ms	/Collector/3.0/?qsp=true&content-type=application%2Fbond-compact-binary&client-id=NO_AUTH&sdk-version=AV encoding=base64&x-apikey=5c3a61f48d7c4522912765ae7465ab5c-8472b9b6-f99b-4baf-8db9-f97fcc0ca092-724: millis=1687387621573&time-delta-to-apply-millis=1144-104
0.250	500 ms	1 sec 500 ms	/Collector/3.0/?qsp=true&content-type=application%2Fbond-compact-binary&client-id=NO_AUTH&sdk-version=AV encoding=base64&x-apikey=5c3a61f48d7c4522912765ae7465ab5c-8472b9b6-f99b-4baf-8db9-f97fcc0ca092-724: millis=1687387598728&time-delta-to-apply-millis=1144-101
0.500	500 ms	1 sec 500 ms	/api/data/v9.0/$batch-102
0.500	500 ms	1 sec 500 ms	/invoke-106
0.500	500 ms	1 sec 500 ms	/invoke-117
0.500	500 ms	1 sec 500 ms	/invoke-114
0.550	500 ms	1 sec 500 ms	/invoke-116
0.600	500 ms	1 sec 500 ms	/invoke-119

Apdex	T (Toleration threshold)	F (Frustration threshold)	Label
0.700	500 ms	1 sec 500 ms	/invoke-120
0.700	500 ms	1 sec 500 ms	/invoke-118
0.700	500 ms	1 sec 500 ms	/Collector/3.0/?qsp=true&content-type=application%2Fbond-compact-binary&client-id=NO_AUTH&sdk-version=AV encoding=base64&x-apikey=5c3a61f48d7c4522912765ae7465ab5c-8472b9b6-f99b-4baf-8db9-f97fcc0ca092-724: millis=1687387628829&time-delta-to-apply-millis=1144-126
0.800	500 ms	1 sec 500 ms	/invoke-124
0.800	500 ms	1 sec 500 ms	/invoke-123
0.900	500 ms	1 sec 500 ms	/Collector/3.0/?qsp=true&content-type=application%2Fbond-compact-binary&client-id=NO_AUTH&sdk-version=AV encoding=base64&x-apikey=a387cfcf60114a43a7699f9fbb49289e-9bceb9fe-1c06-460f-96c5-6a0b247358bc-7238 millis=1687387631610&time-delta-to-apply-millis=1144-127
0.900	500 ms	1 sec 500 ms	/invoke-122
0.950	500 ms	1 sec 500 ms	/Collector/3.0/?qsp=true&content-type=application%2Fbond-compact-binary&client-id=NO_AUTH&sdk-version=AV encoding=base64&x-apikey=a387cfcf60114a43a7699f9fbb49289e-9bceb9fe-1c06-460f-96c5-6a0b247358bc-7238 millis=1687387688614&time-delta-to-apply-millis=1144-131
0.950	500 ms	1 sec 500 ms	/invoke-112
1.000	500 ms	1 sec 500 ms	/invoke-109
1.000	500 ms	1 sec 500 ms	/Collector/3.0/?qsp=true&content-type=application%2Fbond-compact-binary&client-id=NO_AUTH&sdk-version=AV encoding=base64&x-apikey=5c3a61f48d7c4522912765ae7465ab5c-8472b9b6-f99b-4baf-8db9-f97fcc0ca092-724: millis=1687387811808&time-delta-to-apply-millis=1144-143

file:///C:/Users/ricardo.piquero.jr/apache-jmeter-5.5/bin/AdminApp_Last30DaysCreatedDateFilter_ManualRecording/index.html

3/10

Apdex	T (Toleration threshold)	F (Frustration threshold)	Label
1.000	500 ms	1 sec 500 ms	/config/v1/PowerApps/1.0.0.0?ObjectId=abeb6094-55b6-4837-bb19-c173ff644da4&TenantId=e0793d39-0939-496(198edd916feb&EnvironmentId=1ceecae1-1738-e1cf-95ff-efda479a2911&AppVersion=2023-06-21T07%3A54%3A15Z&HostVersion=3.23062.9&Region=prod&Browser=Firefox&HostType=Webplayer&ServerLo(
1.000	500 ms	1 sec 500 ms	/Collector/3.0/?qsp=true&content-type=application%2Fbond-compact-binary&client-id=NO_AUTH&sdk-version=AV encoding=base64&x-apikey=5c3a61f48d7c4522912765ae7465ab5c-8472b9b6-f99b-4baf-8db9-f97fcc0ca092-724: millis=1687387809289&time-delta-to-apply-millis=use-collector-delta-134
1.000	500 ms	1 sec 500 ms	/invoke-105
1.000	500 ms	1 sec 500 ms	/invoke-108
1.000	500 ms	1 sec 500 ms	/invoke-107
1.000	500 ms	1 sec 500 ms	/config/v1/PowerApps/1.0.0.0?ObjectId=abeb6094-55b6-4837-bb19-c173ff644da4&TenantId=e0793d39-0939-496(198edd916feb&EnvironmentId=1ceecae1-1738-e1cf-95ff-efda479a2911&HostVersion=3.23062.9&Region=prod&Browser=Firefox&HostType=Webplayer&ServerLocation=e
1.000	500 ms	1 sec 500 ms	/v1/tiles-133
1.000	500 ms	1 sec 500 ms	/config/v1/PowerApps/1.0.0.0?ObjectId=abeb6094-55b6-4837-bb19-c173ff644da4&TenantId=e0793d39-0939-496(198edd916feb&EnvironmentId=1ceecae1-1738-e1cf-95ff-efda479a2911&AppVersion=3.23061.24&HostVersion=3.23062.9&Region=prod&Browser=Firefox&HostType=Web 144
1.000	500 ms	1 sec 500 ms	/api/invoke-137
1.000	500 ms	1 sec 500 ms	/api/invoke-138
1.000	500 ms	1 sec 500 ms	/api/invoke-135

file:///C:/Users/ricardo.piquero.jr/apache-jmeter-5.5/bin/AdminApp_Last30DaysCreatedDateFilter_ManualRecording/index.html

4/10

Apdex	T (Toleration threshold)	F (Frustration threshold)	Label
1.000	500 ms	1 sec 500 ms	/api/invoke-136
1.000	500 ms	1 sec 500 ms	/Collector/3.0/?qsp=true&content-type=application%2Fbond-compact-binary&client-id=NO_AUTH&sdk-version=AV encoding=base64&x-apikey=5c3a61f48d7c4522912765ae7465ab5c-8472b9b6-f99b-4baf-8db9-f97fcc0ca092-724: millis=1687387618708&time-delta-to-apply-millis=1144-103
1.000	500 ms	1 sec 500 ms	/Collector/3.0/?qsp=true&content-type=application%2Fbond-compact-binary&client-id=NO_AUTH&sdk-version=AV encoding=base64&x-apikey=5c3a61f48d7c4522912765ae7465ab5c-8472b9b6-f99b-4baf-8db9-f97fcc0ca092-724: millis=1687387815044&time-delta-to-apply-millis=1144-146
1.000	500 ms	1 sec 500 ms	/Collector/3.0/?qsp=true&content-type=application%2Fbond-compact-binary&client-id=NO_AUTH&sdk-version=AV encoding=base64&x-apikey=5c3a61f48d7c4522912765ae7465ab5c-8472b9b6-f99b-4baf-8db9-f97fcc0ca092-724: millis=1687387688655&time-delta-to-apply-millis=use-collector-delta-132
1.000	500 ms	1 sec 500 ms	/invoke-113
1.000	500 ms	1 sec 500 ms	/config/v1/PowerApps/1.0.0.0-145
1.000	500 ms	1 sec 500 ms	/config/v1/PowerApps/1.0.0.0-141
1.000	500 ms	1 sec 500 ms	/config/v1/PowerApps/1.0.0.0-142
1.000	500 ms	1 sec 500 ms	/invoke-111
1.000	500 ms	1 sec 500 ms	/invoke-110

Requests Summary

FAIL
PASS

PASS
100%

Statistics

	Executions			Response Times (ms)							Thr
	#Samples	FAIL	Error %	Average	Min	Max	Median	90th pct	95th pct	99th pct	Trans
	460	**0**	**0.00%**	**921.40**	**42**	**15670**	**314.00**	**2367.10**	**3633.70**	**11531.82**	**9.55**
	10	0	0.00%	1172.10	1123	1198	1176.50	1197.80	1198.00	1198.00	8.35
	10	0	0.00%	45.30	42	50	45.00	49.80	50.00	50.00	0.66
	10	0	0.00%	186.60	176	223	182.00	220.90	223.00	223.00	0.65
	10	0	0.00%	201.20	195	214	200.00	213.30	214.00	214.00	0.66
	10	0	0.00%	94.10	55	209	62.00	208.80	209.00	209.00	0.66
JTH&sdk-version=AWT-Web-JS-1.8.9&content-9-f97fcc0ca092-7243&client-time-epoch-	10	0	0.00%	1504.80	1111	1777	1536.50	1773.60	1777.00	1777.00	5.52

	Executions			Response Times (ms)							Thr
	#Samples	FAIL	Error %	Average	Min	Max	Median	90th pct	95th pct	99th pct	Trans
TH&sdk-version=AWT-Web-JS-1.8.9&content- 9-f97fcc0ca092-7243&client-time-epoch-	10	0	0.00%	234.30	208	409	211.00	391.20	409.00	409.00	24.15
TH&sdk-version=AWT-Web-JS-1.8.9&content- 9-f97fcc0ca092-7243&client-time-epoch-	10	0	0.00%	2948.50	1496	11555	2061.50	10654.90	11555.00	11555.00	0.84
TH&sdk-version=AWT-Web-JS-1.8.9&content- 9-f97fcc0ca092-7243&client-time-epoch-	10	0	0.00%	3172.80	1943	4066	3023.00	4039.00	4066.00	4066.00	0.70
TH&sdk-version=AWT-Web-JS-1.8.9&content- 9-f97fcc0ca092-7243&client-time-epoch-	10	0	0.00%	5618.30	1940	15670	4076.00	15278.10	15670.00	15670.00	0.54
TH&sdk-version=AWT-Web-JS-1.8.9&content- 9-f97fcc0ca092-7243&client-time-epoch-	10	0	0.00%	4488.90	1594	10112	3121.50	9977.50	10112.00	10112.00	0.57
TH&sdk-version=AWT-Web-JS-1.8.9&content- 9-f97fcc0ca092-7243&client-time-epoch-	10	0	0.00%	688.40	223	1446	602.00	1445.70	1446.00	1446.00	0.63
TH&sdk-version=AWT-Web-JS-1.8.9&content- 9-f97fcc0ca092-7243&client-time-epoch-	10	0	0.00%	3841.30	1804	11765	2681.00	11112.80	11765.00	11765.00	0.59
TH&sdk-version=AWT-Web-JS-1.8.9&content- 9-f97fcc0ca092-7243&client-time-epoch-	10	0	0.00%	3670.90	2310	6505	3442.00	6306.60	6505.00	6505.00	0.59
TH&sdk-version=AWT-Web-JS-1.8.9&content- 9-f97fcc0ca092-7243&client-time-epoch-	10	0	0.00%	3451.30	1509	11517	2796.50	10731.30	11517.00	11517.00	0.58

	Executions			Response Times (ms)							Thr
	#Samples	FAIL	Error %	Average	Min	Max	Median	90th pct	95th pct	99th pct	Trans;
)TH&sdk-version=AWT-Web-JS-1.8.9&content- 9-f97fcc0ca092-7243&client-time-epoch-	10	0	0.00%	217.30	192	360	199.50	345.50	360.00	360.00	0.65
)TH&sdk-version=AWT-Web-JS-1.8.9&content- 9-f97fcc0ca092-7243&client-time-epoch-	10	0	0.00%	203.10	193	216	200.00	215.90	216.00	216.00	0.66
)TH&sdk-version=AWT-Web-JS-1.8.9&content- 9-f97fcc0ca092-7243&client-time-epoch-	10	0	0.00%	208.00	200	225	206.50	224.40	225.00	225.00	0.66
)TH&sdk-version=AWT-Web-JS-1.8.9&content- 9-f97fcc0ca092-7243&client-time-epoch-	10	0	0.00%	203.90	193	224	200.50	223.20	224.00	224.00	0.65
)TH&sdk-version=AWT-Web-JS-1.8.9&content- 5a0b247358bc-7238&client-time-epoch-	10	0	0.00%	336.00	193	863	202.00	856.20	863.00	863.00	0.64
)TH&sdk-version=AWT-Web-JS-1.8.9&content- 5a0b247358bc-7238&client-time-epoch-	10	0	0.00%	264.00	192	844	198.50	781.00	844.00	844.00	0.65
	10	0	0.00%	196.90	109	254	206.00	253.60	254.00	254.00	0.66
	10	0	0.00%	198.60	94	247	217.00	246.90	247.00	247.00	0.66
	10	0	0.00%	199.70	116	252	208.50	251.30	252.00	252.00	0.65
e0793d39-0939-496d-b129- efox&HostType=Webplayer&ServerLocation=eas-	10	0	0.00%	195.70	115	227	199.50	226.90	227.00	227.00	0.66

file:///C:/Users/ricardo.piquero.jr/apache-jmeter-5.5/bin/AdminApp_Last30DaysCreatedDateFilter_ManualRecording/index.html

8/10

	Executions			Response Times (ms)							Thr
	#Samples	FAIL	Error %	Average	Min	Max	Median	90th pct	95th pct	99th pct	Trans
e0793d39-0939-496d-b129- 5- /ebplayer&ServerLocation=eas-139	10	0	0.00%	197.40	106	225	205.50	224.20	225.00	225.00	0.66
e0793d39-0939-496d-b129- r&ServerLocation=eas-140	10	0	0.00%	251.00	167	357	261.00	353.00	357.00	357.00	0.65
	10	0	0.00%	307.90	304	315	306.50	314.60	315.00	315.00	21.83
	10	0	0.00%	1255.60	1070	1375	1244.00	1372.20	1375.00	1375.00	7.24
	10	0	0.00%	318.40	307	353	315.50	350.10	353.00	353.00	22.73
	10	0	0.00%	324.00	302	356	316.50	355.50	356.00	356.00	22.42
	10	0	0.00%	309.10	299	314	310.00	313.70	314.00	314.00	22.08
	10	0	0.00%	315.90	301	363	310.50	358.90	363.00	363.00	21.74
	10	0	0.00%	331.60	302	487	310.50	473.60	487.00	487.00	18.25
	10	0	0.00%	346.50	304	515	312.00	508.10	515.00	515.00	13.16
	10	0	0.00%	308.40	301	333	306.50	330.60	333.00	333.00	21.69
	10	0	0.00%	545.60	512	641	523.50	637.50	641.00	641.00	0.93
	10	0	0.00%	520.10	319	638	519.00	634.80	638.00	638.00	0.93
	10	0	0.00%	535.70	510	571	530.00	569.60	571.00	571.00	0.93
	10	0	0.00%	462.00	315	597	510.50	595.00	597.00	597.00	0.91
	10	0	0.00%	487.20	322	551	521.00	549.40	551.00	551.00	0.92
	10	0	0.00%	498.50	314	1015	524.00	972.00	1015.00	1015.00	0.89
	10	0	0.00%	358.60	310	513	318.50	513.00	513.00	513.00	0.88
	10	0	0.00%	441.80	309	652	429.50	645.20	652.00	652.00	0.86

file:///C:/Users/ricardo.piquero.jr/apache-jmeter-5.5/bin/AdminApp_Last30DaysCreatedDateFilter_ManualRecording/index.html

9/10

	Executions			Response Times (ms)							Thr
	#Samples	FAIL	Error %	Average	Min	Max	Median	90th pct	95th pct	99th pct	Transa
	10	0	0.00%	422.20	314	587	355.50	584.40	587.00	587.00	0.86
	10	0	0.00%	305.10	285	342	303.50	340.10	342.00	342.00	0.65

Errors

Type of error	Number of errors	% in errors	% in all samples

Top 5 Errors by sampler

Sample	#Samples	#Errors	Error	#Errors	Error	#Errors	Error	#Errors	Error	#Errors	Error	#Errors
Total	**460**	**0**										

file:///C:/Users/ricardo.piquero.jr/apache-jmeter-5.5/bin/AdminApp_Last30DaysCreatedDateFilter_ManualRecording/index.html

10/10