```
1
   < Page
 2
       x:Class="PDF Binder.MainPage"
       xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"
 3
 4
       xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"
 5
       xmlns:local="using:PDF_Binder"
       xmlns:d="http://schemas.microsoft.com/expression/blend/2008"
 6
 7
       xmlns:mc="http://schemas.openxmlformats.org/markup-compatibility/2006"
 8
       mc:Ignorable="d">
 9
10
       <Grid Background="{ThemeResource ApplicationPageBackgroundThemeBrush}">
11
            <Grid.RowDefinitions>
                <RowDefinition Height="Auto" />
12
13
                <RowDefinition Height="*" />
                <RowDefinition Height="Auto" />
14
15
            </Grid.RowDefinitions>
            <StackPanel Orientation="Horizontal" Grid.Row="0"</pre>
              VerticalAlignment="Top">
17
                <Button Content="Add file..." />
                <Button Content="Remove Seslected files.." />
18
19
20
                <Button Content="Up" />
21
                <Button Content="Down" />
22
23
                <Button Content="Bind!" ></Button>
24
25
            </StackPanel>
26
            <ListView Grid.Row="1" VerticalAlignment="Stretch"</pre>
27
                                                                                    P
              HorizontalAlignment="Stretch" SelectionMode="Multiple">
                <ListViewItem Content="Item 1" />
28
29
                <ListViewItem Content="Item 2" />
30
                <ListViewItem Content="Item 3" />
                <ListViewItem Content="Item 4" />
31
                <ListViewItem Content="Item 5" />
32
33
            </ListView>
34
            <Grid Grid.Row="3">
35
                <Grid Margin="4">
36
37
                    <Grid.RowDefinitions>
38
                        <RowDefinition Height="Auto" />
                        <RowDefinition Height="Auto" />
39
40
                    </Grid.RowDefinitions>
41
                    <StackPanel Grid.Row="0" Orientation="Vertical">
42
43
                        <TextBlock Text="Target Directory:"/>
44
                        <TextBox Text="{Binding TargetPath}"/>
45
                    </StackPanel>
46
                    <StackPanel Grid.Row="1" Orientation="Vertical">
47
48
                        <TextBlock Text="Target File Name:"/>
49
                        <TextBox Text="{Binding TargetFile}"/>
                    </StackPanel>
50
51
                </Grid>
```

```
52 </Grid>
53 </Grid>
54 </Page>
55
```

```
namespace PDF Binder
 2 {
 3
        using System;
 4
        using System.Collections.Generic;
 5
        using System.IO;
        using System.Linq;
 6
 7
        using System.Runtime.InteropServices.WindowsRuntime;
 8
        using Windows.ApplicationModel;
 9
        using Windows.ApplicationModel.Activation;
10
        using Windows.Foundation;
11
        using Windows.Foundation.Collections;
12
        using Windows.UI.Xaml;
13
        using Windows.UI.Xaml.Controls;
14
        using Windows.UI.Xaml.Controls.Primitives;
15
        using Windows.UI.Xaml.Data;
16
        using Windows.UI.Xaml.Input;
17
        using Windows.UI.Xaml.Media;
        using Windows.UI.Xaml.Media.Animation;
18
19
        using Windows.UI.Xaml.Navigation;
20
        // The Blank Application template is documented at http://
21
          go.microsoft.com/fwlink/?LinkId=234227
22
        /// <summary>
23
        /// Provides application-specific behavior to supplement the default
          Application class.
24
        /// </summary>
25
        public sealed partial class App : Application
26
27 #if WINDOWS PHONE APP
28
            private TransitionCollection transitions;
29 #endif
30
            /// <summary>
31
            /// Initializes the singleton application object. This is the first 
ightharpoonup
32
               line of authored code
            /// executed, and as such is the logical equivalent of main() or
33
              WinMain().
34
            /// </summary>
            public App()
35
36
            {
37
                this.InitializeComponent();
                this.Suspending += this.OnSuspending;
38
            }
39
40
            /// <summary>
41
            /// Invoked when the application is launched normally by the end
42
              user. Other entry points
43
            /// will be used when the application is launched to open a specific 
ightharpoonup
               file, to display
44
            /// search results, and so forth.
45
            /// </summary>
46
            /// <param name="e">Details about the launch request and process.
              param>
```

```
...WPF\PDF Binder\PDF Binder\PDF Binder.Shared\App.xaml.cs
47
            protected override void OnLaunched(LaunchActivatedEventArgs e)
48
49 #if DEBUG
                if (System.Diagnostics.Debugger.IsAttached)
50
51
52
                    this.DebugSettings.EnableFrameRateCounter = false;
53
                }
54 #endif
55
                Frame rootFrame = Window.Current.Content as Frame;
56
57
                // Do not repeat app initialization when the Window already has >
58
                  content,
                // just ensure that the window is active
59
60
                if (rootFrame == null)
                     // Create a Frame to act as the navigation context and
62
                      navigate to the first page
                    rootFrame = new Frame();
63
                     rootFrame.DataContext = new
65
                       PDF_Binder.ViewModels.ApplicationViewModel();
66
                    // TODO: change this value to a cache size that is
67
                       appropriate for your application
68
                    rootFrame.CacheSize = 1;
69
                     if (e.PreviousExecutionState ==
70
                      ApplicationExecutionState.Terminated)
71
                         // TODO: Load state from previously suspended
72
                        application
                    }
73
74
75
                    // Place the frame in the current Window
                    Window.Current.Content = rootFrame;
76
77
                }
78
79
                if (rootFrame.Content == null)
80
    #if WINDOWS_PHONE_APP
81
                    // Removes the turnstile navigation for startup.
82
                    if (rootFrame.ContentTransitions != null)
83
84
                        this.transitions = new TransitionCollection();
85
                        foreach (var c in rootFrame.ContentTransitions)
86
87
88
                             this.transitions.Add(c);
89
90
                    }
91
92
                    rootFrame.ContentTransitions = null;
```

rootFrame.Navigated += this.RootFrame FirstNavigated;

93

```
94
    #endif
95
96
                     // When the navigation stack isn't restored navigate to the >
                       first page,
97
                     // configuring the new page by passing required information 🤝
                       as a navigation
98
                     // parameter
                     if (!rootFrame.Navigate(typeof(MainPage), e.Arguments))
99
100
                     {
                         throw new Exception("Failed to create initial page");
101
102
                     }
                 }
103
104
105
                // Ensure the current window is active
                Window.Current.Activate();
106
107
            }
108
109 #if WINDOWS PHONE APP
            /// <summary>
110
111
            /// Restores the content transitions after the app has launched.
112
            /// </summary>
            /// <param name="sender">The object where the handler is attached.
113
               param>
114
            /// <param name="e">Details about the navigation event.</param>
115
            private void RootFrame FirstNavigated(object sender,
              NavigationEventArgs e)
116
            {
117
                var rootFrame = sender as Frame;
118
                 rootFrame.ContentTransitions = this.transitions ?? new
                   TransitionCollection() { new NavigationThemeTransition() };
119
                rootFrame.Navigated -= this.RootFrame FirstNavigated;
120
            }
121 #endif
122
123
            /// <summary>
             /// Invoked when application execution is being suspended.
124
              Application state is saved
125
            /// without knowing whether the application will be terminated or
              resumed with the contents
126
            /// of memory still intact.
            /// </summary>
127
128
            /// <param name="sender">The source of the suspend request.</param>
            /// <param name="e">Details about the suspend request.</param>
129
            private void OnSuspending(object sender, SuspendingEventArgs e)
130
131
            {
                var deferral = e.SuspendingOperation.GetDeferral();
132
133
134
                // TODO: Save application state and stop any background activity
135
                 deferral.Complete();
136
            }
137
        }
138 }
```