mybook

Jane Doe

2021-08-18

Table of contents

2	Ecosystem Status Report for the U.S. Caribbean	6
3	1. Executive Summary	7
4	2. Introduction	8
	4.1 2.1 Indicator selection	8
	4.2 2.2 Notes on interpreting time series figures	9
5	3. Fishery management plan objectives and conceptual models	10
6	4. Risks to meeting fishery management objectives	11
	6.0.1 Degree heating weeks	11
	6.0.2 Ocean acidification via aragonite saturation state	11
	6.0.3 Hurricane activity	11
	6.0.4 Turbidity	12
	6.0.5 Sea surface temperature	12
	6.0.6 Marine debris	12
	6.0.7 Identified point source pollution sites	13
	6.0.8 Primary productivity via ocean color	14
7	<pre>{r, message = FALSE, warnings = FALSE} # load("indicator_objects/carib_0</pre>	hl.RData")
	<pre># plotIndicatorTimeSeries(inddata, trendAnalysis = F) #</pre>	15
	7.0.1 Coastal development via land cover	15
	7.0.2 Number of major earthquakes	15
	7.0.3 Fishery/market disturbance indicator (maybe belongs in socioeconomic	
	(health)	16
	7.0.4 Sargassum inundation	16
8	<pre>{r} # load("indicator_objects/Sargassum.RData") # plotIndicatorTimeSerie</pre>	s(inddata,
	<pre>coltoplot = 1:2, plotrownum = 2, trendAnalysis = F, sublabel = T) #</pre>	17
9	{r} # load("indicator_objects/sargassum_innundation_monthly_mean_hu.RDat	a")
	<pre># plotIndicatorTimeSeries(inddata, coltoplot = 1:2, plotrownum = 2,</pre>	
	trendAnalysis = F, sublabel = T) #	18
	9.0.1 Tourism via hotel occupancy	18

10		message = FALSE, warnings = FALSE} # load("indicator_objects/hotel_oblotIndicatorTimeSeries(inddata, trendAnalysis = F) #	ccupancy_rates_US
11	{r,	message = FALSE, warnings = FALSE} # load("indicator_objects/hotel_o	ccupancy.RData")
	# p	olotIndicatorTimeSeries(inddata, trendAnalysis = F) #	20
		11.0.1 Population density	20
		11.0.2 Population change	20
12	5.	Tracking performance toward fishery management objectives	21
	12.	1 5.1 Food production	21
		12.1.1 Fishery independent surveys of economically important species	21
		12.1.2 Commercial landings	21
		12.1.3 Maximum length and size structure	21
		12.1.4 Changes in target species / landing composition	21
	12.5	2 5.2 Socioeconomic health	21
		12.2.1 Total, lobster and conch revenues	21
		12.2.2 Total, lobster and conch trips	21
		12.2.3 Ocean economy employment and wages	22
		12.2.4 GDP	22
		12.2.5 Unemployment	22
	12.3	3 5.3 Equity	22
		12.3.1 Gini coefficient for distribution of landings and revenue	22
		12.3.2 Commercial fishing community engagement and reliance	23
	12.4	4 5.4 Engagement and participation	23
		12.4.1 Recreational fishing engagement and participation	23
		12.4.2 Commercial fishing engagement and participation	23
	12.	5 5.5 Bycatch reduction	23
		12.5.1 Changes in gear type	23
	12.0	6 5.5 Governance	24
		12.6.1 Number of seasonal closures implemented	24
		12.6.2 Number of education and outreach events	24
		12.6.3 Number of enforcement actions	24
	12.	7 5.6 Protection of ecosystems	24
		12.7.1 Percent coral cover and coral species richness	24
		12.7.2 Coral species diversity	25
13	6.	Integrated ecosystem perspectives	26
14		Research Recommendations	27
	14.	1 Data gaps	27
15	8.	Acknowledgements	28
16	9.	References	29

1

Preface

This is a quarto book

2 Ecosystem Status Report for the U.S. Caribbean

3 1. Executive Summary

4 2. Introduction

Ecosystem-based management of fisheries and other marine resources has emerged as a priority in the U.S. (EPAP 1999, Fluharty et al. 2006, McFadden and Barnes 2009, NOAA 2016) and elsewhere (Browman et al. 2004, Sainsbury et al. 2014, Walther and Möllmann 2014, Long et al. 2015). The NOAA National Marine Fisheries Service (NOAA Fisheries) defines ecosystem-based fisheries management (EBFM) as 'a systematic approach to fisheries management in a geographically specified area that contributes to the resilience and sustainability of the ecosystem; recognizes the physical, biological, economic, and social interactions among the affected fishery-related components of the ecosystem, including humans; and seeks to optimize benefits among a diverse set of societal goals' (NOAA 2016).

4.1 2.1 Indicator selection

This report relied on both previously identified proposed indicators as well as expert vetting to select a suite of indicators that best address the fishery management plan (FMP) objectives for the U.S. Caribbean. The CFMC's Science and Statistical Committee, as well as the region's Ecosystem-Based Fishery Management Technical Advisory Panel (EBFM TAP), recently completed a series of conceptual models linking key components of the ecosystem and human activities related to fishing. This report used these conceptual models as a starting list of proposed indicators and matched the indicators to answer FMP objectives when possible. For those objectives that did not have an immediate conceptual model-identified indicator, this report used a decision matrix process for expert vetting (Fig x).

insert fig

This decision matrix was composed of a list of proposed indicators compiled from the conceptual models as well as proposed indicators provided via expert input. These potential indicators were vetted and edited by expert small working groups, who then scored a decision matrix (Fig. x) of potential indicators against the following decision criteria: long term data availability, measurability, sensitivity to environmental changes, specificity, spatial and temporal scalability, relevance to specific FMP objectives, and responsiveness to management actions.

4.2 2.2 Notes on interpreting time series figures

Time series data are plotted in a standardized format for ease of interpretation (e.g., Fig. 2.1). The x-axis represents the temporal dimension, which may be monthly, yearly, or irregular time steps, and the y-axis represents the indicator value in units specified in the axis label. The dashed horizontal line represents the mean indicator value across the entire time series, and the solid horizontal lines denote the mean plus or minus one standard deviation. Red shaded areas and green shaded areas show years for which the indicator value is below or above one standard deviation from the mean, respectively. The blue vertical shaded box highlights the last five years of indicator values, over which additional metrics are calculated. Black circles to the right of each figure indicate whether the indicator values over the last five years are greater (plus sign), less than (minus sign), or within (solid circle) one standard deviation from the mean of the overall time series. Arrows to the right of each figure indicate whether the least squares linear fit through the last five years of data produces a positive or negative slope that is greater than one standard deviation (upward or downward arrows respectively), or less than one standard deviation (left-right arrow).

5 3. Fishery management plan objectives and conceptual models

This report's indicator selection process sought to select indicators that corresponded to the island based fishery management plan (FMP) objectives in order to track performance, and also selected indicators related to risks to meeting these management objectives. The following figure shows indicators selected per FMP objective. Indicators were also sourced and considered from the conceptual model exercise completed by the Council's Science and Statistical Committee and District Advisory panels, which began in 2019. Top scored connections in ecosystem components were considered in the ESR indicator suite as well (Rivera et al, in publication).


6 4. Risks to meeting fishery management objectives

6.0.1 Degree heating weeks


Indicator 1

6.0.2 Ocean acidification via aragonite saturation state

Indicator 2



6.0.3 Hurricane activity



6.0.4 Turbidity

 ${\bf Indicator}~4$

#{r, message = FALSE, warnings = FALSE} #load("indicator_objects/turbidity.RData")
#plotIndicatorTimeSeries(inddata, trendAnalysis = F) #


6.0.5 Sea surface temperature

Indicator 5


6.0.6 Marine debris

 ${\bf Indicator}~6$





Marine debris



6.0.7 Identified point source pollution sites

6.0.8 Primary productivity via ocean color

7 {r, message = FALSE, warnings = FALSE}

#
load("indicator_objects/carib_Chl.RData")
plotIndicatorTimeSeries(inddata,
trendAnalysis = F) #


7.0.1 Coastal development via land cover

Indicator 9

7.0.2 Number of major earthquakes

Indicator 10


Earthquake activity



7.0.3 Fishery/market disturbance indicator (maybe belongs in socioeconomic health)

Indicator 11

Disturbance indicator



7.0.4 Sargassum inundation

```
8 {r} #
load("indicator_objects/Sargassum.RData")
# plotIndicatorTimeSeries(inddata,
coltoplot = 1:2, plotrownum = 2,
trendAnalysis = F, sublabel = T) #
```

9.0.1 Tourism via hotel occupancy

11.0.1 Population density

Indicator 14

11.0.2 Population change

12 5. Tracking performance toward fishery management objectives

12.1 5.1 Food production

12.1.1 Fishery independent surveys of economically important species

Indicator 16

12.1.2 Commercial landings

Indicator 17

12.1.3 Maximum length and size structure

Indicator 18

12.1.4 Changes in target species / landing composition

Indicator 20

12.2 5.2 Socioeconomic health


12.2.1 Total, lobster and conch revenues

Indicator 21

12.2.2 Total, lobster and conch trips

12.2.3 Ocean economy employment and wages

Indicator 23



12.2.4 GDP


Indicator 24

12.2.5 Unemployment

Indicator 25

12.3 5.3 Equity

12.3.1 Gini coefficient for distribution of landings and revenue



12.3.2 Commercial fishing community engegement and reliance

Indicator 27

12.4 5.4 Engagement and participation

12.4.1 Recreational fishing engagement and participation

Indicator 28

12.4.2 Commercial fishing engagement and participation

Indicator 29

12.5 5.5 Bycatch reduction

12.5.1 Changes in gear type

12.6 5.5 Governance

12.6.1 Number of seasonal closures implemented

Indicator 31

12.6.2 Number of education and outreach events

Indicator 32

12.6.3 Number of enforcement actions

Indicator 33

12.7 5.6 Protection of ecosystems

12.7.1 Percent coral cover and coral species richness

2014

Indicator 34

7.5 - 7.0 - January 6.5 - 6.5 - 5.5 - 5.0 - 4.5 - 4.5 - 7.0

Hard coral cover

2016

2019

12.7.2 Coral species diversity

13 6. Integrated ecosystem perspectives

Stoplight plot

14 7. Research Recommendations

14.1 Data gaps

15 8. Acknowledgements

16 9. References

17 10. Data source table