

# My title\*

My subtitle if needed

First author      Another author

April 18, 2024

First sentence. Second sentence. Third sentence. Fourth sentence.

## 1 Introduction

You can and should cross-reference sections and sub-sections. We use R Core Team (2023) and Wickham et al. (2019).

The remainder of this paper is structured as follows. Section [2](#)....

## 2 Data

Some of our data is of penguins ([?@fig-bills](#)), from Horst, Hill, and Gorman (2020).

```
[1] 0.687 0.588 0.747 0.721 0.860 0.859
```

---

\*Code and data are available at: [LINK](#).




Figure 1: Distribution of Happiness Scores




Figure 2: Distribution of Gini Index




Figure 3: Relationship between Gini Index and Happiness

Warning: Removed 2 rows containing missing values or values outside the scale range (``geom_point()``).




Figure 4: Relationship between IHDI and Happiness

Talk more about it.

And also planes (**fig-planes**). (You can change the height and width, but don't worry about doing that until you have finished every other aspect of the paper - Quarto will try to make it look nice and the defaults usually work well once you have enough text.)

Talk way more about it.

### 3 Model

The goal of our modelling strategy is twofold. Firstly,...

Here we briefly describe the Bayesian analysis model used to investigate... Background details and diagnostics are included in [Appendix B](#).

#### 3.1 Model set-up

Define  $y_i$  as the number of seconds that the plane remained aloft. Then  $\beta_i$  is the wing width and  $\gamma_i$  is the wing length, both measured in millimeters.

$$y_i | \mu_i, \sigma \sim \text{Normal}(\mu_i, \sigma) \tag{1}$$

$$\mu_i = \alpha + \beta_i + \gamma_i \tag{2}$$

$$\alpha \sim \text{Normal}(0, 2.5) \tag{3}$$

$$\beta \sim \text{Normal}(0, 2.5) \tag{4}$$

$$\gamma \sim \text{Normal}(0, 2.5) \tag{5}$$

$$\sigma \sim \text{Exponential}(1) \tag{6}$$

We run the model in R (R Core Team 2023) using the `rstanarm` package of Goodrich et al. (2022). We use the default priors from `rstanarm`.

### 3.1.1 Model justification

We expect a positive relationship between the size of the wings and time spent aloft. In particular...

We can use maths by including latex between dollar signs, for instance  $\theta$ .

## 4 Results

Our results are summarized in `?@tbl-modelresults`.

## 5 Discussion

### 5.1 First discussion point

If my paper were 10 pages, then should be be at least 2.5 pages. The discussion is a chance to show off what you know and what you learnt from all this.

### 5.2 Second discussion point

### 5.3 Third discussion point

### 5.4 Weaknesses and next steps

Weaknesses and next steps should also be included.

Table 1: Multiple Linear Regression

	Second model
(Intercept)	2.016 (0.468) (4.310) ( $<0.001$ ) [1.087, 2.944]
Democracy_index	0.096 (0.040) (2.385) (0.019) [0.016, 0.176]
Gini_Index	0.013 (0.009) (1.551) (0.124) [−0.004, 0.030]
IHDI	4.112 (0.515) (7.987) ( $<0.001$ ) [3.090, 5.134]
Num.Obs.	100
R2	0.735
R2 Adj.	0.727
AIC	166.6
BIC	179.6
Log.Lik.	−78.311
F	88.755
RMSE	0.53

## Appendix

### A Additional data details

### B Model details

#### B.1 Posterior predictive check

In `?@fig-ppcheckandposteriorvsprior-1` we implement a posterior predictive check. This shows...

In `?@fig-ppcheckandposteriorvsprior-2` we compare the posterior with the prior. This shows...

Examining how the model fits, and is affected  
by, the data

#### B.2 Diagnostics

`?@fig-stanareyouokay-1` is a trace plot. It shows... This suggests...

`?@fig-stanareyouokay-2` is a Rhat plot. It shows... This suggests...

Checking the convergence of the MCMC algo-  
rithm

## References

- Goodrich, Ben, Jonah Gabry, Imad Ali, and Sam Brilleman. 2022. “Rstanarm: Bayesian Applied Regression Modeling via Stan.” <https://mc-stan.org/rstanarm/>.
- Horst, Allison Marie, Alison Presmanes Hill, and Kristen B Gorman. 2020. *Palmerpenguins: Palmer Archipelago (Antarctica) Penguin Data*. <https://doi.org/10.5281/zenodo.3960218>.
- R Core Team. 2023. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.
- Wickham, Hadley, Mara Averick, Jennifer Bryan, Winston Chang, Lucy D’Agostino McGowan, Romain François, Garrett Grolemond, et al. 2019. “Welcome to the tidyverse.” *Journal of Open Source Software* 4 (43): 1686. <https://doi.org/10.21105/joss.01686>.