Paragraphs contain text and may contain inline markup: emphasis, strong emphasis, inline literals, standalone hyperlinks (http://www.python.org), hyperlinks external (Python), cross-references internal (example), external hyperlinks with embedded URIs (Python web site), footnote references (manuallv numbered¹. anonymous auto-numbered², labeled auto-numbered³, or symbolic⁴), and substitution references (). Character-level inline markup is also possible (although exceedingly ugly!) in reStructuredText. **Problems** are indicated by problematic text (generated by processing errors; this one is intentional).

The default role for interpreted text is Title Reference. Here are some explicit interpreted text roles: a PEP reference (PEP 287); an RFC reference (RFC 2822); a subscript; a superscript; and explicit roles for standard inline markup.

· A bullet list

- Nested bullet list
- Nested item 2
- Item 2 Paragraph 2 of item 2
 - Nested bullet list
 - Nested item 2
 - Third level
 - Item 2
 - Nested item 3

- 1 A footnote contains body elements, consistently indented by at least 3 spaces.
- 2 This footnote is numbered automatically and anonymously using a label of "#" only.
- 3 Footnotes may be numbered, either manually (as in 1) or automatically using a "#"-prefixed label.
- 4 Footnotes may also use symbols, specified with a "*" label.