

Algorithmic Mirrors: Engineering Serendipity in Personal Agents Under Partial Observability

A Longitudinal Single-Subject Study of Behavioral Cloning, Exploration, and
Counterfactual Recommendation

[TODO: title not final; lock after results]

Carl Kho

Somach Systems, Inc. [TODO: affiliation wording per counsel]

Draft skeleton, September 26, 2026

Abstract

[TODO: Write only after Sections 8–11 contain measured results.] A behavioral clone answers “what would I do?”; an augmenting agent must answer “what am I failing to consider?” We argue these are different objects, formalize the second as an exploration policy over a belief state, and test the difference retrospectively on one subject’s fifteen-year record of logged exposures and choices. The clone half is measured: a personal LoRA raises held-out 5-way next-action prediction from 28.0% to 37.8% (chance 20%; +9.8 points, 95% CI [6.8, 13.4], gain on 20 of 21 test days). [Proposed: The exploration half is a pre-registered retrospective ranking experiment whose falsifier is stated in Section 7.]

1 Introduction

[TODO:] Prediction asks what the subject will do. Augmentation asks what possibilities the subject is currently failing to consider. The behavioral clone models the first; the exploration mechanism exists because the second question is different.

2 Motivation and Problem Setting

[TODO: Progression A–G from the research brief, written as motivation, not evidence.] [Hypothesis: Many consequential transitions arose from exposures a then-current preference model would have ranked low.]

3 Related Work

Belief-state control and Bayes-adaptive RL. [TODO: [Kaelbling et al., 1998, Duff, 2002, Guez et al., 2012]]

Contextual bandits and exploration. [TODO: [Auer et al., 2002, Li et al., 2010, Russo et al., 2018, Thompson, 1933]]

Intrinsic motivation, curiosity, information gain. [TODO: [Houlsby et al., 2011, Pathak et al., 2017, Schmidhuber, 2010, Klyubin et al., 2005]]

Predictive state representations. [TODO: [Littman et al., 2002, Singh et al., 2004]]

The era of experience and continuing RL. [TODO: [Silver and Sutton, 2025, Sutton and Barto, 2018]]

Recommender systems, user embeddings, feedback loops, serendipity. [TODO: [Chaney et al., 2018, Kotkov et al., 2016, Ziegler et al., 2005]]

Behavioral cloning and imitation. [TODO: [Pomerleau, 1991, Ross et al., 2011]]

Off-policy and counterfactual evaluation. [TODO: [Li et al., 2011, Swaminathan and Joachims, 2015]]

Lifelogging and quantified self. [TODO: [Gurrin et al., 2014]]

4 Dataset and Longitudinal Setting

Inventory summarized from `data_inventory.md`: 3.43M normalized events across 37 sources; messaging 2011–2026; wide multimodal capture from 2026-08; dense lanes from 2026-09-04; platform recommendation exports as single 2026 snapshots. [TODO: Table of sources, ranges, counts. Coverage figure.]

5 Formalization

Observed history $O_{1:t}$; representation $b_t \approx P(S_t \mid O_{1:t}, A_{1:t-1})$; clone $\pi_{\text{clone}}(a \mid b_t)$; augmenting policy $\pi_{\text{aug}}(a \mid b_t)$. Platform outputs $Y_t = f(z_t^{\text{plat}}, C_t)$ are treated as observations from another estimator with unknown objective. Provisional score

$$s(x \mid b_t) = w_r \text{rel}(x) + w_u \text{unc}(x) + w_n \text{nov}(x) + w_i \text{IG}(x) + w_o \text{OV}(x) - w_c \text{cost}(x), \quad (1)$$

with $\text{IG}(a) = H(b_t) - \mathbb{E}[H(b_{t+1}) \mid a]$. [Proposed: Each term is operationalized in EXPERIMENT_PLAN.md E2 and ablated; none is assumed well-defined.]

6 Experimental Design

[Proposed: Exposure–action–outcome table (E1), leakage-safe features (E2), chronological splits with embargo $\geq$ horizon, policies and metrics (E3), mandatory negative controls.]

Do we need RL? No. Logged exposures, actions, and delayed outcomes under the subject’s own policy support retrospective ranking with bandit-style exploration terms; the eventual problem is POMDP-shaped, the present data is not.




Figure 1: The belief / clone / explore loop. External platforms observe the subject and emit recommendations; those outputs enter the local belief as one more observation channel (an “algorithmic mirror”). Both policies produce exposure candidates; the human chooses; the outcome becomes new experience.

7 Falsification statement

Copied from RESEARCH_QUESTIONS.md and frozen with the annotation protocol. H-SER is false if the best exploration-aware policy does not improve $\text{recall}@k$ of consequential exposures over relevance-only by more than random exploration with an equal diversity budget, for every $k \in \{1, 3, 5, 10\}$, on the held-out test periods.

8 Behavioral Clone Results

Recomputed from raw per-case scores (`scripts/verify_carl_model.py`).

9 Algorithmic Mirrors

Recommendation outputs exist only as single 2026 snapshots; no time series. [Proposed: Cross-sectional test E5.] [TODO:]

10 Retrospective Serendipity Evaluation

Variant	Top-1	Δ vs. A	95% CI (cluster bootstrap)
A: immediate situation	0.280	—	—
E: all context layers, base model	0.256	−2.4	[−4.6, +0.2]
E-shuf: shuffled context	0.241	−4.0	[−6.1, −1.4]
F: random history	0.248	−3.2	[−5.4, −1.2]
L: A + personal LoRA	0.378	+9.8	[+6.8, +13.4]
L+E: all layers + LoRA	0.382	+10.1	[+7.0, +14.1]
EM-own / EM-all (event model)	0.289 / 0.293	—	EM-all vs. EM-own +0.4, n.s.

Table 1: 5-way next-action prediction, pooled over six action families ($n = 1695$, **said** excluded per the original protocol), chance = 0.20. The pre-registered primary hypothesis ($E > A$) failed; the LoRA hypothesis ($L > A$) held on 20 of 21 test days. Seventeen of the 21 days contain only **reply** and **sent** cases; per-family, L loses on **copied** ($n = 30$), **clicked**, and **looked**.

Validation split only (2021–2022); test split untouched pending the annotation freeze. Weak-tie inbound exposures, Tier A labels (tie persisted $\wedge \geq 5$ later bursts within 365 d), weekly candidate sets, cluster bootstrap over weeks, stochastic policies averaged over 20 seeds. Judgments from two

Policy	recall@1		recall@3	MRR
Relevance-only (clone proxy)	0.115	0.298	[0.20, 0.40]	0.296
Hybrid (unc. + IG + option value)	0.106	0.368	[0.27, 0.47]	0.310
Random	0.135	0.413	[0.35, 0.48]	0.343
Random with diversity budget	0.117	0.455	[0.39, 0.53]	0.346
Novelty-only (new person first)	0.148	0.471	[0.40, 0.55]	0.368

Table 2: Validation-split ranking of later-consequential weak-tie exposures (63 weeks with a positive, median 8 candidates per week). Relevance-only ranks them below random; the hybrid exploration score does not beat random exploration with an equal diversity budget; plain novelty has a small edge with overlapping intervals. Reply-model AUC 0.678 with AnyJev judgment features.

local models agree that the exposures which became lasting ties were personal first messages from new people rather than invitations or organizational outreach (inter-judge κ 0.62–0.68 on those questions). [TODO: Test-split run after the annotation freeze; Tier B labels; Figure 2 from real output.]

11 Ablations and Negative Controls

[Proposed: E3 controls.] [TODO:]

12 Limitations and Ethics

N=1; researcher–subject dual role; retrospective label bias; cherry-picking risk; privacy; non-independence; recommendation-system confounding; no causal inference from observational trajectories. [TODO: Expand from ETHICS_AND_PRIVACY.md.]

13 Discussion

[TODO:]

14 Conclusion

[TODO:]

References

- Peter Auer, Nicolò Cesa-Bianchi, and Paul Fischer. Finite-time analysis of the multiarmed bandit problem. *Machine Learning*, 47:235–256, 2002.
- Allison J. B. Chaney, Brandon M. Stewart, and Barbara E. Engelhardt. How algorithmic confounding in recommendation systems increases homogeneity and decreases utility. In *Proceedings of the 12th ACM Conference on Recommender Systems*, 2018.
- Michael O’Gordon Duff. *Optimal learning: Computational procedures for Bayes-adaptive Markov decision processes*. PhD thesis, University of Massachusetts Amherst, 2002.
- Arthur Guez, David Silver, and Peter Dayan. Efficient bayes-adaptive reinforcement learning using sample-based search. In *Advances in Neural Information Processing Systems*, 2012.
- Cathal Gurrin, Alan F. Smeaton, and Aiden R. Doherty. Lifelogging: Personal big data. *Foundations and Trends in Information Retrieval*, 8(1):1–125, 2014.
- Neil Houlsby, Ferenc Huszár, Zoubin Ghahramani, and Máté Lengyel. Bayesian active learning for classification and preference learning. *arXiv preprint arXiv:1112.5745*, 2011.
- Leslie Pack Kaelbling, Michael L. Littman, and Anthony R. Cassandra. Planning and acting in partially observable stochastic domains. *Artificial Intelligence*, 101(1-2):99–134, 1998.
- Alexander S. Klyubin, Daniel Polani, and Chrystopher L. Nehaniv. Empowerment: A universal agent-centric measure of control. In *IEEE Congress on Evolutionary Computation*, 2005.
- Denis Kotkov, Shuaiqiang Wang, and Jari Veijalainen. A survey of serendipity in recommender systems. *Knowledge-Based Systems*, 111:180–192, 2016.
- Lihong Li, Wei Chu, John Langford, and Robert E. Schapire. A contextual-bandit approach to personalized news article recommendation. In *Proceedings of the 19th International Conference on World Wide Web*, 2010.
- Lihong Li, Wei Chu, John Langford, and Xuanhui Wang. Unbiased offline evaluation of contextual-bandit-based news article recommendation algorithms. In *Proceedings of the Fourth ACM International Conference on Web Search and Data Mining*, 2011.
- Michael L. Littman, Richard S. Sutton, and Satinder Singh. Predictive representations of state. In *Advances in Neural Information Processing Systems*, 2002.
- Deepak Pathak, Pulkit Agrawal, Alexei A. Efros, and Trevor Darrell. Curiosity-driven exploration by self-supervised prediction. In *Proceedings of the 34th International Conference on Machine Learning*, 2017.

- Dean A. Pomerleau. Efficient training of artificial neural networks for autonomous navigation. *Neural Computation*, 3(1):88–97, 1991.
- Stéphane Ross, Geoffrey Gordon, and Drew Bagnell. A reduction of imitation learning and structured prediction to no-regret online learning. In *Proceedings of the 14th International Conference on Artificial Intelligence and Statistics*, 2011.
- Daniel J. Russo, Benjamin Van Roy, Abbas Kazerouni, Ian Osband, and Zheng Wen. A tutorial on thompson sampling. *Foundations and Trends in Machine Learning*, 11(1):1–96, 2018.
- Jürgen Schmidhuber. Formal theory of creativity, fun, and intrinsic motivation (1990–2010). *IEEE Transactions on Autonomous Mental Development*, 2(3):230–247, 2010.
- David Silver and Richard S. Sutton. Welcome to the era of experience, 2025. Preprint chapter. CHECK venue/URL.
- Satinder Singh, Michael R. James, and Matthew R. Rudary. Predictive state representations: A new theory for modeling dynamical systems. In *Proceedings of the 20th Conference on Uncertainty in Artificial Intelligence*, 2004.
- Richard S. Sutton and Andrew G. Barto. *Reinforcement Learning: An Introduction*. MIT Press, 2 edition, 2018.
- Adith Swaminathan and Thorsten Joachims. Counterfactual risk minimization: Learning from logged bandit feedback. *Journal of Machine Learning Research*, 16:1731–1755, 2015.
- William R. Thompson. On the likelihood that one unknown probability exceeds another in view of the evidence of two samples. *Biometrika*, 25(3/4):285–294, 1933.
- Cai-Nicolas Ziegler, Sean M. McNee, Joseph A. Konstan, and Georg Lausen. Improving recommendation lists through topic diversification. In *Proceedings of the 14th International Conference on World Wide Web*, 2005.