

Algorithmic Mirrors: Engineering Serendipity in Personal Agents Under Partial Observability

A Longitudinal Single-Subject Study of Behavioral Cloning, Exploration, and
Counterfactual Recommendation

[TODO: title not final; lock after results]

Carl Kho

Somach Systems, Inc. [TODO: affiliation wording per counsel]

Draft skeleton, September 26, 2026

Abstract

[TODO: Write only after Sections 8–11 contain measured results.] A behavioral clone answers “what would I do?”; an augmenting agent must answer “what am I failing to consider?” We argue these are different objects, formalize the second as an exploration policy over a belief state, and test the difference retrospectively on one subject’s fifteen-year record of logged exposures and choices. The clone half is measured: a personal LoRA raises held-out 5-way next-action prediction from 28.0% to 37.8% (chance 20%; +9.8 points, 95% CI [6.8, 13.4], gain on 20 of 21 test days). [Proposed: The exploration half is a pre-registered retrospective ranking experiment whose falsifier is stated in Section 7.]

1 Introduction

[TODO:] Prediction asks what the subject will do. Augmentation asks what possibilities the subject is currently failing to consider. The behavioral clone models the first; the exploration mechanism exists because the second question is different.

2 Motivation and Problem Setting

[TODO: Progression A–G from the research brief, written as motivation, not evidence.] [Hypothesis: Many consequential transitions arose from exposures a then-current preference model would have ranked low.]

3 Related Work

Belief-state control and Bayes-adaptive RL. [TODO: [Kaelbling et al., 1998, Duff, 2002, Guez et al., 2012]]

Contextual bandits and exploration. [TODO: [Auer et al., 2002, Li et al., 2010, Russo et al., 2018, Thompson, 1933]]

Intrinsic motivation, curiosity, information gain. [TODO: [Houlsby et al., 2011, Pathak et al., 2017, Schmidhuber, 2010, Klyubin et al., 2005]]

Predictive state representations. [TODO: [Littman et al., 2002, Singh et al., 2004]]

The era of experience and continuing RL. [TODO: [Silver and Sutton, 2025, Sutton and Barto, 2018]]

Recommender systems, user embeddings, feedback loops, serendipity. [TODO: [Chaney et al., 2018, Kotkov et al., 2016, Ziegler et al., 2005]]

Behavioral cloning and imitation. [TODO: [Pomerleau, 1991, Ross et al., 2011]]

Off-policy and counterfactual evaluation. [TODO: [Li et al., 2011, Swaminathan and Joachims, 2015]]

Lifelogging and quantified self. [TODO: [Gurrin et al., 2014]]

4 Dataset and Longitudinal Setting

Inventory summarized from `data_inventory.md`: 3.43M normalized events across 37 sources; messaging 2011–2026; wide multimodal capture from 2026-08; dense lanes from 2026-09-04; platform recommendation exports as single 2026 snapshots. [TODO: Table of sources, ranges, counts. Coverage figure.]

5 Formalization

Observed history $O_{1:t}$; representation $b_t \approx P(S_t \mid O_{1:t}, A_{1:t-1})$; clone $\pi_{\text{clone}}(a \mid b_t)$; augmenting policy $\pi_{\text{aug}}(a \mid b_t)$. Platform outputs $Y_t = f(z_t^{\text{plat}}, C_t)$ are treated as observations from another estimator with unknown objective. Provisional score

$$s(x \mid b_t) = w_r \text{rel}(x) + w_u \text{unc}(x) + w_n \text{nov}(x) + w_i \text{IG}(x) + w_o \text{OV}(x) - w_c \text{cost}(x), \quad (1)$$

with $\text{IG}(a) = H(b_t) - \mathbb{E}[H(b_{t+1}) \mid a]$. [Proposed: Each term is operationalized in EXPERIMENT_PLAN.md E2 and ablated; none is assumed well-defined.]

6 Experimental Design

[Proposed: Exposure–action–outcome table (E1), leakage-safe features (E2), chronological splits with embargo $\geq$ horizon, policies and metrics (E3), mandatory negative controls.]

Do we need RL? No. Logged exposures, actions, and delayed outcomes under the subject’s own policy support retrospective ranking with bandit-style exploration terms; the eventual problem is POMDP-shaped, the present data is not.




Figure 1: The belief / clone / explore loop. External platforms observe the subject and emit recommendations; those outputs enter the local belief as one more observation channel (an “algorithmic mirror”). Both policies produce exposure candidates; the human chooses; the outcome becomes new experience.

7 Falsification statement

Copied from RESEARCH_QUESTIONS.md and frozen with the annotation protocol. H-SER is false if the best exploration-aware policy does not improve recall@ k of consequential exposures over relevance-only by more than random exploration with an equal diversity budget, for every $k \in \{1, 3, 5, 10\}$, on the held-out test periods.

8 Behavioral Clone Results

Recomputed from raw per-case scores (`scripts/verify_carl_model.py`).

9 Algorithmic Mirrors

Recommendation outputs exist only as single 2026 snapshots; no time series. [Proposed: Cross-sectional test E5.] [TODO:]

10 Retrospective Serendipity Evaluation

[Proposed: E3.] [TODO: Figure 2 from real output replaces the synthetic placeholder.]

Variant	Top-1	Δ vs. A	95% CI (cluster bootstrap)
A: immediate situation	0.280	—	—
E: all context layers, base model	0.256	−2.4	[−4.6, +0.2]
E-shuf: shuffled context	0.241	−4.0	[−6.1, −1.4]
F: random history	0.248	−3.2	[−5.4, −1.2]
L: A + personal LoRA	0.378	+9.8	[+6.8, +13.4]
L+E: all layers + LoRA	0.382	+10.1	[+7.0, +14.1]
EM-own / EM-all (event model)	0.289 / 0.293	—	EM-all vs. EM-own +0.4, n.s.

Table 1: 5-way next-action prediction, pooled over six action families ($n = 1695$, **said** excluded per the original protocol), chance = 0.20. The pre-registered primary hypothesis ($E > A$) failed; the LoRA hypothesis ($L > A$) held on 20 of 21 test days. Seventeen of the 21 days contain only **reply** and **sent** cases; per-family, L loses on **copied** ($n = 30$), **clicked**, and **looked**.

11 Ablations and Negative Controls

[Proposed: E3 controls.] [TODO:]

12 Limitations and Ethics

N=1; researcher–subject dual role; retrospective label bias; cherry-picking risk; privacy; non-independence; recommendation-system confounding; no causal inference from observational trajectories. [TODO: Expand from ETHICS_AND_PRIVACY.md.]

13 Discussion

[TODO:]

14 Conclusion

[TODO:]

References

- Peter Auer, Nicolò Cesa-Bianchi, and Paul Fischer. Finite-time analysis of the multiarmed bandit problem. *Machine Learning*, 47:235–256, 2002.
- Allison J. B. Chaney, Brandon M. Stewart, and Barbara E. Engelhardt. How algorithmic confounding in recommendation systems increases homogeneity and decreases utility. In *Proceedings of the 12th ACM Conference on Recommender Systems*, 2018.
- Michael O’Gordon Duff. *Optimal learning: Computational procedures for Bayes-adaptive Markov decision processes*. PhD thesis, University of Massachusetts Amherst, 2002.
- Arthur Guez, David Silver, and Peter Dayan. Efficient bayes-adaptive reinforcement learning using sample-based search. In *Advances in Neural Information Processing Systems*, 2012.

- Cathal Gurrin, Alan F. Smeaton, and Aiden R. Doherty. Lifelogging: Personal big data. *Foundations and Trends in Information Retrieval*, 8(1):1–125, 2014.
- Neil Houlsby, Ferenc Huszár, Zoubin Ghahramani, and Máté Lengyel. Bayesian active learning for classification and preference learning. *arXiv preprint arXiv:1112.5745*, 2011.
- Leslie Pack Kaelbling, Michael L. Littman, and Anthony R. Cassandra. Planning and acting in partially observable stochastic domains. *Artificial Intelligence*, 101(1-2):99–134, 1998.
- Alexander S. Klyubin, Daniel Polani, and Chrystopher L. Nehaniv. Empowerment: A universal agent-centric measure of control. In *IEEE Congress on Evolutionary Computation*, 2005.
- Denis Kotkov, Shuaiqiang Wang, and Jari Veijalainen. A survey of serendipity in recommender systems. *Knowledge-Based Systems*, 111:180–192, 2016.
- Lihong Li, Wei Chu, John Langford, and Robert E. Schapire. A contextual-bandit approach to personalized news article recommendation. In *Proceedings of the 19th International Conference on World Wide Web*, 2010.
- Lihong Li, Wei Chu, John Langford, and Xuanhui Wang. Unbiased offline evaluation of contextual-bandit-based news article recommendation algorithms. In *Proceedings of the Fourth ACM International Conference on Web Search and Data Mining*, 2011.
- Michael L. Littman, Richard S. Sutton, and Satinder Singh. Predictive representations of state. In *Advances in Neural Information Processing Systems*, 2002.
- Deepak Pathak, Pulkit Agrawal, Alexei A. Efros, and Trevor Darrell. Curiosity-driven exploration by self-supervised prediction. In *Proceedings of the 34th International Conference on Machine Learning*, 2017.
- Dean A. Pomerleau. Efficient training of artificial neural networks for autonomous navigation. *Neural Computation*, 3(1):88–97, 1991.
- Stéphane Ross, Geoffrey Gordon, and Drew Bagnell. A reduction of imitation learning and structured prediction to no-regret online learning. In *Proceedings of the 14th International Conference on Artificial Intelligence and Statistics*, 2011.
- Daniel J. Russo, Benjamin Van Roy, Abbas Kazerouni, Ian Osband, and Zheng Wen. A tutorial on thompson sampling. *Foundations and Trends in Machine Learning*, 11(1):1–96, 2018.
- Jürgen Schmidhuber. Formal theory of creativity, fun, and intrinsic motivation (1990–2010). *IEEE Transactions on Autonomous Mental Development*, 2(3):230–247, 2010.
- David Silver and Richard S. Sutton. Welcome to the era of experience, 2025. Preprint chapter. CHECK venue/URL.
- Satinder Singh, Michael R. James, and Matthew R. Rudary. Predictive state representations: A new theory for modeling dynamical systems. In *Proceedings of the 20th Conference on Uncertainty in Artificial Intelligence*, 2004.
- Richard S. Sutton and Andrew G. Barto. *Reinforcement Learning: An Introduction*. MIT Press, 2 edition, 2018.

- Adith Swaminathan and Thorsten Joachims. Counterfactual risk minimization: Learning from logged bandit feedback. *Journal of Machine Learning Research*, 16:1731–1755, 2015.
- William R. Thompson. On the likelihood that one unknown probability exceeds another in view of the evidence of two samples. *Biometrika*, 25(3/4):285–294, 1933.
- Cai-Nicolas Ziegler, Sean M. McNee, Joseph A. Konstan, and Georg Lausen. Improving recommendation lists through topic diversification. In *Proceedings of the 14th International Conference on World Wide Web*, 2005.