



CELLPRO

Suzhou CellPro Biotechnology Co., Ltd.



 sales@cellprobio.com

 4008-782-696

 www.cellprobio.com

 BUILDING 1, NO.18 DONGCHANG ROAD, SUZHOU INDUSTRIAL PARK, JIANGSU PROVINCE

ALL RIGHTS RESERVED

CELLPRO

BROCHURE





COMPANY PROFILE

Suzhou CellPro Biotechnology Co., Ltd., founded in 2018, focused on developing, manufacturing and selling high-end plasticware to life science. CellPro commits to providing high-quality consumables and customized services for global customers in molecular diagnostics, cell culture, immunotherapy. CellPro has 400 staffs, 20,000 square meters facility. Class 8 clean room, Class 7 assembly workshop, high-precision tooling R & D workshop. CellPro builds professional PCR laboratory, cell culture laboratory, microbiology laboratory. CellPro is certified by ISO 13485 and obtained dozens of patents. Our products are widely used in life science, pharmaceutical industry, environmental protection, food safety, government agencies and clinical medicine, etc. CellPro already established business relationship with customers from more than 30 countries, and enjoyed the good reputation through reliable quality, reasonable price and good service.

MANUFACTURER OF HIGH-END PLASTICWARE TO LIFE SCIENCE

CELLPRO

Core Value

Customer First, High Quality,
Employee-oriented, Pursuing Excellence

CellPro Spirit

Open Concentration Innovation Development

CellPro Mission

Focus on high-end plasticware, work for global
life science

CellPro Vision

To be leading international famous enterprise
of plasticware to life science

CERTIFICATION

CELLPRO



**CELLPRO HAS AN ADVANCED R&D TEAM
IN THE INDUSTRY, PROVIDES INDUSTRY
COMPREHENSIVE APPLICATION
VERIFICATION .**

CONTENT

01

PIPETTE TIPS

10μl TIPS

10μl EXTEND LONG TIPS

200μl TIPS

250μl TIPS

350μl TIPS

1000μl TIPS

1250μl TIPS

FILTER TIPS

200μl CONDUCTIVE TIPS

1000μl CONDUCTIVE TIPS

13

PCR SERIES

PCR SINGLE TUBE(FLAT CAP)

PCR 8 STRIP TUBEAND CAP

PCR 96 WELL PLATE

23

SCREW CAP TUBE

1.5ML SCREW CAP TUBE

2.0ML SCREW CAP TUBE

27

CELL CULTURE

CELL CULTURE PLATE

CELL CULTURE FLASK

CELL CULTURE DISH

SEROLOGICAL PIPETTE

ERLENMEYER FLASK

19

CENTRIFUGE TUBE

CENTRIFUGE TUBE

MICROCENTRIFUGE TUBE

25

ELISA PLATE

ELISA PLATE, CLEAR, UNDETACHABLE

ELISA PLATE, CLEAR, DETACHABLE

41

NUCLEIC ACID EXTRACTION
VIRUS SAMPLING

DEEP WELL 96 WELL PLATE & TIP COMB


SAMPLING COLLECTOR



CELLPRO PIPETTE TIPS


- High-quality medical grade polypropylene (PP) material
- Class 8 clean room
- Nonpyrogenic, DNAs- & RNAs-free
- Mature injection molding technology and independent mold design technology
- Compatible with most brands of single-channel & multi-channel pipettes
- Smooth inner wall, minimized liquid residue

- 80°C-121°C, non-deformation under high temperature and pressure
- Clear scale mark, good transparency
- Super hydrophobic, the hydrophobic filter element forms a strong barrier to aerosols, eliminating the risk of cross contamination between the sample and the pipette
- Ultra grinding and molding technology, no mold release reagent is required for mold release, ensuring better product quality
- Optimize the pore size to ensure smooth sample extraction
- Innovative design to ensure good flexibility, tightness and compatibility of the product




10µl TIPS

PN	Description	Packaging Configuration	CTN size/cm
800101	Bagged, Clear, Tip	1000pcs/bag, 20000pcs/cn	44*26*19
800103	Racked, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	50*35*29
800104	Bagged, Low Retention, Clear, Tip	1000pcs/bag, 20000pcs/cn	44*26*19
800106	Racked, Low Retention, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	50*35*29
800108	Racked, Filter, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	50*35*29
800109	Racked, Filter, Low Retention, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	50*35*29
800111	Racked, Stacked Refills, Sterile, Tip	960pcs/pack, 9600pcs/cn	46*25*27




10µl EXTEND LONG TIPS


PN	Description	Packaging Configuration	CTN size/cm
800301	Bagged, Clear, Tip	500pcs/bag, 10000pcs/cn	44*26*19
800303	Racked, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	50*35*29
800304	Bagged, Low Retention, Clear, Tip	500pcs/bag, 10000pcs/cn	44*26*19
800306	Racked, Low Retention, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	50*35*29
800308	Racked, Filter, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	50*35*29
800309	Racked, Filter, Low Retention, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	50*35*29




200µl TIPS			
PN	Description	Packaging Configuration	CTN size/cm
800201	Bagged, Yellow, Tip	1000pcs/bag, 20000pcs/cn	60*32*30
800203	Racked, Yellow, Sterile, Tip	96pcs/rack, 50racks/cn	49*40*28
800204	Bagged, Low Retention, Clear, Tip	1000pcs/bag, 20000pcs/cn	62*32*32
800206	Racked, Low Retention, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	49*40*28
800608	Racked, Filter, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	49*40*28
800609	Racked, Filter, Low Retention, Clear, Sterile,	96pcs/rack, 50racks/cn	49*40*28
800211	Tip Racked, Yellow, Stacked Refills, Sterile, Tip	960pcs/pack, 9600pcs/cn	46*30*27



250µl TIPS			
PN	Description	Packaging Configuration	CTN size/cm
800601	Bagged, Clear, Tip	1000pcs/bag, 20000pcs/cn	60*32*30
800603	Racked, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	49*40*28
800604	Bagged, Low Retention, Clear, Tip	1000pcs/bag, 20000pcs/cn	62*32*32
800606	Racked, Low Retention, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	49*40*28
801108	Racked, Filter, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	49*40*28
801109	Racked, Filter, Low Retention, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	49*40*28




350µl TIPS			
PN	Description	Packaging Configuration	CTN size/cm
801101	Bagged, Clear, Tip	1000pcs/bag, 20000pcs/cn	49*40*28
801103	Racked, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	49*40*28
801104	Bagged, Low Retention, Clear, Tip	1000pcs/bag, 20000pcs/cn	49*40*28
801106	Racked, Low Retention, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	49*40*28




1000µl TIPS			
PN		Packaging Configuration	CTN size/cm
800401	Bagged, Blue, Tip	1000pcs/bag, 5000pcs/cn	70*25*34
800403	Racked, Blue, Sterile, Tip	96pcs/rack, 50racks/cn	60*53*30
800404	Bagged, Low Retention, Clear, Tip	1000pcs/bag, 5000pcs/cn	70*25*34
800406	Racked, Low Retention, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	60*53*30
800408	Racked, Filter, Blue, Sterile, Tip	96pcs/rack, 50racks/cn	60*53*30
800409	Racked, Filter, Low Retention, Clear, Sterile,	96pcs/rack, 50racks/cn	60*53*30

Tip




1250µl TIPS			
PN	Description	Packaging Configuration	CTN size/cm
800501	Bagged, Blue, Tip	1000pcs/bag, 5000pcs/cn	70*25*34
800503	Racked, Blue, Sterile, Tip	96pcs/rack, 50racks/cn	60*49*28
800504	Bagged, Low Retention, Clear, Tip	1000pcs/bag, 5000pcs/cn	70*25*34
800506	Racked, Low Retention, Blue, Sterile, Tip	96pcs/rack, 50racks/cn	60*49*28
800508	Racked, Filter, Blue, Sterile, Tip	96pcs/rack, 50racks/cn	60*49*28
800509	Racked, Filter, Low Retention, Clear, Sterile,	96pcs/rack, 50racks/cn	60*49*28
800511	Tip Racked, Blue, Stacked Refills, Sterile, Tip	480pcs/pack, 4800pcs/cn	44*29*28



FILTER TIPS			
PN	Description	Packaging Configuration	CTN size/cm
800708	20ul, Racked, Filter, Yellow, Sterile, Tip	96pcs/rack, 50racks/cn	49*40*28
800709	20ul, Racked, Filter, Low Retention, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	49*40*28
800808	100ul, Racked, Filter, Yellow, Sterile, Tip	96pcs/rack, 50racks/cn	49*40*28
800809	100ul, Racked, Filter, Low Retention, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	49*40*28
800908	50ul, Racked, Filter, Yellow, Sterile, Tip	96pcs/rack, 50racks/cn	49*40*28
800909	50ul, Racked, Filter, Low Retention, Clear, Sterile, Tip	96pcs/rack, 50racks/cn	49*40*28



200µl CONDUCTIVE TIPS(TECAN)			
PN	Description	Packaging Configuration	CTN size/cm
900236	Hanging Rack, Conductive, Sterile, Tips	96pcs/rack, 50racks/cn	41*32*32
900238	Hanging Rack, Conductive, Low Retention, Sterile, Tips	96pcs/rack, 50racks/cn	41*32*32
900239	Hanging Rack, Conductive, Filter, Sterile, Tips	96pcs/rack, 50racks/cn	41*32*32
900240	Hanging Rack, Conductive, Low Retention, Filter, Sterile, Tips	96pcs/rack, 50racks/cn	41*32*32
900223	Rack, Conductive, Sterile, Tips	96pcs/rack, 50racks/cn	52*40*30
900226	Rack, Conductive, Low Retention, Sterile, Tips	96pcs/rack, 50racks/cn	52*40*30
900228	Rack, Conductive, Filter, Sterile, Tips	96pcs/rack, 50racks/cn	52*40*30
900229	Rack, Conductive, Low Retention, Filter, Sterile, Tips	96pcs/rack, 50racks/cn	52*40*30



1000µl CONDUCTIVE TIPS(TECAN)			
PN	Description	Packaging Configuration	CTN size/cm
900436	Hanging Rack, Conductive, Sterile, Tips	96pcs/rack, 50racks/cn	40*32*44
900438	Hanging Rack, Conductive, Low Retention, Sterile, Tips	96pcs/rack, 50racks/cn	40*32*44
900439	Hanging Rack, Conductive, Filter, Sterile, Tips	96pcs/rack, 50racks/cn	40*32*44
900440	Hanging Rack, Conductive, Low Retention, Filter, Sterile, Tips	96pcs/rack, 50racks/cn	40*32*44
900423	Rack, Conductive, Sterile, Tips	96pcs/rack, 50racks/cn	60*53*30
900426	Rack, Conductive, Low Retention, Sterile, Tips	96pcs/rack, 50racks/cn	60*53*30
900428	Rack, Conductive, Filter, Sterile, Tips	96pcs/rack, 50racks/cn	60*53*30
900429	Rack, Conductive, Low Retention, Filter, Sterile, Tips	96pcs/rack, 50racks/cn	60*53*30



CELLPRO PCR SERIES

PCR single tube and 8 strip tube

Virginal PP material, thin and Uniform thickness

Excellent sealability, prevent pollution

PCR plate

Virginal PP material


Suitable for 0.1ml,0.2ml thermal cycling mode

DNase-/RNase free, no endotoxin

PCR SINGLE TUBE(FLAT CAP)

Made of PP material. The thin and smooth surface of the tube ensures the effectiveness and uniformity of heat transfer between samples. It is suitable for mainstream PCR machines and real-time PCR machines on the market. The cap has excellent sealing performance and smooth opening. In the case of using a hot cap, the reaction volume loss is less than 0.2%


- Clean PP materials, thin tube wall , uniform thickness to ensure good heat conduction
- Integrated cap and tube, which has a good sealing performance, prevents pollution and is easy to open
- Non-pyrogenic, DNase/RNase Free, no inhibitor contamination



PCR SINGLE TUBE(FLAT CAP)			
PN	Description	Packaging Configuration	CTN size/cm
802001	0.2ml, PCR Single Tube, Clear, Flat Cap	1000pcs/bag, 10000pcs/cn	47*30*15

PCR 8 STRIP TUBE AND CAP

- Clean PP materials, thin tube wall and uniform thickness to ensure good heat conduction
- Good sealing performance to prevent contamination and easy to open
- Suitable for PCR machines with corresponding module
- Suitable for 0.1ml/0.2ml 8 well strip tube or 96-well plate
- Well-sealed
- The flat cap can better cooperate with qPCR experiment





PCR 8 STRIP TUBEAND CAP			
PN	Description	Packaging Configuration	CTN size/cm
802002-00	A type, 0.2ml PCR 8-strip tube+Flat cap, Clear	125strips/bag, 1250strips/cn	47*30*15
802005-00	A type, 0.1ml PCR 8-strip tube+Flat cap, Clear	125strips/bag, 1250strips/cn	47*30*15
802006-00	A type, 0.1ml PCR 8-strip tube+Flat cap, White	125strips/bag, 1250strips/cn	47*30*15
802022-00	B type, 0.2ml PCR 8-strip tube+Flat Cap, Clear	125strips/bag, 1250strips/cn	47*30*15
802024-00	B type, 0.1ml PCR 8-strip tube+Flat cap, Clear	125strips/bag, 1250strips/cn	47*30*15
802025-00	B type, 0.1ml PCR 8-strip tube+Flat cap, White	125strips/bag, 1250strips/cn	47*30*15

PCR 96 WELL PLATE

Compatible with standard 96-well modules and produced in strict accordance with the highest quality standards. Thin and uniform tube wall ensures heat transfer speed and uniform heating of the sample, which guarantees experiment results. 8/12 strip tube covers or sealing film is available.

- PP material
- Compatible with 0.1mL, 0.2mL thermal cycle modules
- Non-pyrogenic, DNase/RNase Free




PCR 96 WELL PLATE			
PN	Description	Packaging Configuration	CTN size/cm
802011	0.2ml, 96 well PCR plate, Half Skirt, Clear, No printing	10pcs/bag, 50pcs/cn	29*26*15
802012	0.2ml, 96 well PCR plate, Non Skirt, Clear, No printing	10pcs/bag, 50pcs/cn	29*26*15
802013	0.2ml, 96 well PCR plate, Non Skirt, white, No printing	10pcs/bag, 50pcs/cn	29*26*15
802014	0.1ml, 96 well PCR plate, Non Skirt, Clear, No printing	10pcs/bag, 50pcs/cn	29*26*15
802015	0.1ml, 96 well PCR plate, Non Skirt, white, No printing	10pcs/bag, 50pcs/cn	29*26*15
802016	0.2ml, 96 well PCR plate, Half Skirt, Clear, Printing	10pcs/bag, 50pcs/cn	29*26*15
802017	0.2ml, 96 well PCR plate, Non Skirt, Clear, Printing	10pcs/bag, 50pcs/cn	29*26*15
802018	0.2ml, 96 well PCR plate, Non Skirt, White, printing	10pcs/bag, 50pcs/cn	29*26*15

PCR 96 WELL PLATE			
PN	Description	Packaging Configuration	CTN size/cm
802019	0.1ml, 96 well PCR plate, Non Skirt, Clear, printing	10pcs/bag, 50pcs/cn	29*26*15
802020	0.1ml, 96 well PCR plate, Non Skirt, white, printing	10pcs/bag, 50pcs/cn	29*26*15
802034	0.1ml, 96 well PCR plate, Half Skirt, Clear	10pcs/bag, 50pcs/cn	29*26*15
802035	0.1ml, 96 well PCR plate, Half Skirt, white	10pcs/bag, 50pcs/cn	29*26*15
802040	0.1ml, 96 well PCR plate, Half Skirt, Clear	10pcs/bag, 50pcs/cn	29*26*15
802041	0.2ml, 96 well PCR plate, Half Skirt, Clear	10pcs/bag, 50pcs/cn	29*26*15


ADHESIVE OPTICAL SEALING FILM

Ultraclear film is available to provide the optimal clarity required for real-time applications

- Dimensions: 120 x 80mm, not including end tabs
- Larger cut, designed for flat-top plates
- Longer full width end-tabs for easier handling
- Suitable for Classic PCR use, as well as for long term storage
- Seals 96-well and 384-well PCR plates
- Exceptional seal across entire plate
- When used with a silicone compression mat, risk of evaporation, well to well contamination and cross-over in PCR applications is eliminated
- Tough polypropylene or polyester (not suitable for piercing with pipette tip)
- Autoclavable
- Recommended Temperature Range for films: -40°C to +120°C





802021



802021C

PCR 96 WELL PLATE

PN	Description	Packaging Configuration	CTN size/cm
802021	PCR sealing Film	100pcs/bag	/
802021C	PCR sealing Film	100pcs/bag	/





CELLPRO CENTRIFUGE TUBE

Centrifuge Tube


- The black scale mark, white writing area
- Temperature range -80°C~120°C
- RCF 12000×g
- One-handed operation, easy to screw the cap, well-sealed
- EB Sterile
- Bagged or racked package

Microcentrifuge tube

- PP material conforming to USP-6, NON heavy metal ions
- RCF :30000xg
- Endotoxin content is less than <0.1EU
- Tube cap: easy to puncture design, comfortable to open
- Temperature range of -80°C to 120°C
- Non-pyrogenic, DNase/RNase Free

CENTRIFUGE TUBE

- The black scale mark, white writing area
- Temperature range -80°C~120°C
- RCF 12000xg
- One-handed operation, easy to screw the cap, well-sealed
- EB Sterile
- Bagged or racked package



CENTRIFUGE TUBE

PN	Description	Packaging Configuration	CTN size/cm
801151	15ml Conical Centrifuge Tube, Bagged, Sterile	25pcs/bag, 500pcs/cn	51*21*31
801152	15ml Conical Centrifuge Tube, Racked, Sterile	50pcs/rack, 500pcs/cn	71*25*31
801501	50ml Conical Centrifuge Tube, Bagged, Sterile	25pcs/bag, 500pcs/cn	56*41*36
801502	50ml Conical Centrifuge Tube, Racked, Sterile	25pcs/bag, 500pcs/cn	63*43*36

MICROCENTRIFUGE TUBE

- PP material conforming to USP-6, NON heavy metal ions
- RCF :30000xg
- Endotoxin content is less than <0.1EU
- Tube cap: easy to puncture design, comfortable to open
- Temperature range of -80°C to 120°C
- Non-pyrogenic, DNase/RNase Free



MICROCENTRIFUGE TUBE

PN	Description	Packaging Configuration	CTN size/cm
801141	0.6ml Micro Centrifuge Tube, Clear	500pcs/bag, 5000pcs/cn	70*25*34
801161	1.5ml Micro Centrifuge Tube, Clear	500pcs/bag, 5000pcs/cn	70*25*34
801181	2.0ml Micro Centrifuge Tube, Clear	500pcs/bag, 5000pcs/cn	62*38*33




SCREW CAP TUBE

·RCF:20000xg ·Nase&RNase-free ·good sealing ·avoid evaporation ·good integrity




SCREW CAP TUBE

PN	Description	Packaging Configuration	CTN size/cm
801205	0.5ml, Screw Cap Tube, -80°C ~ 120°C, O Ring	4000pcs/cn	70*25*34
801207	1.5ml, Screw Cap Tube, -80°C ~ 120°C, O Ring	4000pcs/cn	70*25*34
801209	2.0ml, Screw Cap Tube, -80°C ~ 120°C, O Ring	4000pcs/cn	70*25*34
801210	2.0ml, Screw Cap Tube, Sterile, -80°C ~ 120°C, O Ring	4000pcs/cn	70*25*34



ELISA PLATE

- Designed for ELISA Test, Compatible with ANSI SBS Standard
- Excellent Signal- Noise Ratio
- Detachable and undetachable 96 well ELISA plate
- Great protein adsorption power
- Good stability
- Reaction holes are flat bottom



ELISA PLATE

PN	Description	Packaging Configuration	CTN size/cm
805001	Elisa Plate, Clear, undetachable	5pcs/pack, 160pcs/cn	55*29*21
805002	Elisa Plate, Clear, detachable	5pcs/pack, 160pcs/cn	55*29*21



CELLPRO CELL CULTURE

ICell Culture series use vacuum plasma technology to do surface hydrophilic treatment, the surface hydrophilic treatment can make the cells adherent grow quickly in the process of Cell Culture.

CELL CULTURE PLATE

- EB sterile
- Vacuum plasma treatment
- Non-pyrogenic ,DNase & RNase free
- High transparency, 100% pure polystyrene
- Product batch number identification, easy quality traceability
- Products can be packaged in bags or with brackets
- DuPont Tyvek hot melt sealed bag, independent packaging, moisture-proof, damp proofing , water-proof



CELL CULTURE PLATE

PN	Description	Packaging Configuration	CTN size/cm
803006	6 well Cell Culture Plate	1pc/bag, 50pcs/cn	56*30*30
803012	12 well Cell Culture Plate	1pc/bag, 50pcs/cn	56*30*30
803024	24 well Cell Culture Plate	1pc/bag, 50pcs/cn	56*30*30
803048	48 well Cell Culture Plate	1pc/bag, 50pcs/cn	56*30*30
803096	96 well Cell Culture Plate	1pc/bag, 65pcs/cn	56*30*30



CELL CULTURE FLASK

- Sterile ziplock bag packaging
- EB sterile
- High transparency, 100% pure polystyrene
- Non-pyrogenic ,DNase & RNase free
- Stacking design is not easy to slip off, easy to stack
- Product batch number identification, easy quality traceability
- Unique patented design, no dead corners in the bottle
- Breathable cover (filter membrane cover), 0.22μm hydrophobic membrane, which is conducive to air exchange and prevents microbial pollution



CELL CULTURE FLASK

PN	Description	Packaging Configuration	CTN size/cm
803025	25cm ² Cell Culture Flask, Vent Cap, TC treated	12pcs/bag, 300pcs/cn	58*39*31
803075	75cm ² Cell Culture Flask, Vent Cap, TC treated	5pcs/bag, 90pcs/cn	57*38*30
803175	175cm ² Cell Culture Flask, Vent Cap, TC treated	5pcs/bag, 50pcs/cn	65*53*30

CELL CULTURE DISH

- EB sterile
- Non-pyrogenic ,DNase & RNase free
- Highly transparent medical-grade polystyrene material
- Vacuum plasma surface treatment, excellent cell adhesion
- Stacking design makes stacking and storage easier
- The flat and transparent surface makes the cells observed under the microscope without optical distortion



CELL CULTURE DISH

PN	Description	Packaging Configuration	CTN size/cm
803035	35mm Cell Culture Dish, TC treated	10pcs/bag, 500pcs/cn	24*24*29
803060	60mm Cell Culture Dish, TC treated	20pcs/bag, 500pcs/cn	39*36*36
803100	100mm Cell Culture Dish, TC treated	10pcs/bag, 300pcs/cn	61*33*26




SEROLOGICAL PIPETTE

CellPro serological pipette adopts imported high-quality polystyrene (GPPS) and is produced in a GMP 100,000 clean workshop, which can match most pipettes on the market

6 sizes : 1ml, 2ml, 5ml, 10ml, 25ml, 50ml, different size of pipettes are distinguished by different colors

- No pyrogen, no cytotoxicity, no hemolysis
- Irradiation sterilization, DNase & RNase free
- Independent packaging in paper-plastic bags, polyolefin filter element to prevent pollution
- Positive and negative double scale design, clear printing, well meet the requirements of sample addition and reduction
- Strict integrity test
- Smooth inner and outer walls to avoid wire drawing and liquid residue



SEROLOGICAL PIPETTE

PN	Description	Packaging Configuration	CTN size/cm
C804001	1ml pipette	50pcs/box, 1000pcs/cn	/
C804002	2ml pipette	50pcs/box, 1000pcs/cn	/
C804005	5ml pipette	50pcs/box, 200pcs/cn	/
C804010	10ml pipette	50pcs/box, 200pcs/cn	/
C804025	25ml pipette	50pcs/box, 200pcs/cn	/
C804050	50ml pipette	25pcs/box, 100pcs/cn	/



ERLENMEYER FLASK (PC)

Cellpro Erlenmeyer Flask uses polycarbonate raw materials. The disposable flat-bottomed Erlenmeyer flask can save preparation time and avoid the risk of contamination. It is an ideal choice for cell suspension culture, medium configuration, mixing and storage. Polycarbonate with high transparency and high mechanical strength is strong and not easy to break, which can reduce personal safety hazards and is an ideal choice for shaking culture applications.

- Polycarbonate material, high transparency, high mechanical strength
- Flat-bottomed Erlenmeyer flask saves preparation time and avoids the risk of cross-contamination
- Capacity: 125ml, 250ml, 500ml, 1000ml
- Precise scale line for easy observation
- The air-permeable cover ensures the circulation of gas, and the air-permeable and impermeable characteristics ensure that the culture fluid does not leak out
- Electron beam sterilization
- Individually packaged for easy access
- DNase & RNase free, no pyrogen, no endotoxin
- Repeated use with re-sterile



ERLENMEYER FLASK

PN	Description	Packaging Configuration	CTN size/cm
803125B	125ml Erlenmeyer Flask, Vent Cap	1pc/bag, 50pcs/cn	43*36*21
803250B	250ml Erlenmeyer Flask, Vent Cap	1pc/bag, 50pcs/cn	56*46*22
803500B	500ml Erlenmeyer Flask, Vent Cap	1pc/bag, 25pcs/cn	42*42*30
803200	1000ml Erlenmeyer Flask, Vent Cap (PETG)	1pc/bag, 25pcs/cn	55*54*35



CELLPRO NUCLEIC ACID EXTRACTION / VIRUS SAMPLING

Sampling Collector is designed for collection, transportation and short-time storage of specimen DNA/RNA sample. Generally, Swab corresponding sample from throat or nasal. Antiseptic in inactivated preservation solution dissolved microorganism, and inactivate cells, bacteria and viruses. The stored samples can be used for subsequent molecular experiments.

DEEP WELL 96 WELL PLATE

V-Bottom Deep Well 96 Well Plate

- Good stability, without chemically reaction with the solvent in the board
- No heavy metals, higher safety
- Compatible with international standards(SBS), suit for automatic workstations
- Compatible with automated DNA extraction equipment, high to 121°C, 20psi high pressure for 20 minutes
- Operating temperature range: -80°C to 121°C

U-Bottom Deep Well 96 Well Plate

- Working temperature maximum limit to -80°C
- No heavy metals, higher safety
- Compatible with international standards(SBS), suit for automatic workstations
- Less residual liquid and less wall-hanging
- Can be autoclaved, high to 121°C, 20psi, 20 minutes without deformation, uniform heating



DEEP WELL 96 WELL PLATE

PN	Description	Packaging Configuration	CTN size/cm
802123	96 well, Deep Well Plate, Square well, V bottom	5pcs/bag, 50pcs/cn	52*32*26
802124	96 well, Deep Well Plate, Square well, U bottom	5pcs/bag, 50pcs/cn	52*32*26

TIP COMB

Magnetic tip comb with deep well plate is suitable for nucleic acid extraction on specified type of nucleic acid extractor. In the process of extraction calculation experiment, the magnetic tip comb is protected from liquid separation, and the service life of magnetic rod is prolonged. Through the up and down movement of the magnetic tip comb, the sample can be evenly mixed, cracked, combined, washed and eluted in the corresponding magnetic bead reagent. Through the coordinated movement of the magnetic tip and the magnetic tip comb, to achieve the transfer and release of the magnetic bead and the magnetic bead-target material complex.



TIP COMB

PN	Description	Packaging Configuration	CTN size/cm
802121	Tip Comb	10pcs/bag, 100pcs/cn	54*32*28