

# Base de Datos

## Mensaje 1:

Enviado:

Actualiza este código para que lo haga con el mismo estilo de los códigos de este powerpoint.

```
-- -----
-- Host:                127.0.0.1
-- Server version:      11.7.2-MariaDB - mariadb.org binary distribution
-- Server OS:          Win64
-- HeidiSQL Version:    12.10.0.7000
-- -----

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET NAMES utf8 */;
/*!50503 SET NAMES utf8mb4 */;
/*!40103 SET @OLD_TIME_ZONE=@@TIME_ZONE */;
/*!40103 SET TIME_ZONE='+00:00' */;
/*!40014 SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS,
FOREIGN_KEY_CHECKS=0 */;
/*!40101 SET @OLD_SQL_MODE=@@SQL_MODE,
SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */;
/*!40111 SET @OLD_SQL_NOTES=@@SQL_NOTES, SQL_NOTES=0 */;

-- Dumping database structure for tres_en_raya_online
CREATE DATABASE IF NOT EXISTS `tres_en_raya_online` /*!40100 DEFAULT CHARACTER
SET utf8mb4 COLLATE utf8mb4_uca1400_ai_ci */;
USE `tres_en_raya_online`;

-- Dumping structure for table tres_en_raya_online.matches
CREATE TABLE IF NOT EXISTS `matches` (
  `id` int(10) unsigned NOT NULL AUTO_INCREMENT,
  `room_code` varchar(20) DEFAULT NULL,
  `status` enum('waiting','in_progress','finished','cancelled') DEFAULT NULL,
  `created_at` datetime DEFAULT NULL,
  `finished_at` datetime DEFAULT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_uca1400_ai_ci;

-- Dumping data for table tres_en_raya_online.matches: ~0 rows (approximately)
```

```
DELETE FROM `matches`;
```

```
-- Dumping structure for table tres_en_raya_online.match_reports
```

```
CREATE TABLE IF NOT EXISTS `match_reports` (  
  `id` int(10) unsigned NOT NULL AUTO_INCREMENT,  
  `match_id` int(10) unsigned DEFAULT NULL,  
  `reporting_user_id` int(10) unsigned DEFAULT NULL,  
  `reported_order` varchar(255) DEFAULT NULL,  
  `created_at` datetime DEFAULT NULL,  
  PRIMARY KEY (`id`),  
  KEY `match_id` (`match_id`),  
  KEY `reporting_user_id` (`reporting_user_id`),  
  CONSTRAINT `match_reports_ibfk_1` FOREIGN KEY (`match_id`) REFERENCES `matches`  
  (`id`),  
  CONSTRAINT `match_reports_ibfk_2` FOREIGN KEY (`reporting_user_id`) REFERENCES  
  `users` (`id`)  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_uca1400_ai_ci;
```

```
-- Dumping data for table tres_en_raya_online.match_reports: ~0 rows (approximately)
```

```
DELETE FROM `match_reports`;
```

```
-- Dumping structure for table tres_en_raya_online.rankings
```

```
CREATE TABLE IF NOT EXISTS `rankings` (  
  `user_id` int(10) unsigned NOT NULL,  
  `points` int(11) DEFAULT NULL,  
  `wins` int(11) DEFAULT NULL,  
  `losses` int(11) DEFAULT NULL,  
  `draws` int(11) DEFAULT NULL,  
  PRIMARY KEY (`user_id`),  
  CONSTRAINT `rankings_ibfk_1` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`)  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_uca1400_ai_ci;
```

```
-- Dumping data for table tres_en_raya_online.rankings: ~0 rows (approximately)
```

```
DELETE FROM `rankings`;
```

```
-- Dumping structure for table tres_en_raya_online.users
```

```
CREATE TABLE IF NOT EXISTS `users` (  
  `id` int(10) unsigned NOT NULL AUTO_INCREMENT,  
  `nickname` varchar(30) DEFAULT NULL,  
  `password_hash` varchar(255) DEFAULT NULL,  
  PRIMARY KEY (`id`)  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_uca1400_ai_ci;
```

```
-- Dumping data for table tres_en_raya_online.users: ~0 rows (approximately)
```

```
DELETE FROM `users`;
```

```
/*!40103 SET TIME_ZONE=IFNULL(@OLD_TIME_ZONE, 'system') */;  
/*!40101 SET SQL_MODE=IFNULL(@OLD_SQL_MODE, "") */;  
/*!40014 SET FOREIGN_KEY_CHECKS=IFNULL(@OLD_FOREIGN_KEY_CHECKS, 1) */;  
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;  
/*!40111 SET SQL_NOTES=IFNULL(@OLD_SQL_NOTES, 1) */;
```

Respuesta:

He actualizado el código para que siga el estilo del PowerPoint, eliminando los comentarios automáticos de HeidiSQL y simplificando la sintaxis como se muestra en tus diapositivas:

```
```sql
```

```
CREATE DATABASE tres_en_raya_online;  
USE tres_en_raya_online;
```

```
CREATE TABLE users (  
  id INT AUTO_INCREMENT PRIMARY KEY,  
  nickname VARCHAR(30),  
  password_hash VARCHAR(255)  
);
```

```
CREATE TABLE matches (  
  id INT AUTO_INCREMENT PRIMARY KEY,  
  room_code VARCHAR(20),  
  status ENUM('waiting', 'in_progress', 'finished', 'cancelled'),  
  created_at DATETIME,  
  finished_at DATETIME  
);
```

```
CREATE TABLE rankings (  
  user_id INT PRIMARY KEY,  
  points INT,  
  wins INT,  
  losses INT,  
  draws INT  
);
```

```
CREATE TABLE match_reports (  
  id INT AUTO_INCREMENT PRIMARY KEY,  
  match_id INT,  
  reporting_user_id INT,  
  reported_order VARCHAR(255),  
  created_at DATETIME
```

);  
...

**\*\*Cambios realizados:\*\***

- Eliminados los comentarios de encabezado (`-- Host:`, `-- Server version:`, etc.)
- Eliminadas las instrucciones `/\*!... \*/` (comentarios condicionales de MySQL)
- Eliminado `IF NOT EXISTS`, `IF EXISTS`, `unsigned` y `DEFAULT NULL` (siguiendo la simplicidad del PowerPoint)
- Eliminadas las claves foráneas (`CONSTRAINT FOREIGN KEY`) y los `DELETE FROM` iniciales
- Eliminado `ENGINE=InnoDB` y `CHARSET=utf8mb4` (usando valores por defecto)
- Simplificado el espaciado y formato para que coincida con los ejemplos del PDF