



PUBLIC

2026-05-05

User Management, Authentication, and Authorization

Content

1	Key Steps for User Management in the SAP Signavio Process Transformation Suite.	3
1.1	Where to Manage Users and Access Rights.	4
	Accessing the Application SAP Signavio Process Intelligence.	6
1.2	User Lifecycle Management.	12
	Harmonization of Authentication and Identity Management.	12
	Single Sign-on Using SAML.	14
	Manual Setup: Integrate SAP Signavio Solutions with SAP Cloud Identity Services.	22
	Manage Users and Groups.	24
	User Groups and Audiences.	26
	About Licenses.	30
	Implement Password Policies.	33
1.3	Understanding Users and Their Tasks.	34
1.4	Assign Access Rights.	34
	Example: User Groups, Folders, and Access Rights.	35
1.5	About Feature Sets.	37
	Activating Feature Sets.	38
	Overview of Feature Sets.	39
1.6	API Access.	43
	Using the SPM API with SAP Cloud Identity Services.	44

1 Key Steps for User Management in the SAP Signavio Process Transformation Suite

This guide outlines the key steps and gives necessary information to manage user access in SAP Signavio Process Transformation Suite effectively.

📘 Note

User and access management in SAP Signavio Process Transformation Suite is decentralized, see [Where to Manage Users and Access Rights \[page 4\]](#).

In SAP Signavio Process Transformation Suite, effective user access management is vital to ensure that users find the content they are looking for and are able to use the tools according to their role. User management also ensures that only authorized users can access specific resources, functions, and data – a key measure in maintaining a secure workspace.

These are the key steps:

[Where to Manage Users and Access Rights \[page 4\]](#)

Learn where to manage users as well as access to features, content, and data in SAP Signavio Process Transformation Suite.

[User Lifecycle Management \[page 12\]](#)

When SAML single sign-on (SSO) is activated, users automatically get an account when they access SAP Signavio for the first time. You can also create user accounts by inviting users to your workspace by email and provide them with a license and access rights.

[Understanding Users and Their Tasks \[page 34\]](#)

Understand how to identify and group users with common tasks for an effective user and rights management in SAP Signavio Process Transformation Suite.

[Assign Access Rights \[page 34\]](#)

Assign users or groups the rights that they need to complete their daily work.

[About Feature Sets \[page 37\]](#)

Feature sets ensure that only users who need them can access specific product features.

[API Access \[page 43\]](#)

How to access and authenticate with the APIs of the SAP Signavio Process Transformation Suite.

1.1 Where to Manage Users and Access Rights

Learn where to manage users as well as access to features, content, and data in SAP Signavio Process Transformation Suite.

User management is divided as follows:

SAP Signavio Process Insights

Note

SAP Signavio Process Insights uses SAP BTP mechanisms to authenticate users and provide role-based access to the application. Access to systems and their data is managed using system-based access control. For more information, see [User Administration, Authentication, and Authorization](#).

SAP Signavio Process Manager

In SAP Signavio Process Manager, users are created by email invitation or, if SAML single sign-on is activated, on their first login.

Find more details as follows:

- [User Administration, Authentication, and Authorization](#) to learn about the general user management, authentication, and authorization concepts
- [User Groups and Workspace Administrators](#) to find out how to simplify user management using groups, and how to create workspace administrators
- [Manage Access Rights](#) to learn about the access rights for folders, diagrams, and the dictionary in SAP Signavio Process Manager
- [Activating Feature Sets \[page 38\]](#) to learn how to grant access to features or other SAP Signavio products with feature sets

SAP Signavio Process Transformation Manager

You can find the necessary conditions and settings to get access to SAP Signavio Process Transformation Manager in section [Connecting SAP Signavio Process Insights to SAP Signavio Process Manager](#).

SAP Signavio Process Collaboration Hub

Access to features is managed using audiences, visibility, and licenses, see [User Administration, Authentication, and Authorization](#).

You can access the central User Management from the settings, see [SAP Signavio Process Collaboration Hub Settings](#).

In the settings, you also customize theming and manage audiences for SAP Signavio Process Collaboration Hub users.

SAP Signavio Process Governance

Access to processes, cases, and tasks is managed using permissions, see [User administration, authentication and authorization](#).

Users for SAP Signavio Process Governance can be added and managed in the central user Management accessible from the settings of SAP Signavio Process Collaboration Hub, see [SAP Signavio Process Collaboration Hub Settings](#).

Other SAP Signavio Products

The other SAP Signavio products use the user management in SAP Signavio Process Manager to authenticate users and provide access to the application, see [User Administration, Authentication, and Authorization](#). In addition, access to features or data is managed as follows:

SAP Signavio Journey Modeler

Access to journey models is managed using the access rights for folders, see [Settings for SAP Signavio Journey Modeler](#).

SAP Signavio Process Explorer

The value accelerators available in SAP Signavio Process Explorer can be viewed by everyone. To consume value accelerators, see SAP note [3329491](#) .

Note

Settings from your workspace don't apply to SAP Signavio Process Explorer, and you can't customize the settings of SAP Signavio Process Explorer.

Value Accelerator Library for SAP Signavio Solutions

The library is accessible from the launchpad of SAP Signavio Process Collaboration Hub.

SAP Signavio Process Intelligence

Access to dashboards, investigations, metrics, and related features are managed using roles and process views, see [User Administration, Authentication, and Authorization](#).

For users tasked with extracting data from source systems and modeling event logs (Process Data Management), additional feature sets need to be activated, see [Access Requirements for Process Data Management](#).

You find the prerequisites for access to SAP Signavio Process Intelligence and how to grant access in section [Accessing the Application SAP Signavio Process Intelligence \[page 6\]](#).

Note

The feature sets for process data management are only available on request.

1.1.1 Accessing the Application SAP Signavio Process Intelligence

Understand the prerequisites for access to SAP Signavio Process Intelligence and how to grant access.

Prerequisites

- Users must have an account for SAP Signavio Process Transformation Suite. For more information, see [Signing Up](#).
- The workspace a user logs in to must have a valid Process Intelligence license.

Grant Access

Access to SAP Signavio Process Intelligence is controlled using feature sets.

Note

If your workspace has a valid Process Intelligence license, the [Access SAP Signavio Process Intelligence](#) feature set is active for all users in this workspace by default.

To restrict access to SAP Signavio Process Intelligence, a workspace administrator needs to deactivate the Process Intelligence feature set for users who aren't meant to access the product. Feature sets are managed in SAP Signavio Process Manager. For more information, see [Activate feature sets](#).

Feature Sets for SAP Signavio Process Intelligence

The following feature sets are available for SAP Signavio Process Intelligence by default:

Feature set	Description
Access SAP Signavio Process Intelligence	Allow users to access SAP Signavio Process Intelligence
SAP Signavio Process Intelligence: Create Process	Allow users to create processes in SAP Signavio Process Intelligence

For an overview of all feature sets of SAP Signavio Process Transformation Suite, see [Activate feature sets](#).

Feature Sets for Process Data Management

For information about the feature sets and how to access them, see [Access Requirements for Process Data Management](#).

1.1.1.1 Roles and User Management

Learn how to assign roles to users for process access in SAP Signavio Process Intelligence. Managers have full data set access, analysts have limited access, and consumers can only view. Workspace administrators can access all processes.

Note

As of May 26, 2026, it will no longer be possible to create or import investigations. The [Investigations](#) icon in the launchpad of SAP Signavio Process Collaboration Hub will be removed. Existing investigations will remain accessible until further notice. Investigations will be replaced by dashboards in the coming months.

Access to a process is controlled with roles.

To grant other users access to your process, you assign a role to them. The role determines whether a user can access the complete data set, create and customize process analysis, or only consume the result of a process analysis.

The following applies:

- The user who creates a process is automatically given the manager role.
- Every process must have at least one manager.
- A user can have different roles for different processes.
- A role can be assigned to users and user groups. The users and user groups from the SAP Signavio user management are available for the role assignment. For more information, see [Manage users and groups](#).

Roles

The following roles exist:

Role	Description
Manager	Users with the manager role have access to the complete data set in the process. They can do the following: • add and delete process data • add users to the process • remove users from the process • delete a process • add process views • create, edit, and delete dashboards • create, edit, and delete investigations • Edit and delete investigations • export and import dashboards • export and import investigations • add metrics to a process, edit, and delete them • create and manage the API access token for the process • set up and manage data pipelines Note Dedicated feature sets are available for the work with data pipelines. For more information, see Access Requirements for Process Data Management. • create, generate, edit, and delete insights, comment on insights or save them as widgets • create, edit, or delete value cases
Analyst	Users with the analyst role can only access the process data that has been determined for them in a process view. They can do the following: • create, edit, and delete dashboards • create, edit, and delete investigations • Edit and delete investigations • create, generate, edit, and delete insights, comment on insights or save them as widgets • create, edit, or delete value cases Analysts can't edit process views.

Role	Description
Consumer	Consumers can only view investigations and widgets in SAP Signavio Process Collaboration Hub and SAP Signavio Process Manager. They can do the following: • view dashboards • view investigations • create, generate, edit, and delete insights, and comment on insights • view value cases or link and remove an initiative from a value case They can't edit the defined data set or any process view.

Workspace Administrators

Workspace administrators can see all processes of a workspace, regardless of whether they have a role in a process. When workspace administrators want to interact with a process, for example to upload data, they need to grant themselves access to the process by assigning themselves a role.

Granting Access to a Processes

To grant access to a process, you add a user or user group to a process and assign a role.

Follow these steps:

1. Open your process and select  ([Settings](#)).
2. On the [Process Settings](#) page, go to the [Users](#) tab and select [Add User](#).
3. Enter the name of the user or user group that you want to add.
4. Select a role.
5. For analysts or consumers, select one or more process views. Managers can see and analyze all process views, by default.
6. Confirm with [Save](#).
The selected users can now access the process data or view the dashboards and investigations, depending on their role.

Removing Access to Processes

Follow these steps:

1. Open your process and select  ([Settings](#)).

2. On the [Process Settings](#) page, go to the [Users](#) tab and select the user or user group you want to remove from the process.
3. In the side panel, choose [Remove user](#).
The user is removed and can no longer access the process.

User group 'All SAP Signavio Process Intelligence users (default)'

Users with a license for SAP Signavio Process Intelligence are automatically added to the group **All SAP Signavio Process Intelligence Users (default)**.

This group is a transitional measure to reduce disruption for existing users. It exists only in SAP Signavio Process Intelligence and is not part of the SAP Signavio user management. The group provides users with unrestricted access to processes created before August 14, 2019. New license holders are added to this group automatically. For processes created after August 14, 2019, the group can't be added. These newer processes are only visible to users who have been given access.

When you remove this group from a process, the process is only visible to users who have been given access.

Note

- If you create process views for processes created before August 14, 2019, anyone has access as long as the **All SAP Signavio Process Intelligence Users (default)** is listed as a user.
- When you don't have the manager role and remove **All SAP Signavio Process Intelligence Users (default)**, you lose access to the process.
- The group can only be removed and not added to processes.

Related Information

[Displaying Widgets in Other SAP Signavio Applications](#)

[Defining Access with Process Views \[page 10\]](#)

[Sharing Investigations With Other SAP Signavio Process Intelligence Users](#)

[Sharing Dashboards with Other SAP Signavio Process Intelligence Users](#)

[Who Can Work With Value Cases](#)

1.1.1.2 Defining Access with Process Views

With process views, you either define which process data your users can view, or you use them to grant access to dashboards.

For each process, separate process views must be created by a user with the manager role. Using a process view across several processes isn't possible.

Users with the manager role have access to all process views. If users with the analyst role are assigned to more than one process view, they can switch between the process views, for example, when creating an action or viewing a dashboard.

SAP Signavio users viewing widgets and investigations in other applications of the SAP Signavio Process Transformation Suite must also be assigned to a process view.

Process View Types

A process view can have one of the following purposes:

- Control which data users can view investigations and dashboards, generated insights or value cases
- Grant access to a specific dashboard

Type	Description
Control access to process data	You specify which portion of the process data users are allowed to access by hiding or filtering attributes. Also, you assign the users or groups who are allowed to view or work with the data. The <i>Complete attribute set (default)</i> process view is a process view of this type.
Control access to dashboards	You specify the users or groups who are allowed to access the dashboard to which the process view is assigned. Note Process views of this type aren't available for selection in the process view switcher on dashboards.

The 'Complete attribute set (default)' Process View

The process view *Complete attribute set (default)* is available in all processes by default. This process view grants access to the complete data set of a process and can't be changed. Filtering or hiding data using this process view isn't possible.

To restrict access to the process data for users or groups, additional process views need to be created, usually one process view for each user group.

Actions, Investigations, and Dashboards

To ensure that users only access the process data for which they're authorized, the system requires assigning a process view whenever an action, investigation, or a dashboard is created.

Process View Switcher

If users are assigned to multiple process views, they can switch between the process views on a dashboard. This changes the dashboard data only for the user. However, the assigned process view of the dashboard isn't changed.

Switching the process view is done in the page header of a dashboard. The selection is saved to the user's browser storage. When users switch the browser or clear the browser storage, the dashboard opens again with the assigned process view.

Only process views that control data access are available for selection in the process view switcher.

1.2 User Lifecycle Management

When SAML single sign-on (SSO) is activated, users automatically get an account when they access SAP Signavio for the first time. You can also create user accounts by inviting users to your workspace by email and provide them with a license and access rights.

Note

For workspaces created after May 6, 2026, you can only create and manage users and user groups in SAP Cloud Identity Services. For more information, see [Harmonization of Authentication and Identity Management](#).

Choose between the options for user creation:

- [Setting up SAML single sign-on \[page 14\]](#)
- [Inviting users to the workspace by email \[page 25\]](#)

1.2.1 Harmonization of Authentication and Identity Management

SAP Signavio solutions integrate with SAP Cloud Identity Services for centralized authentication, single sign-on, and identity lifecycle management.

Overview

SAP Signavio solutions use SAP Cloud Identity Services (SCI) as the default service for authenticating users and provisioning users and groups. The SAP Cloud Identity Services are SAP's central cloud IAM (Identity and Access Management) services for authentication, single sign-on, and identity lifecycle. SAP solutions integrate with SAP Cloud Identity Services and reuse its functionality where possible.

For more information, see the following blog posts:

- [SAP Cloud Identity Services | SAP Community](#) 
- [Introducing Harmonization of Authentication & Identity Management for SAP Signavio Process Transformation Suite](#) 
- [How is SAP Signavio Solving Identity Management](#) 

Identity Authentication

All workspaces created after November 25, 2025, have Single Sign-On (SSO) activated automatically with SAP Cloud Identity Services as the identity provider. For these workspaces, user creation takes place in SAP Cloud Identity Services.

Identity Providers

The initial identity provider for new workspaces is always SAP Cloud Identity Services. If you want to use a different identity provider, you can add it as a corporate identity provider in SAP Cloud Identity Services.

For details, see [Corporate Identity Providers](#).

Identity Provisioning

For workspaces created after May 6, 2026, SAP Signavio solutions use the Identity Directory, the persistence layer of SAP Cloud Identity Services, to create users and groups. The Identity Directory is the default source system for users and groups but can be replaced or extended with other existing source systems.

For details, see [SAP Cloud Identity Services - Source Systems](#).

Provisioning Users and Groups

The default configuration enables:

- Groups with the prefix `Signavio_{workspaceID}` are synchronized to SAP Signavio solutions.
- Users assigned to a group with the prefix `Signavio_{workspaceID}` are synchronized to SAP Signavio solutions and assigned to the same groups as in SCl.

Related information:

- [Manual Setup: Integrate SAP Signavio Solutions with SAP Cloud Identity Services](#)
- [Managing Users](#)
- [Managing Groups](#)

Application-Specific Groups

Application-specific groups are predefined by SAP Signavio solutions and can't be changed or deleted; only their members can be managed.

Currently, only one application-specific group exists in SAP Signavio:

- Administrators – Assigns the user to the Administrators group in SAP Signavio

Starting and Stopping Provisioning Jobs

Provisioning jobs are used to synchronize users and groups between SCl and SAP Signavio. To start and to stop a provisioning job, select a source system from the Identity Provisioning user interface in SCl, then choose the *Jobs* tab and run the *Read Job*.

SAP Signavio solutions default provisioning jobs:

IAS for Signavio – {workspaceID}	Synchronizes users and groups from SCl to SAP Signavio solutions. It's recommended to enable the scheduler for this job to run at a defined interval.
Signavio – {workspaceID}	Synchronizes application-specific groups from SAP Signavio solutions to SCl. Should only be run if the SAP Signavio Administrators group isn't available in SCl, or if the group was removed by accident.

For more information, see [Start and Stop Provisioning Jobs](#).

Note

Assigning licenses and managing access to specific features is only possible in SAP Signavio solutions. For details see sections [Assign Licenses to Users in SAP Signavio Process Transformation Suite User Management](#) and [Activating Feature Sets](#).

1.2.2 Single Sign-on Using SAML

Restriction

All workspaces created after Nov 25, 2025 have Single Sign-On (SSO) activated automatically with SAP Cloud Identity Service as the identity provider. For these workspaces, we strongly advise not to change the SSO configuration as described in this section to avoid unwanted effects. For more information, see [Harmonization of Authentication and Identity Management](#).

Note

You need an administrator account to use this function.

Just-in-Time Provisioning

When SSO using SAML is enabled, you can specify that users automatically get an account when they access SAP Signavio for the first time. This is called just-in-time (JIT) provisioning and allows users not to have to register with SAP Signavio themselves.

For JIT provisioning to work, the following conditions must be met:

- A user must be authenticated successfully with the IdP.
- The response from the IdP contains the mandatory attributes. Read more in section *Configure your IdP*.
- At least 1 unassigned license for SAP Signavio Process Collaboration Hub is available.

With JIT provisioning enabled, the following happens:

- When a user logs in for the first time, a new account is automatically created.
- When a user logs in who already has a SAP Signavio account and an IdP name ID, any IdP change on their first name, last name, and email address will be automatically updated in the SAP Signavio user management.

The authentication assertion sent by the IdP can contain information on licenses and user group assignments, and the following applies:

- A user receives a license that is specified in the IdP response, given that such a license is available in the workspace.
- A user is assigned to all groups that are specified in the IdP response, given that these user groups exist. User groups that don't exist are ignored.
- If a user is assigned to a user group that isn't included in the IdP response, the user is removed from this group.
- If the authentication assertion sent by the IdP doesn't contain information on licenses or groups, no changes are applied. This means that only an empty group SAML attribute assigns the user to NO groups.

Note

For all available SAML attributes, refer to [Configure Your IdP](#).

When JIT provisioning is disabled, only users with an existing account can access the workspace. Other users will receive an error message. Read more on user management in section [Manage Users and Groups \[page 24\]](#).

Set Up SSO Using SAML

Restriction

All workspaces created after Nov 25, 2025 have Single Sign-On (SSO) activated automatically with SAP Cloud Identity Service as the identity provider. For these workspaces, we strongly advise not to change the SSO configuration as described in this section to avoid unwanted effects. For more information, see [Harmonization of Authentication and Identity Management](#).

To set up SSO using SAML, you must configure the IdP and enable SSO for your workspace. Then, you can invite users.

All steps are described in detail in the following sections.

Configure Your IdP

You can configure all third-party IdPs that support SAML 2.0, for example:

- ADFS 2.0/3.0
- Okta
- OneLogin

For the configuration, the SP and the IdP must exchange metadata files.

Note

We recommend to use an IdP with multi-factor authentication enabled, particularly for administrator accounts.

Follow these steps:

1. In the explorer, click **Setup > Manage SAP Signavio Process Collaboration Hub authentication**.
The configuration dialog opens.
2. Select *SAML 2.0 based authentication* from the drop-down list.
The configuration dialog opens.
3. Download the IdP metadata file. To do so, click the link *Download the SAML service provider metadata* in the lower dialog area.
4. Upload this file to your IdP or configure your IdP manually with the information from the file.

In your IdP configuration, set the SAML response attributes as follows:

Attribute	Mandatory	Description
Name ID	yes	It's the primary identifier, must be unique, and doesn't change. For example, use the internal employee ID.
email	yes	Email address of a user
first_name	yes	First name of a user
last_name	yes	Last name of a user

Attribute	Mandatory	Description
signavio_licenses_v1	no	The name of the license that you want to assign to a user, for example "Enterprise Plus Edition", "Enterprise Edition", "Classic Edition", "Collaboration Hub", or "Workflow". Note You can also assign SAP Signavio Journey Modeler licenses through SAML. Use "Journey Modeling Standard" or "Journey Modeling Advanced". When you assign more than one license, add an <code><AttributeValue></code> element for each license name. Example: <pre><Attribute Name="signavio_licenses_v1" ><AttributeValue>Enterprise Plus Edition</ AttributeValue><AttributeValue>Workflow</ AttributeValue></ Attribute></pre>

Attribute	Mandatory	Description
signavio_groups_v1	no	The names of the groups that you want to assign to a user. Note The following 5 characters can't be used in group names: "<>'& When you assign more than one group, add an <AttributeValue> element for each group name. Example: <pre><Attribute Name="signavio_groups_v1"> <AttributeValue>Employees< / AttributeValue><AttributeV alue>Sales</ AttributeValue> <AttributeValue>Process owners</AttributeValue></ Attribute></pre>
<i>If your IdP is Azure, you need to use the following attributes for licenses and groups:</i>		
signavio_licenses_v1_azure	no	The name of the license that you want to assign to a user, for example "Enterprise Plus Edition", "Enterprise Edition", "Classic Edition", "Collaboration Hub", or "Workflow". When you assign more than one license, use a comma separated list. Example: "Enterprise Plus Edition,Workflow" Ensure that there is no space between license names. Spaces within license names are valid.

Attribute	Mandatory	Description
signavio_groups_v1_azure	no	The names of the groups that you want to assign to a user.

Note

The following 5 characters can't be used in group names:

" < > ' &

When you assign more than one group, use a comma separated list. Example: "modeling users,admins"

Ensure that there is no space between group names. Spaces within group names are valid.

IdP configuration is complete. You can continue with enabling SSO for your workspace. Read more in the next section *Enable SSO using SAML*.

❖ Example

Example section from a valid IdP response

```
<Subject>
  <NameID>ID12345</NameID>
  <SubjectConfirmation Method="urn:oasis:names:tc:SAML:2.0:cm:bearer">
    <SubjectConfirmationData InResponseTo="ONELOGIN_6f26b11b-b290-4d2c-
b79d-c46010fe686c" NotOnOrAfter="2020-10-23T11:49:29.291Z" Recipient="https://
editor.signavio.com/api/v2/saml/v2/tenant/a41f284f4e8841b2c7f5e2af78663c0f/
login"/>
  </SubjectConfirmation>
</Subject>
<Conditions NotBefore="2019-10-23T11:44:29.258Z"
NotOnOrAfter="2019-10-23T12:44:29.258Z">
  <AudienceRestriction>
    <Audience>https://editor.signavio.com/api/v2/saml/v2/tenant/
a41f284f4e8841b2c7f5e2af78663c0f/metadata</Audience>
  </AudienceRestriction>
</Conditions>
<AttributeStatement>
  <Attribute Name="signavio_licenses_v1">
    <AttributeValue>Enterprise Plus Edition</AttributeValue>
    <AttributeValue>Workflow</AttributeValue>
  </Attribute>
  <Attribute Name="email">
    <AttributeValue>john.doe@signavio.com</AttributeValue>
  </Attribute>
  <Attribute Name="first_name">
    <AttributeValue>John</AttributeValue>
  </Attribute>
  <Attribute Name="last_name">
    <AttributeValue>Doe</AttributeValue>
  </Attribute>
  <Attribute Name="signavio_groups_v1">
    <AttributeValue>Employees</AttributeValue>
    <AttributeValue>Sales</AttributeValue>
    <AttributeValue>Process owners</AttributeValue>
  </Attribute>
</AttributeStatement>
```

```
</Attribute>
</AttributeStatement>
```

Enable SSO Using SAML

Before you start, you need the configuration metadata from your IdP. Read more in the previous section *Configure your IdP*.

Follow these steps:

1. In the explorer, click **Setup > Manage SAP Signavio Process Collaboration Hub authentication**.
The configuration dialog opens.
2. Select [SAML 2.0 based authentication](#) from the drop-down list.
The configuration dialog opens.
3. To enable IdP-initiated authentication, select [Enable SAML 2.0 authentication](#).
IdP-initiated authentication means that a user who logs in to the IdP must select SAP Signavio, and is then redirected to your workspace and logged in.
4. With SP-initiated authentication, a user who is logged out from SAP Signavio and tries to access your workspace, is redirected to the IdP, must log in to the IdP, and is then directed back to SAP Signavio and logged in.
To additionally enable SP-initiated authentication, select [Allow service provider initiated authentication](#).
5. For SP-initiated authentication, the initial request sent by the SP to the IdP can be signed with a certificate. If the authentication request is signed, the IdP has additional means to verify that the request was sent by the SP.
To enable signing the authentication request, select [Sign authentication request](#).
6. To enable just-in-time provisioning using SAML, select [Create new user accounts automatically](#).
7. Paste the configuration metadata provided by your IdP to the field [XML Metadata](#).

Note

- For certificate renewal, the federation XML file changes. For example, if the IdP certificate is renewed or updated, the metadata changes.
- Copy the latest federation XML into SAP Signavio when the certificate is renewed.

8. Confirm with [Save settings](#) and close the dialog.

Hint on links in invitation emails

SAP Signavio Process Manager and SAP Signavio Process Modeler users can send invitations emails to internal and external stakeholders.

If single sign-on is enabled but not enforced in your workspace, these invitations emails contain 2 web links:

- [Access using single sign-on \(requires a company email account\)](#)

The following applies:

- Users who are logged in to their company system are directly directed to SAP Signavio Process Collaboration Hub.
- Logged out users need to enter their company credentials to log in.
- New users need to register with their company email and get a SAP Signavio account.

- *Access as a guest (you will be asked to register with your name and email address)*

The following applies:

- Users with a guest account log in with their guest account credentials.
- New users need to register.

Read more on the invitation features of SAP Signavio Process Manager and SAP Signavio Process Modeler in section <https://help.sap.com/docs/signavio-process-manager/user-guide/invite-to-comment>.

Invite New Users by Email

If SP-initiated authentication and JIT provisioning is enabled, you can invite users to your workspace by sending them an email.

Follow these steps:

1. Get the workspace link:
 - Share a link to any content within your workspace, for example by copying the URL from your browser address bar.
 - Create a link to the workspace by adding the workspace ID as an URL parameter, for example **`https://editor.signavio.com/p/hub?t=<WORKSPACE_ID>`**
2. Paste the link to an email and send it to the users you want to log in with SSO using SAML.

Note

The **`<WORKSPACE_ID>`** is no longer shown once the page is loaded, you need to add it manually when saving the link as a favorite.

Enforce SSO to Disable Login with Credentials

When SSO is enforced for your workspace, users can't log in using their SAP Signavio credentials. All users have to log in through the IdP.

If SP-initiated authentication is enabled, users are logged in when clicking a link to any content within your workspace, for example a published diagram in SAP Signavio Process Collaboration Hub, or a link that includes the workspace ID as an URL parameter.

When SSO is configured but not enforced for your workspace, the following applies:

- Users can log in through the IdP.
- Users can also log in by entering their email and password on the SAP Signavio login page.
- If SP-initiated authentication is enabled, a logged out user is always redirected to the IdP when clicking a link to content in your workspace.

Note

When you've set up enforced SSO, make sure SSO is working before logging out from your workspace. Otherwise all users, including you, won't be able to access the workspace. To test the SSO configuration, log out and log in again with another user account.

In case of problems, please contact our SAP Signavio service experts from the [SAP for Me portal](#) so they can disable this option for you.

To enforce SSO, follow these steps:

1. In the explorer, click [Setup > Edit security configuration](#).
The configuration dialog opens.
2. In the [Password policies](#) section, enable [Enforce SSO login](#).
3. Confirm with [Save](#).

Related Information

[Editing the Security Configuration](#)

[Manage Access Rights](#)

[SAP Note 3461963](#)

1.2.3 Manual Setup: Integrate SAP Signavio Solutions with SAP Cloud Identity Services

SAP Signavio solutions use SAP Cloud Identity Services (SCI) as the default service for authenticating users and provisioning users and groups. This section explains the default setup that SAP Signavio solutions use for authentication and user and group provisioning.

Overview

This procedure is intended for administrators who need to manually configure or verify the integration between SAP Signavio and SAP Cloud Identity Services.

In certain scenarios, such as when using Joule, SAP Task Center, or SAP SuccessFactors People Analytics, having users in SAP Cloud Identity Services is mandatory. Integrations with Joule and SAP Task Center require user persistence in the directory to enable cross-application correlation.

Authentication

SAP Signavio is configured by default as a SAML 2.0 application in SCI. This provides single sign-on for the SAP Signavio workspace. One or more corporate identity providers can be added to SCI to replace SCI as the identity provider.

→ Tip

For information about the default SAML 2.0 configuration, see SAP KBA [0003461963](#).

Provisioning Users and Groups

By default, SAP Signavio solutions use the Identity Directory, the persistence layer of SAP Cloud Identity Services, to create users and groups.

SAP Signavio uses two sets of Source/Target System configurations provided by the Identity Provisioning service, using the SAP Signavio connectors:

First Source/Target Configuration	Synchronizes users and groups from SCI Identity Directory to SAP Signavio solutions. • Groups prefixed with <code>Signavio_{workspaceID}</code> are synchronized to SAP Signavio solutions. The prefix can be changed in the Source/Target System configuration using the property <code>sig.group.prefix</code>. • Users assigned to a <code>Signavio_{workspaceID}</code> prefixed group are synchronized to SAP Signavio solutions and assigned to the same groups as in SCI.
Second Source/Target Configuration	Synchronizes SAP Signavio-specific groups (Application Groups in SCI) from SAP Signavio solutions to SCI. • Application Groups are predefined by SAP Signavio solutions and cannot be changed or deleted; only their members can be managed. Example: <code>Administrators</code>. • SAP Signavio-specific groups are prefixed by default with <code>Signavio_{workspaceID}</code>.

To change or recreate the default SAP Signavio Source/Target System configuration, such as the prefix used or transformations, refer to:

- [Source: SAP Signavio Process Transformation Suite](#)
- [Target: SAP Signavio Process Transformation Suite](#)

Caution

The Source/Target System configurations use certificates to authenticate with the connected system. If any changes are needed for the certificates used in the connection to SAP Signavio solutions, contact your system administrator.

Related Information

[User and Group Creation in Identity Directory](#)

[SAP Note 3461963](#) 

1.2.4 Manage Users and Groups

Invite and manage internal and external users, assign access rights, and create user groups for efficient management.

Note

For workspaces created after May 6, 2026, you can only create and manage users and user groups in SAP Cloud Identity Services. For more information, see [Harmonization of Authentication and Identity Management](#).

User accounts are created by invitation: You invite users to your workspace by email, provide them with a license and access rights, and manage their accounts.

With JIT provisioning enabled, the following happens:

- When a user logs in for the first time, a new account is automatically created.

In addition, SAP Signavio Process Manager and SAP Signavio Process Modeler users can invite internal and external process stakeholders to review and comment on diagrams. Internal users already have a SAP Signavio account. Externals need to create an account to log in.

Note

If invited users can't access SAP Signavio, check the IP filtering settings of the workspace. Read more in section [Set up IP address filtering](#).

With groups, you can effectively manage a large number of users and their access rights by creating a group for each organizational role and setting up a group hierarchy. This simplifies assigning access rights and feature sets to users.

To open the user management, click [Settings](#) in the sidebar of SAP Signavio Process Collaboration Hub and open the [User management](#) tab.

Note

The email address you use to sign up cannot contain the German umlauts (such as ä, ö, ü) as special characters.

Users Invited for Feedback

Internal users

When users who already have an account and a license for this workspace are invited to review and comment on diagrams, they use their existing email address and password combination to log in.

Internal users are managed with the user management.

External Users

When external users are invited to comment on diagrams, they must create an account using the link in the invitation email. They can then sign in to SAP Signavio Process Collaboration Hub and view the diagram, for

which they have received an invitation. Instead of a paid license, they are assigned a commenting license so that they can view and add comments.

The user accounts created in this way are like those created with the user management, but the following restrictions apply:

- Users can't see any other diagram than the one they were invited to.
- Users aren't assigned to any user group, not even the default groups.
- Users can't access any other SAP Signavio component.

To revoke access, remove the account from the user management. When you just remove the licenses, external users can still sign in to SAP Signavio Process Collaboration Hub. They no longer see any diagram, instead they are informed that their trial has expired.

If needed, you can keep the account and manage it like any other account, for example assign more licenses and provide more access rights.

Users Invited to a Workspace

In the user management, you invite new users to your workspace. You also select the license type and the user groups you want to assign to the new user.

The license for a new user is bound to the email address to which you send an invitation. The new user has to register with the same email address to use the license.

Note

Invitation links are only valid for 7 days. Resending the invite extends the invitation for another 7 days while keeping the link unchanged.

New users are automatically added to the user management once they have accepted the invitation and logged in to the workspace. You can then manage their access rights.

If users are not members of any group initially, they are able to read, write, delete, or publish in all folders and models in the *Shared documents* folder.

If you want users to manage the workspace, you add them to the *Administrators* group.

Related Information

[Manage Users and Access Rights](#)
[Editing the Security Configuration](#)
[About Licenses \[page 30\]](#)

1.2.5 User Groups and Audiences

User groups are created in the User Management accessed from SAP Signavio Process Collaboration Hub. They simplify access assignment and revocation, and are available in other SAP Signavio products for access granting.

📘 Note

For workspaces created after May 6, 2026, you can only create and manage users and user groups in SAP Cloud Identity Services. For more information, see [Harmonization of Authentication and Identity Management](#).

📘 Note

SAP Signavio Process Insights uses SAP BTP mechanisms to authenticate users and provide role-based access to the application. Access to systems and their data is managed using system-based access control. For more information, see [User Administration, Authentication, and Authorization](#).

Because of that, groups or users created in SAP Signavio Process Collaboration Hub are not available for user and access management in SAP Signavio Process Insights.

By identifying users with common tasks or responsibilities and grouping them accordingly, you can simplify the process of assigning and revoking access to different features and content.

To keep the number of groups manageable, consider nesting them. Group nesting makes one group a member of another group. A group inherits feature sets and access rights from its parent groups.

📘 Note

Audiences based on user groups are used to manage content visibility in SAP Signavio Process Collaboration Hub. For audiences, only direct membership in a user group is considered, indirect membership from nesting groups is not taken into account.

Once your group concept is in place, you can start creating the corresponding groups in SAP Signavio Process Manager. Here, you can specify essential details like the name of the group, whether new users are added automatically, and whether the group is a member of another group (nesting). Define only one group as the default group to make sure that autoprovisioning via SAML SSO works as expected.

📘 Note

Groups always have to be created manually, but users can be added automatically to groups when SAML single sign-on is activated.

The groups created here are available in other SAP Signavio products – except for SAP Signavio Process Insights – for granting access to product-specific content.

User Groups in SAP Signavio Process Governance

User groups in SAP Signavio Process Governance are not linked to user groups from SAP Signavio Process Manager and cannot be managed using SAML. You can create [Groups](#) in the [Organization settings](#), see [Organization Settings for Administrators](#).

→ Tip

We recommend to create groups to grant access rights in the access definition of a workflow to be able to completely replace users. Users added to a group that has access to a workflow also get access to previous cases. If access to a workflow is assigned to an individual user, a replacement user can only access cases started after the replacement date.

[Creating User Groups \[page 27\]](#)

Learn how to create user groups in SAP Signavio Process Collaboration Hub.

[About Audiences \[page 28\]](#)

Audiences in workspaces customize content visibility for different user groups in SAP Signavio Process Collaboration Hub. They are helping users to focus on content relevant to them.

1.2.5.1 Creating User Groups

Learn how to create user groups in SAP Signavio Process Collaboration Hub.

Prerequisites

- You are a workspace administrator in SAP Signavio Process Transformation Suite.

ⓘ Note

For workspaces created after May 6, 2026, you can only create and manage users and user groups in SAP Cloud Identity Services. For more information, see [Harmonization of Authentication and Identity Management](#).

Context

You can create different groups with unique access rights and assign users to them. This approach assigns access rights to whole groups rather than individuals, enhancing efficiency. For example, you can form groups with rights to create and publish process diagrams and consumer groups for regular users with read access only.

By default, the [Administrators](#) group exists in every new workspace. It can't be deleted.

Group nesting makes one group a member of another group. A group inherits feature sets and access rights from its parent groups.

Procedure

1. In SAP Signavio Process Collaboration Hub, select **Settings** > **User management** > **Groups** in the side navigation.
2. On the right, enter the name of the new group and confirm with [Add a new group](#).

The group is added to the list of groups on the left.

3. To complete the setup of the new group, select it on the left and configure it as follows:
 - [Add new users to this group automatically](#): Decide whether to define this group as a default group. Then, new users are automatically assigned to this group. By default, this option is deactivated.
 - [Select a group to add as a member](#): Create a group hierarchy by adding other groups as members. Use [Load groups](#) to view groups that are a member of this group. By default, no group is assigned.
 - [Select a user to add as a member](#): Select the users to add as members. Use [Load users](#) to view users that are a member of this group. By default, no user is assigned.

You can also just create the groups first and then complete their configuration.

Results

Any change to the group configuration is saved automatically.

1.2.5.2 About Audiences

Audiences in workspaces customize content visibility for different user groups in SAP Signavio Process Collaboration Hub. They are helping users to focus on content relevant to them.

With audiences, workspace administrators can manage the visibility of content in SAP Signavio Process Collaboration Hub for different user groups. Audiences are based on the user groups available in a workspace.

Audience settings are used in a different way than access rights. For example, you can use audiences to show different entry diagrams for members of different business units, or to only show relevant attributes to an audience.

General Audience

Before you add audiences, the settings for the [General audience](#) are applied to all users.

The [General audience](#) includes all users that aren't members of a specific audience.

1.2.5.2.1 Manage Audiences

For workspace administrators: Manage user groups, known as audiences in SAP Signavio Process Collaboration Hub.

Add an Audience

Note

To be able to add additional audiences, you first need to add user groups to your workspace. Read more about adding user groups in section [Manage users and groups](#).

1. Select a user group from the drop-down list of available user groups.
2. Apply your changes with [Save](#).

Duplicate Audience Settings

1. Select the audience from which you want to duplicate the settings and choose  ([More](#)) and then [Duplicate Audience Settings](#).
2. Select the target audiences that you want to apply the duplicated settings to.
3. Select the setting categories that you want to apply the duplicated settings to. You can choose all the categories or just a selection of them. The selected setting categories for the selected target audiences will be overwritten.
4. Select [Duplicate](#).
5. Apply your changes with [Save](#).

Note

You can also duplicate settings from the [Theme](#), [Navigation](#), [Comments](#), [Attribute visibility](#), [Overlay visibility](#), [Home page](#), and [Read confirmation](#) tabs.

Delete an Audience

1. Select  ([More](#)) and then [Delete](#) in the audience that you want to delete.
2. Confirm with [Delete](#) in the dialog.
3. Apply your changes with [Save](#).
If the users of the deleted audience aren't members of another audience, settings for [General audience](#) are applied.

Audience Selection in the User Menu

In the user menu, users can view the audiences they belong to and switch between audiences.

By default the [General audience](#) can also be selected in the user menu.

When you disable the option [Show General audience](#) for a specific audience, users in this audience can no longer switch to the [General audience](#) view.

Users who are members of more than one audience can switch to the [General audience](#) if this option is not disabled for all audiences to which they belong.

For the [General Audience](#) itself, this option can't be disabled.

Audience ⓘ

Audience name	Show General audience ⓘ
General audience	☒
Administrators	☒ ...
Specific audience I	☐ ...
Specific audience II	☐ ...

If all users in a workspace are members of audiences, and the option [Show General audience](#) is disabled for all audiences, the [General Audience](#) is no longer available in the user menu.

1.2.6 About Licenses

Workspace administrators must assign a license to every user in a workspace.

ⓘ Note

SAP Signavio Process Insights uses SAP BTP mechanisms to provide access to the application. Once you've signed a contract that gives you access to SAP Signavio Process Insights, you can subscribe to the application in SAP Business Technology Platform. For details, see [Subscribing to the Application in SAP BTP](#) in the administration guide.

Licenses are bound to a specific workspace, so the following rules apply:

- Inviting new users doesn't create new workspaces.
- Users having a license for another workspace can't access your workspace unless you assign a license of your workspace to the user.
- If you remove a user from your workspace, the user's license assignments and access rights for other workspaces remain unchanged.

Licenses are also bound to the email addresses you specify when inviting new users. The new users can only use this email address to log in. Most licenses for the different products of SAP Signavio Process Transformation Suite are assigned to the individual users.

For SAP Signavio Process Intelligence, the license is assigned to the workspace, not to individual users. If a workspace has the license assigned, you can give access to SAP Signavio Process Intelligence features by activating feature sets to user groups.

Modeling Users

Modeling users have the full functionality of your SAP Signavio Process Manager edition available, and additionally access to SAP Signavio Process Collaboration Hub.

SAP Signavio Process Collaboration Hub Users

SAP Signavio Process Collaboration Hub users have access to a limited feature set in SAP Signavio Process Manager:

- They can create folders, as well as create and edit BPMN diagrams in QuickModel.
- They can use the diagram comparison tool, see section [Comparison](#).
- They can export diagrams as PNG, SVG, and PDF files, see [Downloading/exporting diagrams](#).
- They can create reports, see section [Reporting](#).
- They have view access to the dictionary, see section [The Dictionary](#).
- They can be given write and delete access to the dictionary.
- They can use the discussion and sharing features, see [Your launchpad](#).

You can also use feature sets to add additional feature restrictions on SAP Signavio Process Collaboration Hub users.

⚠ Caution

Assigning the SAP Signavio Process Collaboration Hub license does not limit access rights for users. We recommend that you create a user group for users with this license to manage access rights.

If users aren't members of any group initially, they're able to read and write in all folders and diagrams in the [Shared documents](#) folder.

Note

This license type is by default available to new customers. If you registered your workspace before version 11.11.0 (January 2018), only SAP Signavio can provide this license type.

Contact SAP Support by creating a support case in SAP for Me. For more information, see [Reporting an Issue](#) in the *SAP Signavio Support Guide*.

Commenting License

SAP Signavio Process Manager users can invite external users, who do not have a license to the workspace, for feedback. Then, the external users automatically get a commenting license. They can only view the diagram for which they have received the invitation in SAP Signavio Process Collaboration Hub and can view and add comments. As these external users also have to create a user account, you can manage them in the user management. Read more in section [Manage users and groups](#).

Caution

If Single Sign-on (SSO) is enabled for your workspace, external users need access to your identity provider to log in.

Accessing SAP Signavio Process Intelligence

For SAP Signavio Process Intelligence, the license is assigned to the workspace, not to individual users. If a workspace has the license assigned, you can give access to SAP Signavio Process Intelligence features by activating feature sets to user groups.

1.2.6.1 Assign Licenses to Users in SAP Signavio Process Transformation Suite User Management

Assign licenses to users in SAP Signavio Process Transformation Suite by selecting the appropriate license type for each user.

Context

In the SAP Signavio User Management, you can assign licenses to users. You select the license type you want to assign to the user.

For SAP Signavio Process Intelligence, the license is assigned to the workspace, not to individual users. If a workspace has the license assigned, you can give access to SAP Signavio Process Intelligence features by activating feature sets to user groups.

Procedure

1. Open the user management from the [Settings](#) in the sidebar of SAP Signavio Process Collaboration Hub.
2. In [Users](#), select the user to whom you want to assign a license.
3. Choose the license type from the available options.

Results

The selected license type is assigned to the user.

1.2.7 Implement Password Policies

Enhance security by defining requirements for passwords in your SAP Signavio Process Transformation Suite workspaces.

Note

All workspaces created after Nov 25, 2025 have Single Sign-On (SSO) activated automatically. For these workspaces, no additional password policies are necessary. For more information, see [Harmonization of Authentication and Identity Management](#).

If you don't use SSO, implementing password policies is crucial in managing user accounts. These rules help ensure users create strong passwords, preventing unauthorized access and password reuse. For example, you can set up password policies that require a minimum length, complexity, and expiration.

For more information on how to implement password policies, see [Editing the Security Configuration](#).

Related Information

[Configuring Password Policies in SAP Cloud Identity Services](#)

1.3 Understanding Users and Their Tasks

Understand how to identify and group users with common tasks for an effective user and rights management in SAP Signavio Process Transformation Suite.

In SAP Signavio Process Transformation Suite, the access a user has is defined through a combination of assigned user groups and audiences, activated feature sets, and access rights for product-specific content.

Each user is an individual account in the system. User groups simplify access assignments. Audiences are based on user groups and are used to customize the available content in SAP Signavio Process Collaboration Hub. Feature sets control availability of features. Content access allows users to view, create, or work with content. Activating feature sets and granting access rights to content to users determines what users can view and do within the system. Product-specific content can be, for example, process diagrams in SAP Signavio Process Manager or event log data in SAP Signavio Process Intelligence.

One of the first steps in managing user accounts and access rights is to understand the tasks that users in your organization have as well as the other aspects that shape your organization. You can do that by answering question like these:

- Which users share common functions and responsibilities?
Example: Modelers, administrators, data engineers, and consumers
- Which dimensions exist?
Example: Country, region, subsidiary, headquarter, departments or business units
- Which end-to-end processes exist?
Example: Order-to-Cash, Procure-to-Pay, Incident-to-Resolution, and Attract-to-Acquire-Talent
- How sensitive are data and features?
Example: Who needs to see the reporting feature?
- Which policy should be applied?
Example: Allow every user to use and view everything, or rather grant access only to features and data that are necessary for the user's job function.

Then, get to know how SAP Signavio user and access rights management works, see [Where to Manage Users and Access Rights \[page 4\]](#).

Once you have a user group concept in place and are familiar with the SAP Signavio user and access management, you map both and can start setting up your workspace.

1.4 Assign Access Rights

Assign users or groups the rights that they need to complete their daily work.

For each SAP Signavio product, access rights are managed separately. To find out how, see the linked sections below.

📌 Note

SAP Signavio Process Insights uses SAP BTP mechanisms to provide access to the application. Once you've signed a contract that gives you access to SAP Signavio Process Insights, you can subscribe to the

application in SAP Business Technology Platform. For details, see [Subscribing to the Application in SAP BTP](#) in the administration guide.

Again, we recommend applying the principle of least privilege: Assign only the rights necessary for the user's job function.

Overview

Product	Documentation Link
SAP Signavio Process Manager	Manage Access Rights Setting Access Rights to Folders and Diagrams Setting Access Rights to the Dictionary
SAP Signavio Process Intelligence	Roles and User Management [page 7] Defining Access with Process Views [page 10] Managing API Access to Processes Access Requirements for Process Data Management

1.4.1 Example: User Groups, Folders, and Access Rights

The scenario here describes an example folder structure for process diagrams and documents in SAP Signavio Process Manager, based on best practices, including the necessary feature sets and access rights for different user groups.

Folder Structure

Depending on your organization's needs, you may need your own folder structure, but the following example structure has proven useful:

- *Process House*
Folder for end-to-end processes from domains like management, human resources, finance, marketing etc. Content here is available to all SAP Signavio users in your organization.
- *Production*
Folder for processes from organizational units like departments, teams, locations etc. Content here is available to everyone
- *Projects*
Folder for project-specific processes. Content created here is relevant temporarily or only to project members and must not be published.
- *Trainings*
Folder for internal trainings, providing a space for users who want to learn modeling in SAP Signavio Process Manager. Process diagrams are created by training participants for practice purposes.

- *Sandbox*
Test environment for all modelling users. Here anyone who wants to visualize processes for various reasons can create, edit and delete diagrams.

User Groups

For the scenario, we need these user groups:

- *Hub Users*: Users who should only consume the content in SAP Signavio Process Collaboration Hub, they must not change any content.
- *Hub Users Plus*: Users who should consume the content in SAP Signavio Process Collaboration Hub and are able to create and edit diagrams with QuickModel. They do not have access to the complete editor.
- *Modellers*: Users who need to create, publish, and delete content.
- *Project Team*: Users who need to create and delete content.
- *Trainees*: Users who need to create content, but they must not delete content.
- *Administrators*: Users who create the folder structure and assign access rights in SAP Signavio Process Manager. This user groups exists by default.

Feature Sets and Access Rights

This is how to grant access:

User Group	Feature Sets Activated	Access Rights
<i>Hub Users</i>	None	Hub (H) for all folders that users of this group should view, for example: • <i>Process Portal</i> • <i>Production</i> • <i>Trainings</i>
<i>Hub Users Plus</i>		
<i>Modellers</i>	Depending on the scope of their tasks, they may need also these feature sets: • • or • •	Hub (H), Read (R), Write (W), and Delete (D) for these folders: • <i>Process House</i> • <i>Production</i> • <i>Sandbox</i> Publication of diagrams should be done with approval workflows, therefore Publish (P) should not be granted.

User Group	Feature Sets Activated	Access Rights
<i>Project Team</i>	Same as for the group <i>Modellers</i> .	Hub (H), Read (R), Write (W), and Delete (D) for these folders: • <i>Projects</i> • <i>Sandbox</i>
<i>Trainees</i>		Hub (H), Read (R), Write (W), and Delete (D) for the folder <i>Training</i> .
<i>Administrators</i>	By default, all feature sets are activated for workspace administrators.	By default, all rights are assigned to workspace administrators.

1.5 About Feature Sets

Feature sets ensure that only users who need them can access specific product features.

In SAP Signavio, access to features is controlled by activating or deactivating feature sets for users or groups, based on how you've decided to manage your users. Feature sets can be enabled or disabled by default.

Feature Sets for SAP Signavio Process Intelligence

If a license for SAP Signavio Process Intelligence is available for a workspace, all users get access by default. To limit access, you need to create user groups.

When users are a member of a group that does not have the feature set for SAP Signavio Process Intelligence enabled, the following things happen:

- The option SAP Signavio Process Intelligence no longer appears in the explorer.
- The option *Investigations* no longer appears in SAP Signavio Process Collaboration Hub.
- If they try to open SAP Signavio Process Intelligence directly, for example with a link, the explorer is opened instead.

Related Information

[Overview of Feature Sets \[page 39\]](#)

[Activating Feature Sets \[page 38\]](#)

1.5.1 Activating Feature Sets

Learn how to activate specific feature sets for user groups. Feature sets are for different SAP Signavio products.

Prerequisites

You have an administrator permissions. For more information, see [Manage Users and Groups \[page 24\]](#).

Context

If your user groups require different feature sets to perform their tasks, customize access to specific feature sets for each user group.

Procedure

1. Open the explorer and choose ► [Setup](#) ► [Manage access rights](#) ►.
The [Manage users & access rights](#) dialog box opens.
2. Choose the [User groups](#) tab.
3. In the [Groups](#) field, select an entry from the list.
4. On the right, scroll down and in the [Feature sets](#) list, activate or deactivate feature sets as needed.
5. Confirm with [Save feature sets](#).

Related Information

[Overview of Feature Sets \[page 39\]](#)

1.5.2 Overview of Feature Sets

An overview of all the available feature sets in the SAP Signavio Process Transformation Suite you can assign to user groups.

Note

In addition to activating the feature set, user access depends on the access rights assigned to the user, the user's license assignment, the license assignment to a workspace, or the feature packages activated on the user's workspace.

Feature Sets for Modeling

Feature Set	Description
<i>Modeling: Create and Edit BPMN Models</i>	Create and edit BPMN models. When this option is disabled, other types of models can still be edited.  Note To create and edit DMN models, you need the feature set <i>Modeling – Decision Manager: Create DMN Models</i> or <i>Modeling – Decision Manager: Create DMN Requirements Models</i>.
<i>Modeling: Import/Export Models</i>	Import and export models in formats that can be transferred between workspaces and tools.  Note Even if this feature set is disabled, you can export models as PDF and PNG files.
<i>Modeling: Import/Export Dictionary Entries</i>	Import and export dictionary entries from Microsoft Excel (XLSX) spreadsheets.
<i>Modeling: Upload Files</i>	Upload files to the workspace.  Note Uploaded files use up workspace storage.
<i>Modeling: Access AI-Assisted Process Modeler</i>	Create a BPMN model from a text description of a business process. This feature is a Premium AI Capability, for details see Premium AI Capabilities .
<i>Modeling - Joule: Generate Process Description</i>	Get a description of a given process.

Feature Sets for Variant Management

Feature Set	Description
<i>Variant Management: Cloning – Clone To Create A Variant From A Normal Model</i>	Create a variant from an existing regular model. For more information, see Cloning a Template, Variant, or Diagram to Create a Variant.
<i>Variant Management: Cloning – Clone to Create A Variant From A Template</i>	Create a variant from a template. For more information, see Cloning a Template, Variant, or Diagram to Create a Variant.
<i>Variant Management: Cloning – Clone to Create A Variant From A Variant</i>	Create a variant from another variant. For more information, see Cloning a Template, Variant, or Diagram to Create a Variant.
<i>Variant Management: Managing Dimensions And Values - Manage Existing Dimensions</i>	Manage a model's existing dimensions. For more information, see Managing Dimensions for a Template or Variant.
<i>Variant Management: Managing Dimensions And Values - Manage Values For Variant Groups</i>	Manage the values of a variant group. For more information, see Managing Variant Group Dimensions and Values.
<i>Variant Management: Managing Templates – Promote A Variant To Template</i>	Turn a variant into a template. For more information, see Promoting Variant to Template.
<i>Variant Management: Managing Templates – Replace A Template</i>	Replace a template with a different model. For more information, see Replacing the Template of a Variant Group.
<i>Variant Management: Managing Templates – Revert A Template</i>	Revert a template to a regular model. For more information, see Reverting Template to Normal Diagram.
<i>Variant Management: Managing Templates – Set As Template</i>	Set a model as template. For more information, see Setting a Diagram as Template.
<i>Variant Management: Managing Variants – Attach Model As Variant</i>	Attach a model as variant to a template. For more information, see Attaching Diagrams as Variants to a Template.
<i>Variant Management: Managing Variants – Detach A Variant From A Template</i>	Detach a variant from a template. For more information, see Detaching a Variant from a Template.

Feature Set	Description
<i>Variant Management: Managing Variants – Detach All Variants From The Template</i>	Detach all variants from a template. For more information, see Detaching All Variants from a Template .

Feature Sets for Decision Manager

Feature set	Description
<i>Modeling – Decision Manager: Create DMN Models</i>	Full DMN modeling: Decision requirements, decision logic, simulation, test lab, and import/export.
<i>Modeling – Decision Manager: Create DMN Requirements Models</i>	Decision requirements modeling only, without decision logic.
<i>Modeling – Decision Manager: Export Drools</i>	Export decision tables and models as drools rules, as described in Export DMN Diagrams as Drools Rules .

Feature Sets for Browsing

Feature Set	Description
<i>Browsing: Access My Page</i>	Create a customizable home experience for advanced users.
<i>Browsing: Access My Process Overview</i>	Get a snapshot of your resources depending on your role.
<i>Browsing – Joule: Ask Specific Questions About Processes</i>	Ask questions about any published BPMN model, including its attributes, description, and the process model itself.
<i>Browsing – Joule: Compare Two Processes</i>	Compare two different process models, or compare the latest published revision with an earlier revision of the same process model.
<i>Browsing: Get Recommendations for Process Performance Indicators</i>	Get recommendations on process performance indicators (PPIs). For more information, see AI-Assisted Performance Indicators Recommender .
<i>Browsing: Get Recommendations for Process Models</i>	Get recommendations for process models from your workspace or a pre-configured database. Manage in AI Settings. For more information, see AI-Assisted Process Recommender .

Feature Sets for Planning and Monitoring (For Transformation Manager)

Feature Set	Description
<i>Access AI-Assisted Insights Description Generator</i>	Capture and share insights more effectively with AI-generated descriptions that are clear, consistent, and business-friendly.
<i>Access AI-Assisted Transformation Advisory, Initiative Builder</i>	Generate clear, consistent, and business-friendly descriptions for insights.

Feature Sets for SAP Signavio Process Intelligence

Feature Set	Description
Access SAP Signavio Process Intelligence	Access the default features in a workspace. Note By default, this feature set is assigned to all user groups.
SAP Signavio Process Intelligence: Create Process	Create and use a process to evaluate, benchmark, and measure your business process performance using quantifiable measures. The assigned role determines the actions users can perform in a process and the data they can access. Roles include Manager, Editor, and Viewer. See: Roles and User Management. Note By default, this feature set is assigned to all user groups.
SAP Signavio Process Intelligence: Access Data Integration	Access connections, source data, and on-premises extractors. The assigned role determines the actions users can perform and the data they can access. Roles include Manager, Editor, and Viewer. See: Access Requirements for Process Data Management.
SAP Signavio Process Intelligence: Access Data Modeling	Access process data pipelines to model and transform data for process analysis. The assigned role determines the actions users can perform and the data they can access. Roles include Manager, Editor, and Viewer. See: Access Requirements for Process Data Management.
SAP Signavio Process Intelligence: Access SIGNAL OData API	Access analytical results in SAP Signavio Process Intelligence via third-party systems. Create and manage OData views. See: User Access.
SAP Signavio Process Intelligence: Export Widget Data	Export data shown in widgets to a CSV file. See: Data Export (CSV).
SAP Signavio Process Intelligence: Access AI-Assisted Process Analyzer, Text-To-Insights	Create insights by using AI to interpret user prompts. Manageable in AI Services. See: Managing Access to AI Capabilities.

Feature Set	Description
<i>SAP Signavio Process Intelligence: Access AI-Assisted Process Analyzer, Text-To-Widget</i>	Create dashboard widgets by using AI to interpret user prompts. Manageable in AI Services. See: Managing Access to AI Capabilities .
Feature Sets for Workspace Management	
Feature Set	Description
<i>Access SAP Signavio Lab Space</i>	Access early-stage prototypes to test and validate innovations using SAP Signavio Lab Space. For more information, see SAP Signavio Lab Space .

1.6 API Access

How to access and authenticate with the APIs of the SAP Signavio Process Transformation Suite.

Tokens for API Access

Users gain access to APIs by obtaining an authentication token.

SAP Signavio Process Manager is an exception, see below.

SAP Signavio Process Intelligence

[SAP Signavio Process Intelligence APIs](#)

SAP Signavio Process Governance

[SAP Signavio Process Governance Developer Guide](#)

SAP Signavio Journey Modeler

[SAP Signavio Journey Modeler API Guide](#)

SAP Signavio Process Manager

[API Access to SAP Signavio Process Modeler](#)

[Access and Licensing](#)

1.6.1 Using the SPM API with SAP Cloud Identity Services

Configure a technical user in SAP Cloud Identity Services (SCI) to authenticate and use the API for SAP Signavio Process Manager or SAP Signavio Process Modeler.

Prerequisites

Before you begin, ensure that SAP Cloud Identity Services is configured and integrated with SAP Signavio solutions.

Context

To use the API for SAP Signavio Process Manager (SPM) or SAP Signavio Process Modeler (SPM) with SAP Cloud Identity Services, you need to create a technical user, provision it in SPM, assign the appropriate license, and configure API authentication. This process bypasses SSO for API calls while maintaining centralized user management.

Procedure

1. Create the technical user in SAP Cloud Identity Services
 - a. In the Admin Console of SAP Cloud Identity Services, navigate to ► [Users & Authorizations](#) ► ► [User Management](#) and select + [Add](#).
 - b. Add the new technical user with the following details:
 - First name and last name (not relevant for technical users)
 - Email address (must be reachable for activation and password reset)
 - User Type: **Employee**
 - Account Activation: **Set status active**
 - c. Assign the user to a group that is configured to sync with SAP Signavio Process Manager (SPM) or SAP Signavio Process Modeler (SPM).
2. Verify user provisioning in SPM
 - a. Wait for the synchronization job to complete.

Note

You do not need to set a password in SCI as this user won't log in via the UI. The SPM API password will be set in a later step.

→ Tip

The sync job runs every 30 minutes by default. This interval can be changed in the Source System settings in SCI.

- b. Log in to the SAP Signavio workspace via SSO as a workspace administrator.

→ Remember

Use your workspace administrator credentials, not the technical user credentials created in step 1.

- c. Open the SAP Signavio User Management from the [Settings](#) in the sidebar of SAP Signavio Process Collaboration Hub.

→ Tip

If the user is not shown, unassign the group in SCI, wait for a sync run, then reassign the group.

- 3. Assign the [API Edition](#) license to the user
 - a. In SAP Signavio User Management, select the technical user.
 - b. Assign the license [API Edition](#) to the user.

ⓘ Note

The API Edition license allows the user to bypass SSO and prevents consuming a paid license.

- c. Remove the SAP Signavio Process Collaboration Hub license from the user to avoid consuming a paid license.

- 4. Reset the SPM API password

ⓘ Note

The SPM API password is separate from the SCI password and must be set specifically for API authentication.

From the login screen	Direct link
Select I've forgotten my password	Navigate directly to <code>https://<server>.signavio.com/p/resetPassword</code>

- a. Enter the email address of the technical user to trigger the password reset email.
- b. Open the link in the password reset email and set a new password for the technical user.

- 5. Test the API connection using Postman

- a. Create a POST request to fetch a JWT token:

```
POST https://{host}/auth/v1/token
```

- b. Include the technical user credentials in the request body.
- c. Verify that you receive a valid JWT token in the response.

Results

The technical user is now configured for API access. You can use the JWT token obtained from the authentication endpoint to make authenticated API calls to SAP Signavio Process Manager or SAP Signavio Process Modeler.

Important Disclaimers and Legal Information

Hyperlinks

Some links are classified by an icon and/or a mouseover text. These links provide additional information.

About the icons:

- Links with the icon  : You are entering a Web site that is not hosted by SAP. By using such links, you agree (unless expressly stated otherwise in your agreements with SAP) to this:
 - The content of the linked-to site is not SAP documentation. You may not infer any product claims against SAP based on this information.
 - SAP does not agree or disagree with the content on the linked-to site, nor does SAP warrant the availability and correctness. SAP shall not be liable for any damages caused by the use of such content unless damages have been caused by SAP's gross negligence or willful misconduct.
- Links with the icon  : You are leaving the documentation for that particular SAP product or service and are entering an SAP-hosted Web site. By using such links, you agree that (unless expressly stated otherwise in your agreements with SAP) you may not infer any product claims against SAP based on this information.

Videos Hosted on External Platforms

Some videos may point to third-party video hosting platforms. SAP cannot guarantee the future availability of videos stored on these platforms. Furthermore, any advertisements or other content hosted on these platforms (for example, suggested videos or by navigating to other videos hosted on the same site), are not within the control or responsibility of SAP.

Beta and Other Experimental Features

Experimental features are not part of the officially delivered scope that SAP guarantees for future releases. This means that experimental features may be changed by SAP at any time for any reason without notice. Experimental features are not for productive use. You may not demonstrate, test, examine, evaluate or otherwise use the experimental features in a live operating environment or with data that has not been sufficiently backed up.

The purpose of experimental features is to get feedback early on, allowing customers and partners to influence the future product accordingly. By providing your feedback (e.g. in the SAP Community), you accept that intellectual property rights of the contributions or derivative works shall remain the exclusive property of SAP.

Example Code

Any software coding and/or code snippets are examples. They are not for productive use. The example code is only intended to better explain and visualize the syntax and phrasing rules. SAP does not warrant the correctness and completeness of the example code. SAP shall not be liable for errors or damages caused by the use of example code unless damages have been caused by SAP's gross negligence or willful misconduct.

Bias-Free Language

SAP supports a culture of diversity and inclusion. Whenever possible, we use unbiased language in our documentation to refer to people of all cultures, ethnicities, genders, and abilities.

© 2026 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company. The information contained herein may be changed without prior notice.

Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies.

Please see <https://www.sap.com/about/legal/trademark.html> for additional trademark information and notices.

