



PUBLIC

2026-04-20

# Value Accelerator Library for SAP Signavio Solutions User Guide

# Content

|          |                                                                                             |           |
|----------|---------------------------------------------------------------------------------------------|-----------|
| <b>1</b> | <b>Value Accelerator Library for SAP Signavio Solutions User Guide. . . . .</b>             | <b>3</b>  |
| 1.1      | Supported Entities. . . . .                                                                 | 5         |
| 1.2      | Required Licenses and Authorizations. . . . .                                               | 6         |
| <b>2</b> | <b>Browsing the Value Accelerator Library. . . . .</b>                                      | <b>8</b>  |
| <b>3</b> | <b>Creating a Value Accelerator. . . . .</b>                                                | <b>13</b> |
| 3.1      | Viewing the Creation Status. . . . .                                                        | 15        |
| 3.2      | Canceling the Creation. . . . .                                                             | 16        |
| 3.3      | Deleting Created Accelerators. . . . .                                                      | 17        |
| <b>4</b> | <b>Transferring a Value Accelerator. . . . .</b>                                            | <b>19</b> |
| <b>5</b> | <b>Installing a Value Accelerator. . . . .</b>                                              | <b>23</b> |
| 5.1      | Viewing the Installation Status. . . . .                                                    | 27        |
| 5.2      | Canceling the Installation. . . . .                                                         | 28        |
| 5.3      | Accessing and Deleting Installed Accelerators in SAP Signavio Process Intelligence. . . . . | 29        |
| 5.4      | Accessing and Deleting Installed Accelerators in SAP Signavio Process Manager. . . . .      | 30        |
| 5.5      | Accessing and Deleting Installed Accelerators in SAP Signavio Journey Modeler. . . . .      | 31        |
| <b>6</b> | <b>Help and Support. . . . .</b>                                                            | <b>33</b> |
| <b>7</b> | <b>Frequently Asked Questions. . . . .</b>                                                  | <b>34</b> |
| 7.1      | General Questions. . . . .                                                                  | 34        |
| 7.2      | Installation Questions. . . . .                                                             | 35        |
| 7.3      | Publication Questions. . . . .                                                              | 36        |
| 7.4      | Content-Related Questions. . . . .                                                          | 36        |

# 1 Value Accelerator Library for SAP Signavio Solutions User Guide

The value accelerator library for SAP Signavio solutions, an embedded platform within SAP Signavio Process Transformation Suite, functions as a central repository for value accelerators.

A value accelerator bundles content such as dashboards and metrics from SAP Signavio Process Intelligence, process models and folders from SAP Signavio Process Manager, and journey models from SAP Signavio Journey Modeler. For example, the Procure to Pay value accelerator contains dashboards related to the lifecycle of purchase requisition, contract, purchase order, material inbound, and invoice. For more information about what can be contained in a value accelerator, see [Supported Entities \[page 5\]](#).

With the value accelerator library, you can explore available value accelerators, install them in SAP Signavio Process Intelligence, SAP Signavio Process Manager, SAP Signavio Process Modeler, or SAP Signavio Journey Modeler and tailor them as per your needs in your workspace.

## Note

Using value accelerators is optional and not part of the business functionality of the products of SAP Signavio Process Transformation Suite. Value accelerators are subject to change and may be changed, discontinued, or replaced by SAP at any time for any reason without notice.

For news about the value accelerator library, for example about new value accelerators, see [What's New in SAP Signavio Process Transformation Suite](#). To receive notifications on updates, choose [Subscribe](#).

## How to Access the Library

The library is accessible on the launchpad of SAP Signavio Process Collaboration Hub: In the sidebar, select

 [Value Accelerator Library](#).

## Note

Workspace administrators can remove access to the library for a selected audience.


For more information, see [Required Licenses and Authorizations \[page 6\]](#).

You can use Joule to navigate to the value accelerator library and to search for value accelerators. For more information about Joule capabilities, see [Joule in SAP Signavio solutions](#).

## How the Library Works

At a high-level, using the value accelerator library for SAP Signavio solutions comprises the following steps:

**Select each element for more information**



- [#unique\\_1/unique\\_1\\_Connect\\_42\\_subsection-im1 \[page 4\]](#)
- [#unique\\_1/unique\\_1\\_Connect\\_42\\_subsection-im2 \[page 4\]](#)
- [#unique\\_1/unique\\_1\\_Connect\\_42\\_subsection-im3 \[page 4\]](#)
- [#unique\\_1/unique\\_1\\_Connect\\_42\\_subsection-im4 \[page 4\]](#)

## Access the value accelerator library for SAP Signavio solutions

Predefined SAP Signavio value accelerators are available on the launchpad of SAP Signavio Process Collaboration Hub.

### Explore Value Accelerators

Search and filter value accelerators based on the publisher, product, process, industry, system, and type.

### Install Value Accelerators

Install a value accelerator from SAP Signavio Process Collaboration Hub and import it into your workspace. For more information, see [Installing a Value Accelerator \[page 23\]](#).

### Customize Value Accelerators

In your workspace, adapt the value accelerator to your needs and leverage it to perform further analysis on your business processes. For more information, see [Accessing and Deleting Installed Accelerators in SAP Signavio Process Intelligence \[page 29\]](#), [Accessing and Deleting Installed Accelerators in SAP Signavio Process Manager \[page 30\]](#), and [Accessing and Deleting Installed Accelerators in SAP Signavio Journey Modeler \[page 31\]](#).

## Related Information

[Log In to the SAP Signavio Process Transformation Suite](#)  
[SAP Signavio Process Intelligence Accelerators](#)

## 1.1 Supported Entities

Lists entities that can be contained in a value accelerator.

### Note

A value accelerator cannot contain more than 50,000 entities.

### SAP Signavio Process Intelligence

- Dashboard
- Metric
- Process data pipeline

For more information about these entities, see the [SAP Signavio Process Intelligence User Guide](#).

### SAP Signavio Process Manager

- Folder
- Process model  
For more information about supported modeling notations and process model types in SAP Signavio Process Manager, see [Modeling Notations](#).
- Custom attribute definition
- Dictionary category
- Dictionary entry
- Custom graphic (Scalable Vector Graphics)
- File (uploaded documents and pictures from the SAP Signavio file storage)

For more information about these entities, see the [SAP Signavio Process Manager User Guide](#).

### SAP Signavio Journey Modeler

- Journey model

For more information about journey models, see the [SAP Signavio Journey Modeler User Guide](#).

## 1.2 Required Licenses and Authorizations

Learn which licenses and authorizations are required to view and manage value accelerators.

### Note

If you don't have the required licenses, ask a workspace administrator to assign them to your user account.

To purchase the required licenses, get in touch with the SAP Signavio Account Executive for your organization.

## Value Accelerator Library

### Browse and Install

All users, except for trial users, with a user account and a valid license for SAP Signavio Process Transformation Suite can browse the value accelerator library.

### Note

Workspace administrators can remove access to the library for a specific audience in the [Navigation](#) settings in SAP Signavio Process Collaboration Hub. For members of the selected audience, the value accelerator library is not displayed in the side navigation.

For more information, see [Navigation](#).

To install a value accelerator from the value accelerator library, you need to be a workspace administrator and have licenses assigned to your user account that match the content of the accelerator. For example, you can't install an accelerator with SAP Signavio Process Intelligence content if you have only purchased an SAP Signavio Process Manager license.

On the details page of each value accelerator, you can check which licenses are required to install this accelerator.

You don't need a license for SAP Signavio Journey Modeler to **install** value accelerators that include journey models. After the installation, users without license can view the journey models in the target workspace but they're not authorized to edit them.

To install a value accelerator that contains process data management content from SAP Signavio Process Intelligence, you need at least the editor role on the root folder (Repository). For more information, see [Access Requirements for Process Data Management](#).

## SAP Signavio Process Collaboration Hub Settings

### Create, Transfer, Delete, Cancel, View Status

Only a workspace administrator whose user account has the required licenses assigned can create, transfer, and delete value accelerators, perform cancellations, and view the status of the creation or installation. You perform these activities in the settings of SAP Signavio Process Collaboration Hub.

Administrators can install value accelerators in a different workspace, provided that they have administrator rights and the required licenses in the target workspace.

If you don't have administrator rights, ask an administrator to perform these activities for you, or to add you to the [Administrators](#) user group.

## 2 Browsing the Value Accelerator Library

Searching and filtering allows you to customize and narrow down the list of value accelerators. Selecting a value accelerator opens a screen with more details.

### Note

For information about accessing the library, see [How to Access the Library \[page 3\]](#).

### Searching

1. On the launchpad in SAP Signavio Process Collaboration Hub, choose [Value Accelerator Library](#).
2. In the [Search](#) field, enter keywords from the **title** or the **description** of the value accelerator you're looking for.

The screenshot shows a search interface for the Value Accelerator Library. At the top, there is a search bar with the word 'Search' and a magnifying glass icon. Below the search bar, there are six filter dropdown menus arranged in two rows. The first row contains 'Publisher:', 'Product:', and 'Process:'. The second row contains 'Industry:', 'System:', and 'Type:'. Each dropdown menu has a 'Select' option and a downward arrow icon. The search bar is highlighted with a blue rectangular box.

The search results show each value accelerator with a brief description. Select a card to display more details.

### Note

You can also use the search function from the SAP Signavio Process Collaboration Hub header to find value accelerators. For more information, see [Search](#).

From the search results, you can navigate to the details page of a value accelerator in the library. If you're part of an audience that has no access to the value accelerator library, the system doesn't return value accelerators in the search results. For more information about restricted access, see [Required Licenses and Authorizations \[page 6\]](#).

### Note

You can also use Joule to search for value accelerators. For more information about Joule capabilities, see [Joule in SAP Signavio solutions](#).



## Filtering

The following table shows the filters in the library's overview screen:

| Filter           | Description                                                                                                                                                                         |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Industry         | Industries that the value accelerator is supporting in regard to process management                                                                                                 |
| Line of Business | The lines of business that the value accelerator delivers value for.                                                                                                                |
| Value Drivers    | Key performance indicators (KPIs) and business levers used to help organizations quantify and realize the potential value of digital transformation initiatives.                    |
| Product          | Filters value accelerators that contain entities from <b>all</b> selected SAP Signavio products                                                                                     |
| Process          | End-to-end processes that are documented by the value accelerator, for example, Source-to-Pay, Procure-to-Pay, and more                                                             |
| System           | Represents an SAP product that supports and automates the business processes documented by the value accelerator, for example SAP S/4HANA Cloud Public Edition, SAP Ariba, and more |
| Publisher        | The organization that has created the value accelerator, for example SAP Signavio or an SAP business partner                                                                        |
| Type             | Type of value accelerators, their content (for example dashboards), and more                                                                                                        |

Every filter has a dropdown list for selecting one or more criteria. The filters use **AND** logic: Only value accelerators are displayed in the results that meet **all** selected criteria.

You can combine multiple filters. For example, to view value accelerators related to the Procure-to-Pay process and published by SAP Signavio, filter by [Process](#) and [Publisher](#).

The filtered results show each value accelerator with a brief description. For more information on any value accelerator, select it to display details.

## Viewing Details

To learn more about a value accelerator, select the corresponding card on the library's overview page. A new screen opens that provides detailed information. The publisher and the industry are displayed below the value accelerator title.

## ❖ Example

Value Accelerator Library / Process Landscape and Enterprise Architecture Design

# Process Landscape and Enterprise Architecture Design



On the tabs below, you find the following information.

### About

- *Description*: Description of the included content, benefits, and usage instructions
- *Preview Image*: A graphic visualizing the value accelerator content
- *Details*: Attributes of the value accelerator, such as required licenses
- *Content Summary*: A summary of the included entity types, for example dashboards, and their number

## ❖ Example

AboutContent

### Description

SAP Reference Architecture

Accelerate process landscape and enterprise architecture design use cases (beyond SAP) leveraging the SAP Signavio Process Manager.

Leveraging this value accelerator, you can:

- Design your own process landscape by building upon the end-to-end process framework (cross-industry and industry-specific) connected to SAP S/4HANA best practice process models
- Scope transformation projects and bridge business and IT by leveraging the business capability model, incl. the out-of-the-box mapping to SAP applications.

The following artifacts are included this Value Accelerator:

- Models 4,500 +
- Custom images 50 +
- Meta data definitions 100 +
- Dictionary items 25,000 +
- Dictionary categories 50 +

### Details

**Publisher**  
SAP

**Product**  
SAP Signavio Process Manager


**Required Licenses**  
SAP Signavio Process Manager

**Process**  
Acquire to Decommission (A2D), Finance (FIN), Governance (GOV), Idea to Market (I2M), Lead to Cash (L2C), Plan to Fulfill (P2F), Recruit to Retire (R2R), Source to Pay (S2P)

**Industry**  
Automotive, Cross Industry, Oil, Gas, and Energy, Retail, Utilities

**Type**  
Capability Maps & Reference Architectures, Dictionary, Process Models

### Preview Image



The screenshot shows the SAP Signavio Process Collaborator interface. The main view displays 'End-to-End Processes' with a list of process models. A detailed view of a process model is shown on the right, including a description and a diagram. The diagram illustrates a process flow from 'Idea to Market' to 'Lead to Cash' to 'Plan to Fulfill' to 'Recruit to Retire' to 'Source to Pay'. The interface includes a sidebar with navigation options and a top bar with the SAP Signavio logo.

### Content Summary

- Custom Graphic (57)
- Diagram (4908)
- Dictionary Category (58)
- Dictionary Entry (26421)

## Content

- The total number of entities that are included in this value accelerator
- The full list of these entities with their name and type

### → Tip

Select a column title in the table header to access the sorting and filtering options. To remove a filter, select the column title again and remove the relevant list items.

Value Accelerator Library for SAP Signavio Solutions User Guide  
Browsing the Value Accelerator Library

PUBLIC

11

## Example

About

Content



Entities (31444)

| Name                                                                                                                                                              | Type                                                                                                                                                                                               |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  1.0 - Attract and acquire talent (external workforce) (SegH164)                 |  Sort Ascending                                                                                                   |
|  1.0 - Attract and acquire talent (generic) (SegC60)                             |  Sort Descending                                                                                                  |
|  1.0 - Attract and acquire talent (generic) (SegH60)                             |  Filter <i>Filter by type</i>  |
|  1.0 - Attract and acquire talent (internal workforce) (SegC160)                 | Dictionary <input type="checkbox"/> Custom Graphic                                                                                                                                                 |
|  1.0 - Attract and acquire talent (internal workforce) (SegH160)                 | Dictionary <input type="checkbox"/> Diagram                                                                                                                                                        |
|  1.0 - Decommission and dispose of asset (SegC240)                               | Dictionary <input type="checkbox"/> Dictionary Category                                                                                                                                            |
|  1.0 - Decommission and dispose of asset (SegH240)                               | Dictionary <input type="checkbox"/> Dictionary Entry                                                                                                                                               |
|  1.0 - Decommission and dispose of asset (generic) (SegC99)                      | Dictionary Entry                                                                                                                                                                                   |
|  1.0 - Decommission and dispose of asset (generic) (SegH99)                      | Dictionary Entry                                                                                                                                                                                   |
|  1.0 - Decommission and dispose of asset (utilities, power generation) (SegC584) | Dictionary Entry                                                                                                                                                                                   |

# 3 Creating a Value Accelerator

## Prerequisites

To use this feature, the required licenses and authorization must have been assigned to your user account. For more information, see [Required Licenses and Authorization](#).

Before you start creating value accelerators, we recommend you prepare an information architecture to avoid future inconsistencies of the metadata.

## Context

### Note

SAP customers and partners are allowed to create no more than 20 value accelerators in a workspace.

As a workspace administrator, follow the steps to create a value accelerator in your current workspace.

For a list of supported SAP Signavio products and objects that can be included in a value accelerator, see [Supported Entities \[page 5\]](#).

Initially the value accelerator that you created is only visible to the workspace administrators. Choosing one of the following options, you make it visible to other users:

- Publish the value accelerator to the library  
Only SAP partners can request the publication of value accelerators. For more information, see [Content Governance for Publishing Value Accelerators](#).
- Transfer the value accelerator to a customer workspace or an internal workspace

## Procedure

1. On the launchpad of SAP Signavio Process Collaboration Hub, choose [Settings](#).
2. Under [Value Accelerator Library](#), select [Created Accelerators](#) to display the list of value accelerators with their creation status.
3. Select [Create Accelerator](#).
4. In the dialog box that appears, enter a title and a description.
  - If you intend to transfer the value accelerator to a different workspace without publishing to the library, ensure that you enter the correct description and name. You can't change the name and description later.

- If you intend to request publication of the value accelerator to the library, use the name and description that you want to use for the library to keep them consistent. You can still change the name and description before the publication to the library.
5. Choose [Next](#) to proceed to the content selection screen.
  6. Select entities from your current workspace to be included in the new value accelerator.

When you select SAP Signavio Process Manager entities such as process models and folders, the system automatically adds entities that are linked to your selected entities. In particular, linked process models, linked dictionary categories and dictionary entries, linked custom graphics (SVG), and linked custom attributes are included in the value accelerator. The system doesn't include other files such as PDF files and other images.

The same applies for journey models in SAP Signavio Journey Modeler: A journey model can reference another journey model or SAP Signavio Process Manager entities.

#### Note

A value accelerator cannot contain more than 50,000 entities.

7. Confirm your selection to start the creation process.

## Results

The system creates the value accelerator with the selected content in the current workspace.

You can view the status of the creation process under [Created Accelerators](#):

- While the status is [In Progress](#), you can cancel the creation of the value accelerator.
- If the value accelerator exceeds the maximum size, the system aborts the creation process and displays the status [Failed](#).

When the value accelerator has been created, you can transfer it within the workspace or to a different workspace.

#### → Tip

When an SAP partner has created an updated version of the same value accelerator and submits a publication request to SAP, we recommend that they request the removal of older versions from the library.

## Related Information

[Viewing the Creation Status \[page 15\]](#)

[Canceling the Creation \[page 16\]](#)

[Deleting Created Accelerators \[page 17\]](#)

## 3.1 Viewing the Creation Status

### Prerequisites

To use this feature, the required licenses and authorization must have been assigned to your user account. For more information, see [Required Licenses and Authorization](#).

### Procedure

1. On the launchpad of SAP Signavio Process Collaboration Hub, choose [Settings](#).
2. Under [Value Accelerator Library](#), select [Created Accelerators](#) to display the list of value accelerators with their creation status.

| Status      | Description                                       |
|-------------|---------------------------------------------------|
| In Progress | The creation process is ongoing.                  |
| Completed   | The value accelerator was created successfully.   |
| Failed      | The creation of the value accelerator has failed. |

Select a value accelerator to display its details in the sidebar. The details view includes a content summary of which entity types are included, and their number.

The screenshot shows the 'Created Accelerators' section of the SAP Signavio Process Collaboration Hub. The main area displays a table with 39 accelerators. The first row is 'AK\_ProcessModel' with a status of 'Completed'. The right sidebar shows the details for 'AK\_ProcessModel', including its 'About' section (Required Licenses: SAP Signavio Process Intelligence), 'Description' (AK Process Model), and 'Content Summary' (Dashboard (1), Metric (1), Data Pipeline (1)).

| Name            | Status    |
|-----------------|-----------|
| AK_ProcessModel | Completed |
|                 | Completed |
|                 | Completed |
|                 | Completed |
|                 | Completed |
|                 | Completed |

**AK\_ProcessModel**  
**About**  
Required Licenses:  
SAP Signavio Process Intelligence  
**Description**  
AK Process Model  
**Content Summary**  
Dashboard (1) Metric (1)  
Data Pipeline (1)

When you choose [More Actions](#), you have the following options:

- [Transfer to Workspace](#)
- [Delete Accelerator](#)

## Related Information

[Creating a Value Accelerator \[page 13\]](#)

[Canceling the Creation \[page 16\]](#)

[Deleting Created Accelerators \[page 17\]](#)

[Transferring a Value Accelerator \[page 19\]](#)

## 3.2 Canceling the Creation

### Prerequisites

To use this feature, the required licenses and authorization must have been assigned to your user account. For more information, see [Required Licenses and Authorization](#).

The system hasn't finished creating the value accelerator.

### Context

Follow the steps to cancel the creation of a value accelerator while it's in progress.

### Procedure

1. On the launchpad of SAP Signavio Process Collaboration Hub, choose [Settings](#).
2. Under [Value Accelerator Library](#), select [Created Accelerators](#) to display the list of value accelerators with their creation status.
3. For the value accelerator that you'd like to cancel, choose  ([More Actions](#)) on the right side of the row.
4. Choose [Cancel Accelerator](#), and confirm the cancellation.

### Results

The system cancels the creation process.



## Related Information

[Viewing the Creation Status \[page 15\]](#)

## 3.3 Deleting Created Accelerators

### Prerequisites

To use this feature, the required licenses and authorization must have been assigned to your user account. For more information, see [Required Licenses and Authorization](#).

Before you can delete a published value accelerator, you need to remove it from the value accelerator library. SAP partners need to request the removal of their value accelerators from the library. For more information, see [Content Governance for Publishing Value Accelerators](#).

### Context

Follow the steps to delete a value accelerator from the [Created Accelerators](#) overview and the workspace.

### Procedure

1. On the launchpad of SAP Signavio Process Collaboration Hub, choose [Settings](#).
2. Under [Value Accelerator Library](#), select [Created Accelerators](#) to display the list of value accelerators with their creation status.
3. For the value accelerator that you'd like to delete, choose  ([More Actions](#)) on the right side of the row.
4. Choose [Delete Accelerator](#) and confirm.

If the creation is still in progress, use [Cancel Accelerator](#) instead.

### Results

The system deletes the value accelerator from the workspace.

#### Caution

The deletion cannot be undone.

## Related Information

[Canceling the Creation \[page 16\]](#)

[Accessing and Deleting Installed Accelerators in SAP Signavio Process Intelligence \[page 29\]](#)

[Accessing and Deleting Installed Accelerators in SAP Signavio Process Manager \[page 30\]](#)

# 4 Transferring a Value Accelerator

## Prerequisites

To use this feature, the required licenses and authorization must have been assigned to your user account. For more information, see [Required Licenses and Authorization](#).

## Context

In the settings of SAP Signavio Process Collaboration Hub, you can view every value accelerator that was created by the workspace administrators in the workspace you're currently logged in.

Provided that you're a workspace administrator in the source and the target workspace and you have the required licenses assigned, you can transfer value accelerators to another workspace but only if both workspaces are in the same region. For more information about regions and their URLs, see [Log In to SAP Signavio Process Transformation Suite](#).

Transferring value accelerators is also possible if the target workspace belongs to a different organization. A workspace administrator can also transfer value accelerators within the same workspace.

For a list of supported SAP Signavio products and objects that can be included in a value accelerator, see [Supported Entities \[page 5\]](#). A value accelerator can include entities from more than one product.

### → Tip

On the details page of each value accelerator, you can check which products it supports.

## Procedure

1. On the launchpad of SAP Signavio Process Collaboration Hub, choose [Settings](#).
2. Under [Value Accelerator Library](#), select [Created Accelerators](#) to display the list of value accelerators with their creation status.
3. For the value accelerator that you'd like to transfer, choose  ([More Actions](#)) on the right side of the row.
4. Choose [Transfer to Workspace](#).  
The [Installation Settings](#) dialog opens.
5. Read the information message and select [Continue](#) to configure the installation settings.
6. Select the target workspace for which you're a workspace administrator. The current workspace is preselected.

7. Under [Customization](#), you have the option to exclude dictionary categories and entries from the installation.

This option is available for value accelerators that contain only SAP Signavio Process Manager entities, or SAP Signavio Process Manager and SAP Signavio Process Intelligence entities.

#### Note

Excluding dictionary content is recommended only for exploration and evaluation purposes. To benefit from a fully functional value accelerator, install the dictionary content.

8. Select the target process.

A process selection is only required if the value accelerator contains SAP Signavio Process Intelligence entities.

Either create a new process with the name of the value accelerator, or select an existing process in SAP Signavio Process Intelligence. You can only select existing processes for which you've got owner or editor rights.

#### Note

When installing the accelerator into an existing process, make sure you remember the list of dashboards, metrics, and process data pipelines included in that accelerator. Currently, it's not possible to distinguish between existing content and newly installed content in SAP Signavio Process Intelligence.

9. Under [Summary](#), review the selected installation settings.
10. Choose [Finish](#) to start the transfer.  
The system redirects you to the target workspace.

## Results

You're automatically redirected to the [Installed Accelerators](#) screen. It provides a list of all value accelerators that are installed in the target workspace.

Here you can view the status of your installation. While the status is [In Progress](#), you can cancel the installation.

Furthermore, you find installed value accelerators in the [Processes](#) view in SAP Signavio Process Intelligence, and in the [Explorer](#) view in SAP Signavio Process Manager. You find value accelerators for SAP Signavio Journey Modeler under [Shared Documents](#) in SAP Signavio Process Collaboration Hub. Journey models are only visible in preview mode.

### Installation in SAP Signavio Journey Modeler

If a journey model already exists in the target workspace, the system keeps the existing model and creates another one with a name suffix, for example "(2)".

For more information on SAP Signavio Process Manager entities that may be included in a value accelerator, see [Installation in SAP Signavio Process Manager](#).

### Installation in SAP Signavio Process Manager

When you install entities in SAP Signavio Process Manager, system behavior depends on whether these entities are new or existing.

### Value accelerator is installed into a workspace for the first time: Entity does not exist

| Entity                      | Action                                                                           |
|-----------------------------|----------------------------------------------------------------------------------|
| Folder                      | The system creates a root folder with the name of the value accelerator.         |
| Process model               | Created with revision comment mentioning value accelerator library (VAL) package |
| Custom attribute definition | Created with suffix for description mentioning VAL package                       |
| Dictionary category         | Created without mentioning VAL package                                           |
| Dictionary entry            | Created without mentioning VAL package                                           |
| Custom graphic (SVG)        | Created without mentioning VAL package                                           |

### Value accelerator is installed into a workspace following a prior installation of another or the same value accelerator: Entity already exists

| Entity                      | Action                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Folder                      | <p>The system creates a root folder with the name of the value accelerator.</p> <p>Subfolders are handled as follows:</p> <ul style="list-style-type: none"><li>• If a folder with all its content already exists in the workspace, everything is reused, and no folder is created.</li><li>• If a folder already exists in the workspace but the installation comes with new models, the existing folder is not reused. The system creates a new folder with the same name and adds the new models. Previously installed models are available in the existing folder.</li></ul>                                     |
| Process model               | <p>Models previously installed by VAL are reused (even if located in trash) and linked to by installed content.</p> <p>No other existing models are reused.</p> <p>No changes are made to existing models.</p>                                                                                                                                                                                                                                                                                                                                                                                                       |
| Custom attribute definition | <p>No changes are made to existing custom attribute definitions (CADs):</p> <ul style="list-style-type: none"><li>• Existing CAD with same name and type is reused and linked to by installed content.</li><li>• Existing CAD previously installed by VAL is reused (even if name changed) and linked to by installed content.</li><li>• Existing CAD with same name, but different type is not reused; instead a new CAD is created with a name suffix, for example "(2)".</li><li>• Existing CAD with same ID, but different name or type is not reused; instead a new CAD is created with an ID suffix.</li></ul> |

| Entity               | Action                                                                                                                                                                                                                                                                                                                                                                                       |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dictionary category  | <p>No changes are made to existing dictionary categories:</p> <ul style="list-style-type: none"> <li>Existing categories previously installed by VAL are reused (even if name or anything else was changed) and linked to by installed content.</li> <li>Existing categories with same name are not reused; instead a new entry is created with a name suffix, for example "(2)".</li> </ul> |
| Dictionary entry     | <p>No changes are made to existing dictionary entries:</p> <ul style="list-style-type: none"> <li>Existing entries previously installed by VAL are reused (even if name or anything else was changed) and linked to by installed content.</li> <li>Existing entries with same name are not reused; instead a new entry is created with a name suffix, for example "(2)".</li> </ul>          |
| Custom graphic (SVG) | <p>No changes are made to existing custom graphics.</p> <p>Custom graphics previously installed by VAL are reused and linked to by installed content.</p> <p>No other existing custom graphics are reused.</p>                                                                                                                                                                               |

## Related Information

[Viewing the Installation Status \[page 27\]](#)

[Canceling the Installation \[page 28\]](#)

[Accessing and Deleting Installed Accelerators in SAP Signavio Process Intelligence \[page 29\]](#)

[Accessing and Deleting Installed Accelerators in SAP Signavio Process Manager \[page 30\]](#)

[Accessing and Deleting Installed Accelerators in SAP Signavio Journey Modeler \[page 31\]](#)

# 5 Installing a Value Accelerator

## Prerequisites

To use this feature, the required licenses and authorization must have been assigned to your user account. For more information, see [Required Licenses and Authorization](#).

## Context

Follow the steps to install a value accelerator in a target workspace. For a list of supported SAP Signavio products and objects that can be included in a value accelerator, see [Supported Entities \[page 5\]](#). A value accelerator can include entities from more than one product.

### → Tip

On the details page of each value accelerator, you can check which products it supports.

## Procedure

1. On the launchpad in SAP Signavio Process Collaboration Hub, choose [Value Accelerator Library](#).
2. Use filters to find the value accelerator that you want to install, and select it.

A new screen opens with detailed information about the value accelerator along with the following options:

- [Install](#): Use to install the value accelerator.
- [Additional Information](#): Use to view additional artifacts provided by the publisher for the value accelerator (optional).

### → Tip

We recommend saving a copy of this content at the time of the installation. Value accelerators are subject to change and may be changed, discontinued, or replaced by SAP at any time for any reason without notice.

- [Get Accelerator](#): Use to access the web site of the publisher (SAP partner). This option is only available for value accelerators that can't be installed from the value accelerator library.

### 📌 Note

If you open an external link, you are entering a web site that is not hosted by SAP, for example an SAP Partner web site where you can download a value accelerator provided by the partner.

SAP does not agree or disagree with the content on the linked-to site, nor does SAP warrant the availability and correctness. SAP shall not be liable for any damages caused by the use of such content unless damages have been caused by SAP's gross negligence or willful misconduct.

3. Choose [Install](#).
4. Read the information message and select [Continue](#) to configure the installation settings.
5. Select a target workspace for which you're a workspace administrator. The current workspace is preselected.
6. Under [Customization](#), you have the option to exclude dictionary categories and entries from the installation.

This option is available for value accelerators that contain only SAP Signavio Process Manager entities, or SAP Signavio Process Manager and SAP Signavio Process Intelligence entities.

#### Note

Excluding dictionary content is recommended only for exploration and evaluation purposes. To benefit from a fully functional value accelerator, install the dictionary content.

7. Select the target process.

A process selection is only required if the value accelerator contains SAP Signavio Process Intelligence entities.

Either create a new process with the name of the value accelerator, or select an existing process in SAP Signavio Process Intelligence. You can only select existing processes for which you've got owner or editor rights.

#### Note

When installing the accelerator into an existing process, make sure you remember the list of dashboards, metrics, and process data pipelines included in that accelerator. Currently, it's not possible to distinguish between existing content and newly installed content in SAP Signavio Process Intelligence.

8. Under [Summary](#), review the selected installation settings.
9. Choose [Finish](#) to start the installation process.  
The system redirects you to the target workspace.

## Results

You're automatically redirected to the [Installed Accelerators](#) screen. It provides a list of all value accelerators that are installed in the target workspace.

Here you can view the status of your installation. While the status is [In Progress](#), you can cancel the installation.

Furthermore, you find installed value accelerators in the [Processes](#) view in SAP Signavio Process Intelligence, and in the [Explorer](#) view in SAP Signavio Process Manager. You find value accelerators for SAP Signavio Journey Modeler under [Shared Documents](#) in SAP Signavio Process Collaboration Hub. Journey models are only visible in preview mode.



## Installation in SAP Signavio Journey Modeler

If a journey model already exists in the target workspace, the system keeps the existing model and creates another one with a name suffix, for example "(2)".

For more information on SAP Signavio Process Manager entities that may be included in a value accelerator, see **Installation in SAP Signavio Process Manager**.

## Installation in SAP Signavio Process Manager and SAP Signavio Process Modeler

When you install entities in SAP Signavio Process Manager and SAP Signavio Process Modeler, system behavior depends on whether these entities are new or existing.

### Value accelerator is installed into a workspace for the first time: Entity does not exist

| Entity                      | Action                                                                           |
|-----------------------------|----------------------------------------------------------------------------------|
| Folder                      | The system creates a root folder with the name of the value accelerator.         |
| Process model               | Created with revision comment mentioning value accelerator library (VAL) package |
| Custom attribute definition | Created with suffix for description mentioning VAL package                       |
| Dictionary category         | Created without mentioning VAL package                                           |
| Dictionary entry            | Created without mentioning VAL package                                           |
| Custom graphic (SVG)        | Created without mentioning VAL package                                           |

### Value accelerator is installed into a workspace following a prior installation of another or the same value accelerator: Entity already exists

| Entity        | Action                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Folder        | <p>The system creates a root folder with the name of the value accelerator.</p> <p>Subfolders are handled as follows:</p> <ul style="list-style-type: none"><li>• If a folder with all its content already exists in the workspace, everything is reused, and no folder is created.</li><li>• If a folder already exists in the workspace but the installation comes with new models, the existing folder is not reused. The system creates a new folder with the same name and adds the new models. Previously installed models are available in the existing folder.</li></ul> |
| Process model | <p>Models previously installed by VAL are reused (except if located in trash) and linked to by installed content.</p> <p>No other existing models are reused.</p> <p>No changes are made to existing models.</p>                                                                                                                                                                                                                                                                                                                                                                 |

| Entity                      | Action                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Custom attribute definition | <p>No changes are made to existing custom attribute definitions (CADs):</p> <ul style="list-style-type: none"> <li>Existing CAD with same name and type is reused and linked to by installed content.</li> <li>Existing CAD previously installed by VAL is reused (even if name changed) and linked to by installed content.</li> <li>Existing CAD with same name, but different type is not reused; instead a new CAD is created with a name suffix, for example "(2)".</li> <li>Existing CAD with same ID, but different name or type is not reused; instead a new CAD is created with an ID suffix.</li> </ul> |
| Dictionary category         | <p>No changes are made to existing dictionary categories:</p> <ul style="list-style-type: none"> <li>Existing categories previously installed by VAL are reused (even if name or anything else was changed) and linked to by installed content.</li> <li>Existing categories with same name are not reused; instead a new entry is created with a name suffix, for example "(2)".</li> </ul>                                                                                                                                                                                                                      |
| Dictionary entry            | <p>No changes are made to existing dictionary entries:</p> <ul style="list-style-type: none"> <li>Existing entries previously installed by VAL are reused (even if name or anything else was changed) and linked to by installed content.</li> <li>Existing entries with same name are not reused; instead a new entry is created with a name suffix, for example "(2)".</li> </ul>                                                                                                                                                                                                                               |
| Custom graphic (SVG)        | <p>No changes are made to existing custom graphics.</p> <p>Custom graphics previously installed by VAL are reused and linked to by installed content.</p> <p>No other existing custom graphics are reused.</p>                                                                                                                                                                                                                                                                                                                                                                                                    |

## Related Information

[Viewing the Installation Status \[page 27\]](#)

[Canceling the Installation \[page 28\]](#)

[Accessing and Deleting Installed Accelerators in SAP Signavio Process Intelligence \[page 29\]](#)

[Accessing and Deleting Installed Accelerators in SAP Signavio Process Manager \[page 30\]](#)

[Accessing and Deleting Installed Accelerators in SAP Signavio Journey Modeler \[page 31\]](#)

## 5.1 Viewing the Installation Status

### Procedure

1. On the launchpad of SAP Signavio Process Collaboration Hub, choose [Settings](#).
2. Under [Value Accelerator Library](#), select [Installed Accelerators](#) to display the list of value accelerators with their installation status.

| Status           | Description                                                                                                                                                                                                               |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Installing       | The installation process is ongoing.                                                                                                                                                                                      |
| Installed        | The value accelerator was installed successfully.                                                                                                                                                                         |
| Custom Installed | The value accelerator was installed successfully, in keeping with customizations such as the deselection of dictionary categories and entries.                                                                            |
| Canceling        | The user has canceled the installation. The system is reverting any changes.                                                                                                                                              |
| Canceled         | The user has canceled the installation. The system has removed any objects from the target workspace that were created as part of the installation.                                                                       |
| Aborting         | The user has canceled the installation but the system is unable to remove objects from the target workspace that were created as part of the installation.                                                                |
| Failed           | <p>The installation has failed, or the rollback after canceling an installation has failed.</p> <p>If the rollback has failed, you need to remove manually any objects that were created as part of the installation.</p> |

#### → Tip

Select a value accelerator to display its details in the sidebar.

#### ⓘ Note

You cannot remove entries from the [Installed Accelerators](#) list.

### Related Information

[Installing a Value Accelerator \[page 23\]](#)

[Canceling the Installation \[page 28\]](#)

## 5.2 Canceling the Installation

### Prerequisites

To use this feature, the required licenses and authorization must have been assigned to your user account. For more information, see [Required Licenses and Authorization](#).

The system hasn't finished installing the value accelerator.

### Context

Follow the steps to cancel the installation of a value accelerator while it's in progress.

### Procedure

1. On the launchpad of SAP Signavio Process Collaboration Hub, choose [Settings](#).
2. Under [Value Accelerator Library](#), select [Installed Accelerators](#) to display the list of value accelerators with their installation status.

#### Note

When you've started an installation, you are automatically redirected to this screen.

3. For the installation that you'd like to cancel, choose  ([More Actions](#)) on the right side of the row.
4. Choose [Cancel Installation](#) and continue with one of the following options:
  - Choose [Cancel Installation](#) to confirm.
  - Choose [Continue Installation](#).

### Results

If you confirm the cancellation, the system cancels the installation and removes entities from the workspace that have already been installed.

#### Caution

This action cannot be undone.

## Related Information

[Viewing the Installation Status \[page 27\]](#)

### 5.3 Accessing and Deleting Installed Accelerators in SAP Signavio Process Intelligence

Learn how to access the content imported from the value accelerator library into SAP Signavio Process Intelligence and how to delete it.

#### Finding Installed Value Accelerators

1. Log into SAP Signavio Process Intelligence.  
The [Processes](#) screen appears with the list of processes.

##### Note

By default, the newly created processes are displayed first in the list. The sorting indicator next to the [Last Edited](#) column name uses the process creation date and time to determine the ascending or descending order of the list.

2. Select  next to the [Last Edited](#) column name to view the processes from oldest to newest.
3. Select  next to the [Last Edited](#) column name to view the processes from newest to oldest.

For more information about viewing dashboards, see [Dashboards](#).

For more information about viewing metrics, see [The Metric Collection](#).

For more information about viewing process data pipelines, see [Viewing and Managing Process Data Pipelines](#).

##### Note

- When installing the accelerator into an existing process, make sure you remember the list of dashboards, metrics, and process data pipelines included in that accelerator. Currently, it's not possible to distinguish between existing content and newly installed content in SAP Signavio Process Intelligence.
- A new process with a value accelerator appears in the processes list with the value accelerator name.

## Deleting Installed Value Accelerators

To delete accelerators that were installed in SAP Signavio Process Intelligence, you have the following options:

- Delete the installed content from the process  
For more information about deleting dashboards, see [Create, Edit, and Delete Dashboards](#).  
For more information about deleting metrics, see [Edit and Delete Metrics](#).  
For more information about deleting process data pipelines, see [Edit and Delete a Process Data Pipeline](#).
- Delete the process  
For more information, see [Editing and Deleting a Process](#).

### ⚠ Caution

In SAP Signavio Process Intelligence, deleting an entity can't be undone.

Therefore, check for any dependencies before deleting. For example, deleting a metric will break the widgets that use the metric. After existing dependencies have been resolved, you can delete items that are no longer needed.

### ℹ Note

After you've deleted a value accelerator from your workspace, all entries referring to previous installations or installation attempts will still be displayed in the SAP Signavio Process Collaboration Hub settings under [Installed Accelerators](#).

## 5.4 Accessing and Deleting Installed Accelerators in SAP Signavio Process Manager

Learn how to access the content that was imported from the value accelerator library into SAP Signavio Process Manager and how to delete it.

### Finding Installed Value Accelerators

1. Log into SAP Signavio Process Manager.  
The [Shared documents](#) screen appears with the list of folders.
2. Open a folder.

### ℹ Note

By default, the newly created processes are displayed first in the list. The sorting indicator next to the [Last change](#) column name uses the process creation date and time to determine the ascending or descending order of the list.

3. Select  next to the [Last change](#) column name to view the processes from oldest to newest.

4. Select  next to the *Last change* column name to view the processes from newest to oldest.

For more information about the explorer, see [Explorer Overview](#).

## Deleting Installed Value Accelerators

To delete entities that were installed with a value accelerator in SAP Signavio Process Manager, you have the following options:

- Delete a process model or folder  
For more information, see [Working with Folders and Diagrams](#).
- Delete dictionary categories  
For more information, see [Recommendations: Dictionary Content Management](#).
- Delete dictionary entries  
For more information, see [Recommendations: Dictionary Content Management](#) and [Working with the Dictionary](#).
- Delete custom attribute definition  
For more information, see [Add and Manage Custom Attributes](#).
- Delete a file (document or picture)  
For more information, see [Upload Documents and Pictures](#).
- Delete custom graphics  
For more information, see [Custom Graphics](#).

See also SAP Note [3493063](#) 

### Note

After you've deleted a value accelerator from your workspace, all entries referring to previous installations or installation attempts will still be displayed in the SAP Signavio Process Collaboration Hub settings under *Installed Accelerators*.

## 5.5 Accessing and Deleting Installed Accelerators in SAP Signavio Journey Modeler

Learn how to access the content that was imported from the value accelerator library into SAP Signavio Journey Modeler and how to delete it.

### Finding Installed Value Accelerators

1. Log into SAP Signavio Process Collaboration Hub.

2. On the launchpad in SAP Signavio Process Collaboration Hub, choose  (*Journey Models*).
3. In the work area, select *Journey Models* to view all journey models you have access to.

#### → Tip

You can also use the search function on the main navigation bar to search for journey models and other entities that are included in a value accelerator, such as dictionary entries.

For more information about journey models, see [SAP Signavio Journey Modeler](#).

## Deleting Installed Value Accelerators

To delete a journey model that was installed with a value accelerator, open the journey model and select  *More Actions* > *Delete* .

For more information about deleting linked SAP Signavio Process Manager entities that were installed with a value accelerator, see [Accessing and Deleting Installed Accelerators in SAP Signavio Process Manager \[page 30\]](#).

#### ⓘ Note

After you've deleted a value accelerator from your workspace, all entries referring to previous installations or installation attempts will still be displayed in the SAP Signavio Process Collaboration Hub settings under *Installed Accelerators*.



## 6 Help and Support

There are several ways to find more information and get support for SAP Signavio Process Collaboration Hub.

### Built-In Support

Built-In Support helps you get real-time support and find context-sensitive information from within SAP Signavio Process Collaboration Hub. It provides simplified guided support that allows you to search for knowledge directly within the application.

When you're signed in, you can open the Built-In Support panel by choosing  (*Built-In Support*) at the top right of the screen. Enter one or more key words and choose from the results displayed in the right-side panel. Filter the results by selecting .

### SAP Help Portal

You can find an overview of all related documentation at [SAP Signavio Process Collaboration Hub](#).

### SAP Signavio Support

To learn how to get your questions answered when using SAP Signavio products and how to create a support case, see [SAP Signavio Support](#).

### SAP Support Portal

You can find onboarding and support information here:

- [SAP Signavio Suite](#) 
- [SAP Signavio Process Collaboration Hub](#) 

# 7 Frequently Asked Questions

Find answers to frequently asked questions.

[General Questions \[page 34\]](#)

Find answers to general questions about the value accelerator library.

[Installation Questions \[page 35\]](#)

Find answers to questions about the installation of value accelerators.

[Publication Questions \[page 36\]](#)

Find answers to questions about the publication of value accelerators.

[Content-Related Questions \[page 36\]](#)

Find answers to questions about the content of value accelerators.

## Related Information

[SAP Signavio Support](#)

## 7.1 General Questions

Find answers to general questions about the value accelerator library.

### How do I create a support ticket for the value accelerator library?

You can create a support case for the value accelerator library.

For more information, see [Reporting an Issue](#) in the *SAP Signavio Support Guide*. Contact SAP Support by creating a support case in SAP for Me under the following component: **BPT - SIG - VAL**.

## Related Information

[3295942 - How can I create a case for the Support Team in SAP for Me?](#) 

## 7.2 Installation Questions

Find answers to questions about the installation of value accelerators.

### **What happens when I choose *Install*? Will I get all 17,000 dictionary entries that are mentioned in the description?**

Choosing *Install* starts the installation of the selected value accelerator:

- If your workspace is empty, the system copies **all** the value accelerator content to your workspace.
- If you've got content in your workspace, the system installs the value accelerator, where possible without creating duplicates in SAP Signavio Process Manager and SAP Signavio Process Intelligence.

SAP Signavio Process Manager entities are saved in a new folder that's created with each installation and named after the value accelerator. Dictionary categories and entries are added to the dictionary. The value accelerator library and SAP Signavio Process Manager prevent the creation of duplicate entries. For example, a dictionary entry that already exists is not created a second time.

SAP Signavio Process Intelligence dashboards and metrics are installed in a new or existing SAP Signavio Process Intelligence process. You specify which process they're installed in. If you opt for a new process, it's created bearing the name of the value accelerator. Data pipelines are installed in the workspace.

### **Can I customize a value accelerator during the installation? For example, can I filter out some diagrams or select only one industry?**

For value accelerators that contain only SAP Signavio Process Manager entities, or SAP Signavio Process Manager and SAP Signavio Process Intelligence entities, you can exclude dictionary categories and dictionary entries from the installation.

Other than that, you can't customize a value accelerator during installation. If you only need parts of the value accelerator content, we recommend that you install the value accelerator and then remove any unneeded entities manually.

### **I installed a value accelerator but no content has been installed. What happened?**

This can happen if you install a value accelerator for a second time. If you do this, the duplication prevention from SAP Signavio Process Manager reuses the available content. In some cases, when nothing had been removed from a workspace, the second installation leads to an empty folder without further notifications.

If this happens, we recommend that you delete the relevant value accelerator and try the installation again.

### **Can I delete a value accelerator after the installation?**

You can manually remove entities from your workspace that have been installed with a value accelerator. The value accelerator library provides a log informing you which value accelerators you've installed. This log can't be modified.

For more information about deleting entities in SAP Signavio Process Manager, see [Accessing and Deleting Installed Accelerators in SAP Signavio Process Manager \[page 30\]](#).

For more information about deleting entities in SAP Signavio Process Intelligence, see [Accessing and Deleting Installed Accelerators in SAP Signavio Process Intelligence \[page 29\]](#).

## 7.3 Publication Questions

Find answers to questions about the publication of value accelerators.

### **As an SAP partner or customer, can I publish a value accelerator myself to make it public?**

No, customers and partners can't publish value accelerators themselves. Partners can reach out to the SAP Signavio Partner Business Manager for their organization to request publication of a value accelerator.

### **As an SAP partner or customer, can I share a value accelerator within my organization?**

Yes. The value accelerator library is global and visible to all users of SAP Signavio licensed customers and partners. Instead of publishing a value accelerator to the library, a workspace administrator can transfer it internally between an organization's workspaces. A value accelerator can even be transferred to the workspace of a different organization, provided that the same person has workspace administrator rights and the required licenses in both workspaces.

For more information, see [Transferring a Value Accelerator \[page 19\]](#).

## 7.4 Content-Related Questions

Find answers to questions about the content of value accelerators.

### **Where can I find SAP Extended Warehouse Management (SAP EWM) content in the value accelerator library?**

The library offers a value accelerator for SAP Signavio Process Intelligence that covers SAP EWM: [Start Mining for Managing Warehouse and Inventory \(outbound\) in SAP Extended Warehouse Management](#). This value accelerator includes a data transformation template, an overview dashboard, and a cycle times dashboard.

Currently there's not a dedicated value accelerator including SAP EWM best practice process models. Using the respective scope items, you can leverage SAP EWM best practices from our [Process Design and Standardization for SAP S/4HANA Cloud Public Edition](#) value accelerator, which is derived from SAP Signavio Process Explorer.

# Important Disclaimers and Legal Information

## Hyperlinks

Some links are classified by an icon and/or a mouseover text. These links provide additional information.

About the icons:

- Links with the icon  : You are entering a Web site that is not hosted by SAP. By using such links, you agree (unless expressly stated otherwise in your agreements with SAP) to this:
  - The content of the linked-to site is not SAP documentation. You may not infer any product claims against SAP based on this information.
  - SAP does not agree or disagree with the content on the linked-to site, nor does SAP warrant the availability and correctness. SAP shall not be liable for any damages caused by the use of such content unless damages have been caused by SAP's gross negligence or willful misconduct.
- Links with the icon  : You are leaving the documentation for that particular SAP product or service and are entering an SAP-hosted Web site. By using such links, you agree that (unless expressly stated otherwise in your agreements with SAP) you may not infer any product claims against SAP based on this information.

## Videos Hosted on External Platforms

Some videos may point to third-party video hosting platforms. SAP cannot guarantee the future availability of videos stored on these platforms. Furthermore, any advertisements or other content hosted on these platforms (for example, suggested videos or by navigating to other videos hosted on the same site), are not within the control or responsibility of SAP.

## Beta and Other Experimental Features

Experimental features are not part of the officially delivered scope that SAP guarantees for future releases. This means that experimental features may be changed by SAP at any time for any reason without notice. Experimental features are not for productive use. You may not demonstrate, test, examine, evaluate or otherwise use the experimental features in a live operating environment or with data that has not been sufficiently backed up.

The purpose of experimental features is to get feedback early on, allowing customers and partners to influence the future product accordingly. By providing your feedback (e.g. in the SAP Community), you accept that intellectual property rights of the contributions or derivative works shall remain the exclusive property of SAP.

## Example Code

Any software coding and/or code snippets are examples. They are not for productive use. The example code is only intended to better explain and visualize the syntax and phrasing rules. SAP does not warrant the correctness and completeness of the example code. SAP shall not be liable for errors or damages caused by the use of example code unless damages have been caused by SAP's gross negligence or willful misconduct.

## Bias-Free Language

SAP supports a culture of diversity and inclusion. Whenever possible, we use unbiased language in our documentation to refer to people of all cultures, ethnicities, genders, and abilities.

© 2026 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company. The information contained herein may be changed without prior notice.

Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies.

Please see <https://www.sap.com/about/legal/trademark.html> for additional trademark information and notices.

