

MATER DEI COLLEGE · TUBIGON, BOHOL · GROUP 1

InternTrack

Documentation Revision Redline

Tracked corrections to *G1 - InterTrack.pdf*

Source document: G1 - InterTrack.pdf (20 pages)

Prepared: 29 July 2026

Basis: Implemented system behaviour as recorded in CLAUDE.md and verified against the codebase

ALERIA, MARK LLOYD L. · MAR, JOHN CARLO S.
PELESORIES, REGGIE NIÑO Z. · SAPID, LENNY B.

How to read this document

~~Text shown in red with a strikethrough~~ is the wording in the current documentation that is being replaced or corrected.

Text shown in green is the corrected or newly added wording.

Each entry cites where it appears in the source PDF and why it changed. Every correction below was checked against the actual implementation, not assumed.

This redline covers factual drift between the written documentation and the system as built. The largest recurring issues are the **weekly bundling day** (documented as Sunday, implemented as Monday), the **reminder schedule** (documented as a fixed 9:00 PM coordinator setting, implemented as an hourly job driven by each student's own preference), the **coordinator's permissions** (documented as read-only, actually a full management role), and the **local development stack** (documented as XAMPP, actually Laragon with Laravel's built-in server).

Deliberately left unchanged: the mobile application

Every statement about the React Native mobile application and mobile push notifications is retained exactly as written in the source document. The mobile component has not been implemented yet, so no revision is proposed for it in this pass and the existing wording stands as the project's stated intent.

Where a sentence mentions mobile alongside something that genuinely did need correcting — the reminder schedule, for example — only the non-mobile portion is marked, and the mobile clause is left untouched.

Product Name — Consistency Throughout

TITLE PAGE, §1.2 (P. 2), §3.2 LARAVEL (P. 15)

Was ~~InterTrack~~ was created for Mater Dei College... / ...fit well with ~~InterTrack~~'s process-heavy ecosystem.

Now **InternTrack** was created for Mater Dei College... / ...fit well with **InternTrack**'s process-heavy ecosystem.

REASON — The system name is spelled two different ways across the document (and in the PDF filename). The product is **InternTrack**; every occurrence of "InterTrack" should be corrected, including the source filename.

Chapter I — §1.2 Purpose and Description

PAGE 3 — AUTOMATED WEEKLY BUNDLING

Was InternTrack features weekly automated bundling of daily entries into a weekly log ~~on Sundays~~...

Now InternTrack features weekly automated bundling of daily entries into a weekly log **every Monday at 00:00, compiling the full Monday–Sunday week that has just ended**...

REASON — `routes/console.php` schedules `RunWeeklyBundling` with `weeklyOn(1, '00:00')`; day 1 is Monday. The job previously ran on Saturday, which was corrected because stamping a Weekly Log locks every daily entry in that week — a Saturday run locked the week before a Saturday shift had even started, leaving a rostered intern unable to write that day's entry.

PAGE 2 — STUDENT NOTIFICATIONS

Was Students are notified by email, on the web, and via mobile applications about overdue and missing journal entries.

Now Students are notified by email **, where the address has been verified,** on the web, and via mobile applications about overdue and missing journal entries.

REASON — Reminder email is sent only when `email` is present *and* `email_verified_at` is set; a student without a verified address receives the in-app notification instead. Because most students are created by coordinators without an email address, the in-app bell is the usual delivery path in practice. The web and mobile channels are left as written.

PAGE 2 — SUPERVISOR SCOPE

Was Company supervisors also have another window to view and comment on student's weekly journals ~~from other batches~~ before approving or sending them back.

Now Company supervisors also have another window to view and comment on the weekly journals **of the interns hosted at their own company** before approving or sending them back.

REASON — Supervisor scope is by **company**, not batch. `ScopesSupervisorWork` resolves the companies the signed-in supervisor is attached to and returns every enrolment at those companies, which is what lets one shared company login see that company's full roster.

Chapter I — §1.3 Objectives

PAGE 4 — WEEKLY COMPILATION OBJECTIVE

Was To implement a process that compiles daily entries into a single weekly file ~~each Sunday~~ for supervisor approval...

Now To implement a process that compiles daily entries into a single weekly file **every Monday at 00:00, covering the Monday–Sunday week just ended**, for supervisor approval...

REASON — Same schedule correction as above. A week is only treated as complete once its Sunday has passed, so the compilation necessarily runs on the following Monday.

PAGE 4 — REMINDER OBJECTIVE

Was To include an auto-email reminder script that emails students about missing or late daily logs ~~at 9:00 PM, customized by coordinators for different batches of students~~, and sends these reminders to the mobile app as push notifications.

Now To include an auto-email reminder script that emails students about missing or late daily logs **at a time each student sets for themselves — the service runs hourly and notifies a student in their chosen hour, falling back to their batch's schedule and then to a 9:00 PM default**, and sends these reminders to the mobile app as push notifications.

REASON — `journal:send-missing-entry-reminders` is scheduled `->hourly()`; the command itself decides whose hour it currently is. Reminder preferences are stored per student (`reminder_days`, `reminder_time`, `reminder_enabled` on `student_profiles`) and are the student's own setting, not a coordinator's. The batch's `daily_reminder_time` is only a fallback. The mobile push clause is left as written.

PAGE 3 — REVIEW AND APPROVAL TIERS

Was ...utilize the OJT journal's built-in review and approval process ~~that consists of many tiers, such as immediate supervisors and upper management coordinators~~ ...

Now ...utilize the OJT journal's built-in review and approval process **in which the company supervisor is the sole approving authority — approving a weekly journal or returning it with a required comment — while academic coordinators observe the outcome in a read-only capacity** ...

REASON — There is exactly one approval tier. `CoordinatorWeeklyJournalController` exposes no approve, return, or edit action anywhere; review verdicts belong to supervisors only. Describing coordinators as an approval tier overstates the workflow.

PAGE 5 — WEEKLY ACTIVITY LOG OBJECTIVE

Was To implement ~~Weekly Activity Log functionality for students to record and report highlights of their weekly activities~~, as well as automatically include approved Journal Entry input for the Student SIPP report available to coordinators.

Now To automatically include approved Journal Entry input for the Student SIPP report available to coordinators. (The separate student-facing Weekly Activity Log form was withdrawn from the interface; its function is served by the supervisor-reviewed Weekly Journal.)

REASON — The "Weekly Activity Log (SIPP)" section was removed from the student interface because no coordinator, supervisor, or administrator ever viewed it and it duplicated the Weekly Narrative. The database tables, controller, routes, and PDF template were deliberately retained so the capability is recoverable, but it is no longer a user-facing feature and should not be documented as one.

PAGE 5 — RESPONSIVE DELIVERY OBJECTIVE (WORDING)

Was To deliver a responsive web application that ~~operated~~ effectively across desktop and mobile browsers...

Now To deliver a responsive web application that ~~operates~~ effectively across desktop and mobile browsers...

REASON — Tense agreement with the surrounding objectives. This objective is now met: all four role interfaces use an off-canvas navigation drawer below the medium breakpoint, and all 28 role pages were verified at 320 px, 375 px, and 768 px with no horizontal overflow.

Chapter I — §1.4 Scope and Limitations

PAGE 6 — WEEKLY PROCESSING

Was Weekly Processing: The system automatically collects daily logs into a weekly format ~~every Sunday evening~~, including only entries supplied inside the active batch schedule.

Now Weekly Processing: The system automatically collects daily logs into a weekly format ~~every Monday at 00:00 for the week just ended~~, including only ~~submitted~~ entries ~~from students with an active enrolment~~.

REASON — Schedule correction, plus a precision point: bundling compiles only *submitted* daily entries. Days without a submitted entry are skipped silently rather than filled with a placeholder, and an already-submitted Weekly Log is never overwritten.

PAGE 6 — COORDINATOR TOOLS

Was Coordinator Tools: A portal for administering programs and tracking multiple student groups. ~~Includes read-only access to all records approved by supervisors.~~

Now Coordinator Tools: A portal for administering programs and tracking multiple student groups. Coordinators create student and supervisor accounts, manage batches and their rosters, maintain partner companies, author journal templates, accept or reject Student Information Sheets (acceptance is what enrolls a student), and curate the SIPP, HTE, and Group Information Sheet reports. Their access is read-only only with respect to journal content itself.

REASON — "Read-only" materially understates the role. There are twelve coordinator controllers with write capability. Most significantly, accepting a Student Information Sheet is the action that creates the enrolment record — the single gateway through which every student enters a batch.

PAGE 7 — NOTIFICATION ENGINE

Was Notification Engine: Send automatic email and mobile push notifications to students ~~with open journals who have not submitted partially complete, based on reading batch parameters.~~

Now Notification Engine: Send automatic email and mobile push notifications to students who have not submitted a daily journal on a day they were expected to work. Email is sent where the student's address has been verified, and an in-app notification is always recorded. Timing follows each student's own reminder preference, falling back to their batch's schedule.

REASON — The original sentence is grammatically incomplete ("who have not submitted partially complete") and attributes the timing to batch parameters alone. Corrected for readability and to reflect the per-student reminder preference plus the email-verification condition. The email and mobile push channels are left as written.

PAGE 7 — WEEKLY ACTIVITY LOG SCOPE ITEM

Was ~~Weekly Activity Log: Students can record and submit their weekly activities. Approved daily logs will be automatically reflected in their SIPP report, which coordinators can view.~~

Now Weekly Journal: Students write a weekly narrative, which the company supervisor approves or returns with a comment. SIPP-flagged journal fields feed the coordinator's Annual SIPP Report.

REASON — Reflects the removal of the standalone Weekly Activity Log form and names the feature that actually performs this role.

PAGE 8 — CONNECTIVITY REQUIREMENT (LIMITATION)

- Was** Connectivity Requirement: The platform needs a stable internet connection... ~~However, Offline drafts and local saving are features now available but require internet connection to use, so users should make sure they are connected to the internet before using the platform.~~
- Now** Connectivity Requirement: The platform needs an internet connection to load data, save work, and submit reports. Work typed into a form is preserved in the browser for the duration of the tab, so refreshing the page — or recovering from a browser crash — does not discard unsaved input. This is a convenience only: the data is not submitted to the server until the user saves, and no feature operates fully offline.

REASON — The original sentence contradicts itself, describing offline drafts as available while requiring an internet connection to use them. It has been rewritten to state what the system genuinely does: form input is mirrored into per-tab browser storage and restored after a refresh. Per-tab storage was chosen deliberately over persistent storage because the system is used on shared college laboratory machines, and a half-completed Student Information Sheet containing personal and guardian details must not remain readable to the next user of that browser. Passwords are explicitly excluded from this mechanism.

Chapter III — §3.1 Architecture Design

PAGE 13 — COORDINATOR CAPABILITY

- Was** Academic coordinators can look at what many students are doing, ~~but they cannot change anything~~.
- Now** Academic coordinators can look at what many students are doing across their department, and they administer the structures those students work within — accounts, batches, rosters, partner companies, journal templates, intake approval, and the SIPP compliance reports. What they cannot alter is journal content itself or a supervisor's review decision.

REASON — Same correction as the Coordinator Tools scope entry; this sentence is the strongest statement of the inaccuracy and is the one most likely to be quoted during the defence.

PAGE 14 — BACKEND RESPONSIBILITIES

Was The part that makes it work includes rules such as creating weekly bundles, ~~sending emails every Sunday~~, and generating PDF reports.

Now The part that makes it work includes rules such as `compiling weekly bundles each Monday`, `running the hourly reminder service`, `purging expired archived roster records nightly`, and generating PDF reports.

REASON — Corrects the schedule and names the third scheduled task the documentation omits: `roster:purge-archived` runs daily at 02:00 and permanently removes archived roster records older than thirty days.

Chapter III — §3.2 Details of Technology Used

PAGE 16 — XAMPP

Was ~~XAMPP — a local server environment used throughout the development and testing stages of InternTrack. XAMPP provides a locally-hosted Apache web server, MySQL database, and PHP interpreter.~~

Now Laragon and the Laravel development server — the local environment used during development and testing. Laragon supplies the MySQL service, while the application itself is served by Laravel's built-in development server (`php artisan serve`) alongside the Vite development server for the Vue front end.

REASON — XAMPP is not the stack in use. MySQL is provided by Laragon, and the application runs under `php artisan serve` with Vite proxying API requests, which is what makes the front end and API same-origin during development.

PAGE 16 — NEW ENTRY TO ADD AFTER THE LOCAL ENVIRONMENT

Add Deployment platform — the production build is split across three free-tier services: the Vue front end is hosted on Vercel, the Laravel API runs as a Docker container on Render, and the MySQL database is hosted on Aiven. The front end proxies API requests to the backend so that both appear to the browser as a single origin, which keeps authentication working without third-party cookies.

REASON — The document describes only the local environment and never states how the system is deployed, which is a question the panel is likely to ask. The full operational procedure is documented separately in `docs/DEPLOYMENT.md`.

PAGE 14 — LARAVEL

Was ~~Laravel~~ — a PHP web application framework... including automatic journal bundling ~~on Sundays~~, the email reminder engine, the ~~four-tier~~ review and approval workflow...

Now **Laravel 13 (PHP 8.3)** — a PHP web application framework... including automatic journal bundling **each Monday**, the **hourly** reminder engine, the **supervisor** review and approval workflow...

REASON — Adds the version actually in use and applies the schedule and workflow corrections. "Four-tier" conflates the four *user roles* with the review workflow, which has one approving tier.

PAGE 14 — VUE

Was ~~Vue~~ — ~~Vue.js is the JavaScript framework we used to build InternTrack's web view.~~

Now **Vue 3 with TypeScript** — the front-end framework used to build InternTrack's web interface, built with Vite and using Pinia for application state and Vue Router for navigation. TypeScript is used throughout the front end so that data exchanged with the API is type-checked at build time.

REASON — The front end is TypeScript, not plain JavaScript, and the supporting libraries (Vite, Pinia, Vue Router) are unstated. These are reasonable things for a panel to ask about.

PAGE 15 — TAILWIND CSS

Was ~~Tailwind CSS~~ — is a utility-first framework...

Now **Tailwind CSS v4** — is a utility-first framework...

REASON — Version 4 differs enough from version 3 in configuration and syntax that the major version is worth stating.

PAGE 15 — NEW ENTRY TO ADD

Add **Authentication** — sign-in is username and password based, using Laravel Sanctum's cookie and session authentication for the web application. Google sign-in is additionally available in a strictly link-only capacity: it never creates an account and only signs in an existing account whose email address Google itself has verified. The same mechanism is what verifies a student's email address so that reminder email may be sent to them.

REASON — Authentication is not described anywhere in the technology chapter, yet it is central to the system. It is also worth stating explicitly that self-registration does not exist — every account is created by staff — since that is a deliberate security decision rather than an omission.

Editorial Corrections

PAGE 16 — SMARTPHONES

Was Since many interns do not always have ~~aeecs~~ to their desktop or laptop during their OJT...

Now Since many interns do not always have ~~aeecs~~ to their desktop or laptop during their OJT...

REASON — Spelling.

PAGE 12 — REVIEW OF RELATED LITERATURE, CLOSING PARAGRAPH

Was ...or were not designed for ~~academic institution~~ in the Philippines.

Now ...or were not designed for ~~academic institution~~ in the Philippines.

REASON — Number agreement.

PAGE 1 — §1.1 PROJECT CONTEXT

Was ~~While inside assigned to their company~~, students should keep a daily log of their activities...

Now ~~While inside assigned to their company~~, students should keep a daily log of their activities...

REASON — The original phrase is not grammatical.