

# Node Js

Servidor web, headers y códigos de respuesta



Miguel Islas DSC ESCOM



Jose Rivera
DSC ESCOM
@josearmandoRr

Google Developers

### Índice



1. Servidor WEB




2. Headers



3. Códigos de respuesta





Developer Student Clubs

Google Developers

## Índice



1. Servidor WEB



2. Headers



3. Códigos de respuesta



### path method protocol GET /tutorials/other/top-20-mysql-best-practices/ HTTP/1.1 Host: net.tutsplus.com User-Agent: Mozilla/5.0 (Windows; U; Windows NT 6.1; en-US; rv:1.9.1 Accept: text/html,application/xhtml+xml,application/xml;q=0.9,\*/\*;q= Accept-Language: en-us, en; q=0.5 Accept-Encoding: gzip, deflate Accept-Charset: ISO-8859-1, utf-8; q=0.7, \*; q=0.7 Keep-Alive: 300 Connection: keep-alive Cookie: PHPSESSID=r2t5uvjq435r4q7ib3vtdjq120 Pragma: no-cache

#### HTTP headers as Name: Value



Cache-Control: no-cache

## Índice



1. Servidor WEB



2. Headers



3. Códigos de respuesta



- 1XX Respuestas informativas
- 2XX Peticiones correctas
- 3XX Redirecciones
- 4XX Errores del cliente
- 5XX Errores de servidor

