
Simuladores: Carlos García Espinosa



ers	est Overvie	ew					×	
Time Star	ect Answ Taken Time	ers 27 02:3 25 fe	0:53 eb 25 11:28	'25 11:27 AM		Status Failed 48% Total Questions 56 Total Time 01:59:28 Finish/Pause Time 26 feb 25 14:41		
	Marked		Result	Exam Objective	Difficulty Le	Problem Statement	Note	1
1		~	V	08 - Handling Excep	Tough	int[] dear = new int[7]:		
2		✓	×	03 - Using Operator	Easy	int i;		
3		✓	×	06 - Working with	-	SCACIC(
4			~	05 - Using Loop Co	Tough	a) = aM]("h").		
5		~	×	02 - Working with J	Very Tough	long m = // 1		
6		~	~	02 - Working with J	Very Easy	public static void main(String args[]		
7		~	~	03 - Using Operator	Easy	default : System.out.println(
8		~	×	02 - Working with J	Tough	Identify the valid code fragments when occur		
9		~	~	06 - Working with	Easy	processStacks (s1,s2);		
10		~		02 - Working with J	Very Easy	public class X{		
11		✓	×	09 - Working with J	Real Brainer	'o', 'd' };		
12		✓	~	05 - Using Loop Co	Very Easy	int 1:		
13		~	×	09 - Working with J	Tough	<pre>public static void main(String[] args){</pre>		
14		~	~	04 - Creating and U	Very Easy	//I : Insert Line or Code nere		
15		~	~	04 - Creating and U	Very Easy			
16		~	~	02 - Working with J	Very Tough	ODJ**;		
17		~	×	06 - Working with	Very Easy	public int setVar(int a, int b, float c)		
18		~	✓	07 - Working with I	Easy	}		
19		~	×	07 - Working with I	Very Tough	//In file B.java		
20		~	✓	09 - Working with J	Very Easy	abc.concat("abc"):		
21		~	~	07 - Working with I	Easy	class Base2 extends Base('to
22		~	×	08 - Handling Excep	Easy	Which of the following standard java exception		
23		~	✓	07 - Working with I	Easy	static int y = 40;		
24		✓	~	03 - Using Operator	Real Brainer	String strl = "one";		

Name

Taken on - 26 feb, '25 06:25 PM Correct Answers 25

Time Taken 02:44:34 Start Time 26 feb 25 18:25 Total Time 01:59:28 Finish/Pause Time 27 feb 25 12:22

Failed 45%

56

Status

Total Questions

Test Details Performance Report

€rs Test Overview

s	Marked	Atte	Result	Exam Objective	Difficulty Le	Problem Statement	Note
1		_	~	01 - Java Basics	Tough	// 1	
2		~	~	05 - Using Loop Co	Tough	j++;	
3		~	~	06 - Working with	Very Easy	public crass rest; publicpirtnids.co new	
4		~	~	08 - Handling Excep	Very Tough	ExceptionTest():	
5		~	~	06 - Working with	Very Easy	}	
6		~	~	07 - Working with I	Tough	public void moveBack(int by) {	
7		~	×	07 - Working with I	Real Brainer	}	
8		~	~	04 - Creating and U	Tough) {	
9		~	~	06 - Working with	Very Easy	void ml(String x) {	
10		~	~	01 - Java Basics - O	Tough	private void computeAverage(){	
11		~	~	03 - Using Operator	Tough	System.out.println("Hello!");	
12		~	×	08 - Handling Excep	Tough	_staticagoid, doTest() throws	
13		~	~	03 - Using Operator	Very Easy	1 1	
14		~	×	05 - Using Loop Co	Very Tough	which of the following code shippers will compile without any errors?	
15		~	~	06 - Working with	Very Easy	package test;	
16		~	×	06 - Working with	Real Brainer	}	
17		~	×	08 - Handling Excep	Tough	Which of the following are standard Java exc	
18		~	~	06 - Working with	Tough	void probe(Long x) { System.out.printl	:
19		~	×	05 - Using Loop Co	Easy	JIII. System out nrintln(c);	
20		~	~	05 - Using Loop Co	Tough	k++:	
21		~	×	07 - Working with I	Very Tough	+ enthu.trans.DataFlooding	i
22		~	~	04 - Creating and U	Very Easy	String[] strArr = new String[5]:	
23		~	×	09 - Working with J	Very Easy	Which of the following are benefits of an array	
24			¥	01 Java Pacies	Tough		

€rs Test Overview Time Left - OVER LIMIT 00:30:09

Taken on - 27 feb, '25 12:24 PM

Correct Answers 24 Time Taken 02:29:37 Start Time 27 feb 25 12:24 Status Failed 43%

Total Questions 56 **Total Time** 01:59:28 Finish/Pause Time 27 feb 25 16:36

Test Details Performance Report

S	Marked	Atte	Result	Exam Objective	Difficulty Le	Problem Statement	Note
1		~	~	07 - Working with I	Easy	,	
2		✓	~	06 - Working with	Very Easy	public static word printSum/float a	
3		~	~	06 - Constructors	Easy		
4		✓	×	08 - Handling Excep	Tough	}	
5		✓	~	06 - Working with	Easy	System.out.println("In Integer	
6		~	×	09 - Working with J	Very Tough	LocalDate d2 = LocalDate.of(2015,	
7		✓	×	04 - Creating and U	Easy	int i = 4;	
8		~	×	09 - Working with J	Easy	sl.add("sdfa");	
9		~	×	08 - Handling Excep	Tough	Java's Exception mechanism helps in which of	
10		✓	~	09 - Working with J	Very Easy	You want to find out whether two strings are	
11		~	~	09 - Working with J	Very Easy	StringBuilder sb = new	
12		~	×	05 - Using Loop Co	Very Tough	}	
13		~	×	07 - Working with I	Tough	}	
14		~	~	06 - Working with	Very Easy	Which of the following code fragments are val	
15		✓	×	08 - Handling Excep	Tough	Checked exceptions are meant for	
16		~	~	03 - Using Operator	Tough	x3:	
17		✓	×	02 - Working with J	Very Tough	ArrayList <double> al = new ArrayLi</double>	
18		~	~	03 - Using Operator	Easy	throws Exception {	
19		~	~	01 - Java Basics	Easy	int a:	
20		✓	×	09 - Working with J	Very Easy	public static void main(String args[]) {	
21		~	×	06 - Working with	Easy	public static double getAngle();	
22		✓	~	03 - Using Operator	Very Easy	Object obj1 - new object(),	
23		V	×	03 - Using Operator	Very Easy	bool = (bool2 & method1("1")); //1	
24			_	08 - Handling Excep	Easy	public void myMethod() throws XXXX{	

 \times

€rs Test Overview

 Name
 Taken on - 27 feb, '25 04:37 PM
 Status
 Failed 48%

 Correct Answers
 27
 Total Questions
 56

 Time Taken
 02:36:04
 Total Time
 01:59:28

 Start Time
 27 feb 25 16:37
 Finish/Pause Time
 27 feb 25 22:28

Test Details Performance Report

s	Marked	Atte	Result	Exam Objective	Difficulty Le	Problem Statement	Note
1		~	×	02 - Working with J	Tough	Which of the following are valid code snippets	
2		~	~	07 - Working with I	Real Brainer	public class B extends A{	
3		~	×	05 - Using Loop Co	Tough	for(String day : days){	
4		~	~	04 - Creating and U	Tough	What will the following lines of code print?	
5		~	~	02 - Working with J	Real Brainer	int il = 1, i2 = 2, i3 = 3;	
6		~	~	09 - Working with J	Very Tough	Which of these expressions will return true?	
7		~	~	02 - Working with J	Tough	static final String CLASS_GUID; // 2	
8		~	×	01 - Java Basics	Tough	contents of a file.	
9		~	~	01 - Java Basics	Very Easy	System.out.println(harry);	
10		~	~	01 - Java Basics - O	Easy	Which of the following are correct about "enc	
11		~	~	01 - Java Basics	Very Easy	if (args.length == 0){	
12		~	~	05 - Using Loop Co	Easy	while(flag){	
13		~	~	06 - Working with	Very Easy	publicustatic voidusaveallo/) (+-) {	
14		~	×	05 - Using Loop Co	Tough	public void run();	
15		~	×	09 - Lambda Expre	Easy	public void run();	
16		~	~	04 - Creating and U	Real Brainer	int[] a = { 1, 2, 3, 4 };	
17		~	×	07 - Working with I	Easy	class B extends A{	
18		~	×	09 - Working with J	Easy	Identify the correct statements about	
19		~	×	07 - Working with I	Tough	B getB() { return new B(); }	
20		~	~	09 - Working with J	Tough	}	
21		~	×	07 - Working with I	Very Tough	interface PremiumAccount extends Account{	
22		~	×	08 - Handling Excep	Tough	}	

€_{TS} Test Overview Time Left - OVER LIMIT 00:04:18

 Name
 Taken on - 28 feb, '25 10:27 AM
 Status
 Failed 53%

 Correct Answers
 29
 Total Questions
 55

 Correct Answers
 29
 Total Questions
 55

 Time Taken
 02:01:38
 Total Time
 01:57:20

 Start Time
 28 feb 25 10:27
 Finish/Pause Time
 28 feb 25 17:53

 Test Details
 Performance Report

·	Marked	Atte	Result	Exam Objective	Difficulty Le	Problem Statement	Note
1		/	×	01 - Java Basics - O	Very Tough	Identify correct option(s)	
2		~	×	08 - Handling Excep	Very Easy) public finally (coccusor	
3		~	~	07 - Working with I	Easy	public static void main(String[] args){	
4		~	~	03 - Using Operator	Real Brainer	System out println(i<20 2 outl() :	
5		~	~	02 - Working with J	Very Easy	Object a, b, c ;	
6		~	~	05 - Using Loop Co	Tough	while (i <j) td="" {<=""><td></td></j)>	
7		~	×	09 - Lambda Expre	Very Easy	filterData(ArrayList <data> dataList,</data>	
8		~	~	03 - Using Operator	Very Tough		
9		~	~	03 - Using Operator	Tough	else{	
10		/	×	03 - Using Operator	Very Easy	which of the following implementations of a	
11		~	~	01 - Java Basics	Very Easy	Tour have which will correctly return the largest	
12		~	~	06 - Working with	Very Easy	public_class_QverloadTest{	
13		~	×	09 - Working with J	Tough	args) throws Exception {	
14		✓	~	09 - Working with J	Easy	Which of the following operators can be used	
15		~	~	03 - Using Operator	Very Easy	While(checkIt(k))(
16		~	×	07 - Working with I	Real Brainer	}	
17		✓	×	06 - Working with	Very Tough	public RETURNTYPE methodX(byte by) {	
18		~	×	06 - Working with	Very Easy	}	
19		~	~	03 - Using Operator	Very Tough	case 1: system.out.printin	
20		~	~	07 - Working with I	Easy	Runnable.)	
21		~	~	07 - Working with I	Tough	interface TI //In like B. ava	
22		~	×	08 - Handling Excep	Very Easy	_	
23		~	~	02 - Working with J	Tough	nubliclessatic void main(string[] args)(
24			_	03 - Using Operator	Very Easy	case 1:	

am

 \times

/exa

X

ens Test Overview

 Name
 Taken on - 28 feb, '25 09:05 PM
 Status
 Failed 54%

 Correct Answers
 30
 Total Questions
 56

 Time Taken
 01:48:32
 Total Time
 01:59:28

 Start Time
 28 feb 25 21:05
 Finish/Pause Time
 28 feb 25 23:50

Test Details Performance Report

s	Marked	Atte	Result	Exam Objective	Difficulty Le	Problem Statement	Note
1		~	~	09 - Working with J	Very Easy) {	
2		✓	~	07 - Working with I	Very Tough	bar");	
3		✓	~	09 - Working with J	Very Easy	al.add("Name 2");	
4		~	×	09 - Working with J	Tough	public LocalDate process(LocalDate ld) {	
5		~	~	01 - Java Basics	Very Easy	Which method declarations will enable a class	
6		✓	~	08 - Handling Excep	Very Easy	Assume that a method named 'method1' con	
7		~	~	05 - Using Loop Co	Very Easy	for (int j = 1; j < 5; j++) {	
8		~	~	07 - Working with I	Tough	public class lescolass (
9		✓	×	06 - Constructors	Very Easy	}	
10		✓	~	09 - Working with J	Easy	s = Good bye Wolld ,	
11		~	~	03 - Using Operator	Real Brainer	boolean b2 = false;	
12		✓	~	03 - Using Operator	Tough	public static void main(String args[]) {	
13		✓	×	08 - Handling Excep	Tough	Java Exceptions is a mechanism	
14		✓	×	08 - Handling Excep	Tough	+ IndexOutOfBoundsException	
15		~	~	01 - Java Basics - O	Very Easy	What is meant by "encapsulation" ?	
16		✓	×	04 - Creating and U	Tough	x[0] = 10;	
17		✓	~	08 - Handling Excep	Easy	try{	
18		✓	×	06 - Working with	Very Easy	3	
19		~	~	04 - Creating and U	Very Easy	Which of the following statements about an a	
20		✓	×	07 - Working with I	Very Easy		
21		/	~	01 - Java Basics	Very Easy		
22		✓	×	07 - Working with I	Real Brainer	}	
23		~	×	02 - Working with J	Easy	Which of the following is illegal ?	
24		~	×	09 - Working with J	Very Easy	java.time.LocalDate dt =	

X

/topic

View Questions Pause Test Evaluate Test

ens Test Overview

X

 Name
 Taken on - 01 mar, '25 12:03 PM
 Status
 Failed 38%

 Correct Answers
 19
 Total Questions
 50

 Time Taken
 01:11:51
 Total Time
 01:46:40

 Start Time
 01 mar 25 12:03
 Finish/Pause Time
 01 mar 25 14:19

Test Details Performance Report

s	Marked	Atte	Result	Exam Objective	Difficulty Le	Problem Statement	Note
1		~	×	09 - Lambda Expre	Very Tough	public void processList(ArrayList <data></data>	
2		~	~	01 - Java Basics - O	Tough	short firstValue = 5;	
3		V	×	06 - Working with	Real Brainer		
4		~	×	07 - Working with I	Easy	Which of the following method definitions will	
5		~	×	06 - Working with	Real Brainer	static DatabaseWrapper getDatabase()	
6		~	~	04 - Creating and U	Easy	boolean[] b2 = {true , false};	
7		~	×	05 - Using Loop Co	Very Tough	Which of the following code fragments compil	
8		/	~	06 - Working with	Very Easy	}	
9		~	X	05 - Using Loop Co	Tough	for (int i = 10; i > 0; i) System.	
10		~	✓	07 - Working with I	Very Easy	class SubClass extends BaseClass{	
11		~	~	01 - Java Basics - O	Easy	Encapsulation ensures that	
12		~	~	03 - Using Operator	Very Easy	if (true)	
13		~	×	01 - Java Basics - O	Tough	public void grow(int dy);	
14		~	~	07 - Working with I	Very Easy	A() { this (helio , world); } A(String s) { System out println(s) }	
15		~	×	01 - Java Basics - O	Easy	other irrelevant code	
16		~	~	07 - Working with I	Very Easy		
17		~	×	03 - Using Operator	Tough	case 1 :	
18		~	×	04 - Creating and U	Easy	String[][]] arr = { [a",	
19		~	~	01 - Java Basics	Easy	value = Integer.parseInt(globa printuseruipata(Arraybist <data> databist,</data>	
20		~	×	09 - Lambda Expre	Tough	PrintuseruiData (ArrayList <data> dataList,</data>	
21		~	×	04 - Creating and U	Easy	initialize	
22		~	✓	04 - Creating and U	Very Easy	incr(i) ;	
23		~	×	08 - Handling Excep	Easy	RuntimeException re = null;	
24		~	~	08 - Handling Excep	Easy	public static void main(String []	

View Questions Pause Test Evaluate Test