Instrumental Variables

INTRODUCTION



Roadmap

Introductions

Who Am I?

What is This Course?

Regression Review

Models vs. Estimands vs. Estimators

Regression Identification and Endogeneity

Intro to IV

Instrument Validity and Relevance

The 2SLS Estimator

Groos Family Assistant Professor of Economics, Brown University

Groos Family Assistant Professor of Economics, Brown University A big fan of instrumental variable (IV) methods

Groos Family Assistant Professor of Economics, Brown University A big fan of instrumental variable (IV) methods

- Lottery- and non-lottery IVs in studies of educational quality (Angrist et al. 2016, 2017, 2021, 2022; Abdulkadiroğlu et al. 2016)
- Quasi-experimental evaluations of healthcare quality (Hull 2020; Abaluck et al. 2021, 2022)
- IV-based analyses of discrimination and bias (Arnold et al. 2020, 2021, 2022; Hull 2021; Bohren et al. 2022)
- Shift-share instruments and related designs
 (Borusyak et al. 2022; Borusyak and Hull 2021, 2022; Goldsmith-Pinkham et al. 2022)

Groos Family Assistant Professor of Economics, Brown University A big fan of instrumental variable (IV) methods

- Lottery- and non-lottery IVs in studies of educational quality (Angrist et al. 2016, 2017, 2021, 2022; Abdulkadiroğlu et al. 2016)
- Quasi-experimental evaluations of healthcare quality
 (Hull 2020; Abaluck et al. 2021, 2022)
- IV-based analyses of discrimination and bias (Arnold et al. 2020, 2021, 2022; Hull 2021; Bohren et al. 2022)
- Shift-share instruments and related designs
 (Borusyak et al. 2022; Borusyak and Hull 2021, 2022; Goldsmith-Pinkham et al. 2022)

A constant student of IV (and econometrics more generally)

A one-day intensive on IV, focusing on recent practical advances

A one-day intensive on IV, focusing on recent practical advances

- Far from comprehensive stay tuned for more "mixtape tracks" that take deeper dives on particular topics (judge IV, shift-share, etc)
- Emphasis on *practical*: IV is meant to be used, not just studied!

A one-day intensive on IV, focusing on recent practical advances

- Far from comprehensive stay tuned for more "mixtape tracks" that take deeper dives on particular topics (judge IV, shift-share, etc)
- Emphasis on practical: IV is meant to be used, not just studied!

Four one-hour lectures: from IV basics to recent topics

- Please ask questions in the Discord chat!
- I will try to stick to the schedule but may improvise slightly

A one-day intensive on IV, focusing on recent practical advances

- Far from comprehensive stay tuned for more "mixtape tracks" that take deeper dives on particular topics (judge IV, shift-share, etc)
- Emphasis on practical: IV is meant to be used, not just studied!

Four one-hour lectures: from IV basics to recent topics

- Please ask questions in the Discord chat!
- I will try to stick to the schedule but may improvise slightly

Two 75-minute coding labs, applying what we've learned

- I will be live-coding in Stata, but R code will also be available
- Goal: demonstrate both methods & how I think about applying them

Schedule

5:00-5:15pm

| 9:00-10:00am | Lecture 1: Regression Review; Regression Endogeneity; Introduction to IV |
|-----------------|--|
| 10:00-10:10am | Break |
| 10:10-11:10am | Lecture 2: Understanding Instrument Validity; 2SLS Mechanics; Applications |
| 11:10-11:15am | Break |
| 11:15am-12:30pm | Coding Lab 1: Angrist and Krueger (1991) |
| 12:30-1:30pm | Lunch |
| 1:30-2:30pm | Lecture 3: Heterogeneous Treatment Effects; Characterizing Compliers; MTEs |
| 2:30-2:40pm | Break |
| 2:40pm-3:40pm | Lecture 4: Judge Leniency Designs; Shift-Share IV; New IV Frontiers |
| 3:40-3:45pm | Break |
| 3:45-5:00pm | Coding Lab 2: Stevenson (2018) |

Closing Remarks

Roadmap

Introductions

Who Am I?

What is This Course?

Regression Review

Models vs. Estimands vs. Estimators

Regression Identification and Endogeneity

Intro to IV

Instrument Validity and Relevance


The 2SLS Estimator

- Parameters come from models of how observed data are generated
 - ightarrow E.g. a structural supply/demand elasticity, an ATE, or a CEF
 - ightarrow They set the target for an empirical analysis: what we want to know

- Parameters come from models of how observed data are generated
 - ightarrow E.g. a structural supply/demand elasticity, an ATE, or a CEF
 - ightarrow They set the target for an empirical analysis: what we want to know
- Estimands are functions of the population data distribution
 - ightarrow E.g. a difference in means or ratio of population regression coef's
 - ightarrow Make assumptions to link parameters & estimands ("identification")

- Parameters come from models of how observed data are generated
 - → E.g. a structural supply/demand elasticity, an ATE, or a CEF
 - → They set the target for an empirical analysis: what we want to know
- Estimands are functions of the population data distribution
 - → E.g. a difference in means or ratio of population regression coef's
 - ightarrow Make assumptions to link parameters & estimands ("identification")
- Estimators are functions of the observed data itself (the "sample")
 - ightarrow E.g. a difference in sample means or ratio of OLS coefficients
 - ightarrow Since data are random, so are estimators. Each has a distribution
 - → Use knowledge of estimator distributions to make learn about estimands ("inference") and—hopefully—identified parameters

The Lay of the Land



This course will mostly focus on identification, but we'll cover some IV estimation / inference issues as well

Let's Get Specific

Human capital theory (e.g. Becker, 1957) tells us that taking one-day IV intensives are likely to boost later-life productivity

Let's Get Specific

Human capital theory (e.g. Becker, 1957) tells us that taking one-day IV intensives are likely to boost later-life productivity

- Parameter: returns to taking this class β , measured in some outcome Y_i (e.g. lifetime top-5 pubs / earnings / twitter followers)
- Simple causal/structural model: $Y_i=\alpha+\beta D_i+\varepsilon_i$, where $D_i\in\{0,1\}$ indicates taking this class

Let's Get Specific

Human capital theory (e.g. Becker, 1957) tells us that taking one-day IV intensives are likely to boost later-life productivity

- Parameter: returns to taking this class β , measured in some outcome Y_i (e.g. lifetime top-5 pubs / earnings / twitter followers)
- Simple causal/structural model: $Y_i = \alpha + \beta D_i + \varepsilon_i$, where $D_i \in \{0,1\}$ indicates taking this class

We see a sample of Y_i , D_i , and some other covariates W_{1i}, \ldots, W_{Ki}

• We fire up Stata and type reg y d w1-wk, r. How do we interpret the output?

The OLS estimator $\hat{\beta}^{OLS}$ consistently estimates the regression estimand β^{OLS} under relatively weak conditions (e.g. *i.i.d.* data)

- Stata tells us $\hat{\beta}^{OLS}$ and what we can infer about β^{OLS} from it
- ullet It doesn't directly tell us about the relationship between eta^{OLS} and eta

The population regression of Y_i on $\mathbf{X}_i = [1, D_i, W_{1i}, \dots, W_{Ki}]'$ is given by $Y_i = \mathbf{X}_i' \beta^{OLS} + U_i$ where $E[\mathbf{X}_i U_i] = 0$

The population regression of Y_i on $\mathbf{X}_i = [1, D_i, W_{1i}, \dots, W_{Ki}]'$ is given by $Y_i = \mathbf{X}_i' \beta^{OLS} + U_i$ where $E[\mathbf{X}_i U_i] = 0$

- Equivalently, $\beta^{OLS} = E[\mathbf{X}_i \mathbf{X}_i']^{-1} E[\mathbf{X}_i Y_i]$ and $U_i = Y_i \mathbf{X}_i' \beta^{OLS}$
- eta^{OLS} contains regression coefficients; U_i is the regression residual

The population regression of Y_i on $\mathbf{X}_i = [1, D_i, W_{1i}, \dots, W_{Ki}]'$ is given by $Y_i = \mathbf{X}_i' \beta^{OLS} + U_i$ where $E[\mathbf{X}_i U_i] = 0$

- Equivalently, $\beta^{OLS} = E[\mathbf{X}_i \mathbf{X}_i']^{-1} E[\mathbf{X}_i Y_i]$ and $U_i = Y_i \mathbf{X}_i' \beta^{OLS}$
- eta^{OLS} contains regression coefficients; U_i is the regression residual

Key point: we can always define β^{OLS} for any Y_i and \mathbf{X}_i (assuming no perfect collinearity); this is what Stata estimates

• Specifically it computes $\widehat{\beta}^{OLS} = (\frac{1}{N} \sum_i \mathbf{X}_i \mathbf{X}_i')^{-1} (\frac{1}{N} \sum_i \mathbf{X}_i Y_i)$ and uses large-sample asymptotics (LLN/CLT) to get a standard error



But what if this estimand is not what we want?

You Can't Always Get What you Want...

But what if this estimand is not what we want?

• What if β^{OLS} fails to coincide with our economic parameter of interest (e.g. returns to mixtape workshops)?

You Can't Always Get What you Want...

The model parameter in $Y_i=\alpha+\beta D_i+\varepsilon_i$ need not coincide with the regression coefficient in $Y_i=\alpha^{OLS}+\beta^{OLS}D_i+U_i$

• I.e. we may not have $Cov(D_i, \varepsilon_i) = 0$ (always have $Cov(D_i, U_i) = 0$)

You Can't Always Get What you Want...

The model parameter in $Y_i=\alpha+\beta D_i+\varepsilon_i$ need not coincide with the regression coefficient in $Y_i=\alpha^{OLS}+\beta^{OLS}D_i+U_i$

• I.e. we may not have $Cov(D_i, \varepsilon_i) = 0$ (always have $Cov(D_i, U_i) = 0$)

Selection bias (a.k.a. omitted variables bias): students with higher latent earnings potential ε_i are more likely to take this class D_i


• $Cov(D_i, \varepsilon_i) > 0$ means $\beta^{OLS} > \beta$: overstate the returns-to-mixtape

Can I just Control My Way Out of This?


Adding more controls (e.g. demographics) may or may not help

- Projecting ε_i on X_i , we get $Y_i=\alpha+\beta D_i+\gamma X_i+\tilde{\varepsilon}_i$, $Cov(X_i,\tilde{\varepsilon}_i)=0$
- Whether or not $Cov(D_i, \tilde{\varepsilon}_i) = 0$ depends on whether X_i sufficiently accounts for the confounding relationship $Cov(D_i, \varepsilon_i) \neq 0$

Regression "Exogeneity"



Regression "Endogeneity"



...But Sometimes, You Get What you Need

Imagine this course was "oversubscribed," and admission was determined by lottery

- Among those interested in taking the course, a random sample denoted by $Z_i=1$ was given access
- The rest, with $Z_i = 0$ not initially given access (maybe got in later)

...But Sometimes, You Get What you Need

Imagine this course was "oversubscribed," and admission was determined by lottery

- Among those interested in taking the course, a random sample denoted by $Z_i=1$ was given access
- The rest, with $Z_i=0$ not initially given access (maybe got in later)

Intuitively, this external shock Z_i should be helpful for identifying eta

- Affects D_{i} , so relevant to the "treatment" of interest
- Randomly assigned, so unconfounded by selection (unlike D_i)

...But Sometimes, You Get What you Need

Imagine this course was "oversubscribed," and admission was determined by lottery


- Among those interested in taking the course, a random sample denoted by $Z_i=1$ was given access
- The rest, with $Z_i=0$ not initially given access (maybe got in later)

Intuitively, this external shock Z_i should be helpful for identifying eta

- Affects D_i , so relevant to the "treatment" of interest
- ullet Randomly assigned, so unconfounded by selection (unlike D_i)

Indeed, this leads us to IV estimands (and estimators)

The IV Solution



Roadmap

Introductions

Who Am I?

What is This Course?

Regression Review

Models vs. Estimands vs. Estimators

Regression Identification and Endogeneity

Intro to IV

Instrument Validity and Relevance

The 2SLS Estimator

Causal/structural model $Y_i = \alpha + \beta D_i + \varepsilon_i$ and a candidate IV Z_i

• Single D_i and Z_i and no further controls, for now

Causal/structural model $Y_i = \alpha + \beta D_i + \varepsilon_i$ and a candidate IV Z_i

• Single D_i and Z_i and no further controls, for now

Two key assumptions:

- Relevance: Z_i and D_i are correlated: $Cov(Z_i, D_i) \neq 0$
- Validity: Z_i and ε_i are uncorrelated: $Cov(Z_i, \varepsilon_i) = 0$

Causal/structural model $Y_i = \alpha + \beta D_i + \varepsilon_i$ and a candidate IV Z_i

• Single D_i and Z_i and no further controls, for now

Two key assumptions:

- Relevance: Z_i and D_i are correlated: $Cov(Z_i, D_i) \neq 0$
- Validity: Z_i and ε_i are uncorrelated: $Cov(Z_i, \varepsilon_i) = 0$

$$Cov(Z_i, Y_i) = Cov(Z_i, \alpha + \beta D_i + \varepsilon_i)$$

Causal/structural model $Y_i = \alpha + \beta D_i + \varepsilon_i$ and a candidate IV Z_i

• Single D_i and Z_i and no further controls, for now

Two key assumptions:

- Relevance: Z_i and D_i are correlated: $Cov(Z_i, D_i) \neq 0$
- Validity: Z_i and ε_i are uncorrelated: $Cov(Z_i, \varepsilon_i) = 0$

$$Cov(Z_i, Y_i) = Cov(Z_i, \alpha + \beta D_i + \varepsilon_i) = \beta Cov(Z_i, D_i) + Cov(Z_i, \varepsilon_i)$$

Causal/structural model $Y_i = \alpha + \beta D_i + \varepsilon_i$ and a candidate IV Z_i

• Single D_i and Z_i and no further controls, for now

Two key assumptions:

- Relevance: Z_i and D_i are correlated: $Cov(Z_i, D_i) \neq 0$
- Validity: Z_i and ε_i are uncorrelated: $Cov(Z_i, \varepsilon_i) = 0$

$$Cov(Z_i, Y_i) = Cov(Z_i, \alpha + \beta D_i + \varepsilon_i) = \beta Cov(Z_i, D_i) + Cov(Z_i, \varepsilon_i)$$
$$= \beta Cov(Z_i, D_i)$$

Causal/structural model $Y_i = \alpha + \beta D_i + \varepsilon_i$ and a candidate IV Z_i

• Single D_i and Z_i and no further controls, for now

Two key assumptions:

- Relevance: Z_i and D_i are correlated: $Cov(Z_i, D_i) \neq 0$
- Validity: Z_i and ε_i are uncorrelated: $Cov(Z_i, \varepsilon_i) = 0$

$$Cov(Z_i, Y_i) = Cov(Z_i, \alpha + \beta D_i + \varepsilon_i) = \beta Cov(Z_i, D_i) + Cov(Z_i, \varepsilon_i)$$
$$= \beta Cov(Z_i, D_i) \implies \beta = \frac{Cov(Z_i, Y_i)}{Cov(Z_i, D_i)}$$

The IV Estimand

The (simple) IV estimand is:

$$\beta^{IV} = \frac{Cov(Z_i, Y_i)}{Cov(Z_i, D_i)}$$

The IV Estimand

The (simple) IV estimand is:

$$\beta^{IV} = \frac{Cov(Z_i, Y_i)}{Cov(Z_i, D_i)}$$

• Compare to the OLS estimand: $\beta^{OLS} = \frac{Cov(D_i, Y_i)}{Var(D_i)}$

Note that we can write:

$$\beta^{IV} = \frac{Cov(Z_i, Y_i)}{Cov(Z_i, D_i)}$$

Note that we can write:

$$\beta^{IV} = \frac{Cov(Z_i, Y_i)}{Cov(Z_i, D_i)} = \frac{Cov(Z_i, Y_i)/Var(Z_i)}{Cov(Z_i, D_i)/Var(Z_i)}$$

Note that we can write:

$$\beta^{IV} = \frac{Cov(Z_i, Y_i)}{Cov(Z_i, D_i)} = \frac{Cov(Z_i, Y_i) / Var(Z_i)}{Cov(Z_i, D_i) / Var(Z_i)} = \frac{\rho^{OLS}}{\pi^{OLS}}$$

where ρ^{OLS} and π^{OLS} are two OLS estimands:

Note that we can write:

$$\beta^{IV} = \frac{Cov(Z_i, Y_i)}{Cov(Z_i, D_i)} = \frac{Cov(Z_i, Y_i) / Var(Z_i)}{Cov(Z_i, D_i) / Var(Z_i)} = \frac{\rho^{OLS}}{\pi^{OLS}}$$

where ρ^{OLS} and π^{OLS} are two OLS estimands:

$$Y_i = \kappa^{OLS} + \rho^{OLS} Z_i + V_i \quad \text{``reduced form''}$$

$$D_i = \mu^{OLS} + \pi^{OLS} Z_i + W_i \quad \text{``first stage''}$$

IV estimand as the "Second Stage"

Sometimes we refer to the IV estimand as the "second stage":

$$Y_i = \alpha^{IV} + \beta^{IV} D_i + U_i$$

where now $Cov(Z_i,U_i)=0$. Thus "IV=RF/FS" $(\beta^{IV}=\rho^{OLS}/\pi^{OLS})$

The 2SLS Estimator

As with OLS, we estimate IV by sample analog:

$$\widehat{\beta}^{IV} = \frac{\widehat{Cov}(Z_i, Y_i)}{\widehat{Cov}(Z_i, D_i)} = \frac{\widehat{\rho}^{OLS}}{\widehat{\pi}^{OLS}}$$

where
$$\widehat{Cov}(X_i, W_i) = \frac{1}{N} \sum_i X_i W_i - \left(\frac{1}{N} \sum_i X_i\right) \left(\frac{1}{N} \sum_i W_i\right),$$

$$\hat{\rho}^{OLS} = \widehat{Cov}(Z_i, Y_i) / \widehat{Var}(Z_i), \text{ and } \hat{\pi}^{OLS} = \widehat{Cov}(Z_i, D_i) / \widehat{Var}(Z_i)$$

The 2SLS Estimator

As with OLS, we estimate IV by sample analog:

$$\widehat{\beta}^{IV} = \frac{\widehat{Cov}(Z_i, Y_i)}{\widehat{Cov}(Z_i, D_i)} = \frac{\widehat{\rho}^{OLS}}{\widehat{\pi}^{OLS}}$$

where
$$\widehat{Cov}(X_i, W_i) = \frac{1}{N} \sum_i X_i W_i - \left(\frac{1}{N} \sum_i X_i\right) \left(\frac{1}{N} \sum_i W_i\right)$$
, $\hat{\rho}^{OLS} = \widehat{Cov}(Z_i, Y_i) / \widehat{Var}(Z_i)$, and $\hat{\pi}^{OLS} = \widehat{Cov}(Z_i, D_i) / \widehat{Var}(Z_i)$

- This is what Stata does when you type ivreg2 y (d=z), r
- Standard errors come from the usual large-sample asymptotics

The 2SLS Estimator

As with OLS, we estimate IV by sample analog:

$$\widehat{\beta}^{IV} = \frac{\widehat{Cov}(Z_i, Y_i)}{\widehat{Cov}(Z_i, D_i)} = \frac{\widehat{\rho}^{OLS}}{\widehat{\pi}^{OLS}}$$

where
$$\widehat{Cov}(X_i,W_i) = \frac{1}{N} \sum_i X_i W_i - \left(\frac{1}{N} \sum_i X_i\right) \left(\frac{1}{N} \sum_i W_i\right)$$
, $\hat{\rho}^{OLS} = \widehat{Cov}(Z_i,Y_i)/\widehat{Var}(Z_i)$, and $\hat{\pi}^{OLS} = \widehat{Cov}(Z_i,D_i)/\widehat{Var}(Z_i)$

- This is what Stata does when you type ivreg2 y (d=z), r
- Standard errors come from the usual large-sample asymptotics

We will soon consider extensions of all of this, with controls / multiple instruments / etc

Angrist famously used Vietnam-era draft eligibility as an instrument to estimate the earnings effects of military service

• Let $Z_i \in \{0,1\}$ be an indicator for draft eligibility, $D_i \in \{0,1\}$ be an indicator for military service, and Y_i measure later-life earnings

Angrist famously used Vietnam-era draft eligibility as an instrument to estimate the earnings effects of military service

• Let $Z_i \in \{0,1\}$ be an indicator for draft eligibility, $D_i \in \{0,1\}$ be an indicator for military service, and Y_i measure later-life earnings

Here $\beta^{IV} = \frac{Cov(Z_i,Y_i)/Var(Z_i)}{Cov(Z_i,D_i)/Var(Z_i)} = \frac{E[Y_i|Z_i=1]-E[Y_i|Z_i=0]}{E[D_i|Z_i=1]-E[D_i|Z_i=0]}$ has a special name, because Z_i is binary: the Wald estimand

Angrist famously used Vietnam-era draft eligibility as an instrument to estimate the earnings effects of military service

• Let $Z_i \in \{0,1\}$ be an indicator for draft eligibility, $D_i \in \{0,1\}$ be an indicator for military service, and Y_i measure later-life earnings

Here $\beta^{IV}=\frac{Cov(Z_i,Y_i)/Var(Z_i)}{Cov(Z_i,D_i)/Var(Z_i)}=\frac{E[Y_i|Z_i=1]-E[Y_i|Z_i=0]}{E[D_i|Z_i=1]-E[D_i|Z_i=0]}$ has a special name, because Z_i is binary: the Wald estimand

- First stage $E[D_i \mid Z_i = 1] E[D_i \mid Z_i = 0]$: effect of eligibility on the *probability* of military service (b/c D_i is binary)
- Reduced form $E[Y_i \mid Z_i = 1] E[Y_i \mid Z_i = 0]$: effect of eligibility on adult earnings (measured in 1971, 1981...)

Angrist famously used Vietnam-era draft eligibility as an instrument to estimate the earnings effects of military service

• Let $Z_i \in \{0,1\}$ be an indicator for draft eligibility, $D_i \in \{0,1\}$ be an indicator for military service, and Y_i measure later-life earnings

Here $\beta^{IV}=\frac{Cov(Z_i,Y_i)/Var(Z_i)}{Cov(Z_i,D_i)/Var(Z_i)}=\frac{E[Y_i|Z_i=1]-E[Y_i|Z_i=0]}{E[D_i|Z_i=1]-E[D_i|Z_i=0]}$ has a special name, because Z_i is binary: the Wald estimand

- First stage $E[D_i \mid Z_i = 1] E[D_i \mid Z_i = 0]$: effect of eligibility on the *probability* of military service (b/c D_i is binary)
- Reduced form $E[Y_i \mid Z_i = 1] E[Y_i \mid Z_i = 0]$: effect of eligibility on adult earnings (measured in 1971, 1981...)

IV interprets the latter causal effect in terms of the former

IV Estimates of the Effects of Military Service on the Earnings of White Men born in 1950

| Earnings year | Earnings | | Veteran Status | | Wald Estimate of |
|------------------|----------|------------------------------|----------------|------------------------------|---------------------|
| | Mean (1) | Eligibility Effect (2) | Mean (3) | Eligibility Effect (4) | Veteran Effect |
| | | | | | |
| 1971 | 3,338 | -325.9 (46.6) | | | -2050 (293) |
| 1969 | 2,299 | -2.0 (34.5) | | | |

Note: Adapted from Table 5 in Angrist and Krueger (1999) and author tabulations. Standard errors are shown in parentheses. Earnings data are from Social Security administrative records. Figures are in nominal dollars. Veteran status data are from the Survey of Program Participation. There are about 13,500 individuals in the sample.




FIGURE 3. EARNINGS AND THE PROBABILITY OF VETERAN STATUS BY
LOTTERY NUMBER

Notes: The figure plots mean W-2 compensation in 1981–4 against probabilities of veteran status by cohort and groups of five consecutive lottery numbers for white men born 1950–3. Plotted points consist of the average residuals (over four years of earnings) from regressions on period and cohort effects. The slope of the least-squares regression line drawn through the points is -2,384, with a standard error of 778, and is an estimate of α in the equation

$$\bar{y}_{cti} = \beta_c + \delta_t + \hat{p}_{ci}\alpha + \bar{u}_{cti}.$$