

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1 System ID: C:\Users\Carlos.Martinez\OneDrive -
1 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2 Description: <xsl:for-each select="//record">
3 Match: for-each
4 Start location: 144:8
5 Offset: 11450
6 Length: 8
7
8 System ID: C:\Users\Carlos.Martinez\OneDrive -
8 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
9 Description: </xsl:for-each>
10 Match: for-each
11 Start location: 161:9
12 Offset: 12563
13 Length: 8
14
15 System ID: C:\Users\Carlos.Martinez\OneDrive -
15 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
16 Description: <xsl:for-each select="datafield[@tag = '245']">
17 Match: for-each
18 Start location: 194:8
19 Offset: 14058
20 Length: 8
21
22 System ID: C:\Users\Carlos.Martinez\OneDrive -
22 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
23 Description: </xsl:for-each>
24 Match: for-each
25 Start location: 196:9
26 Offset: 14163
27 Length: 8
28
29 System ID: C:\Users\Carlos.Martinez\OneDrive -
29 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
30 Description: <xsl:for-each select="datafield[@tag = '210']">
31 Match: for-each
32 Start location: 198:8
33 Offset: 14181
34 Length: 8
35
36 System ID: C:\Users\Carlos.Martinez\OneDrive -
36 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
37 Description: </xsl:for-each>
38 Match: for-each
39 Start location: 200:9
40 Offset: 14286
41 Length: 8
42
43 System ID: C:\Users\Carlos.Martinez\OneDrive -
43 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
44 Description: <xsl:for-each select="datafield[@tag = '246']">
45 Match: for-each
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
46 Start location: 202:8
47 Offset: 14304
48 Length: 8
49
50 System ID: C:\Users\Carlos.Martinez\OneDrive -
50 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
51 Description: </xsl:for-each>
52 Match: for-each
53 Start location: 204:9
54 Offset: 14409
55 Length: 8
56
57 System ID: C:\Users\Carlos.Martinez\OneDrive -
57 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
58 Description: <xsl:for-each select="datafield[@tag = '240']">
59 Match: for-each
60 Start location: 206:8
61 Offset: 14427
62 Length: 8
63
64 System ID: C:\Users\Carlos.Martinez\OneDrive -
64 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
65 Description: </xsl:for-each>
66 Match: for-each
67 Start location: 208:9
68 Offset: 14532
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
69 Length: 8
70
71 System ID: C:\Users\Carlos.Martinez\OneDrive -
71 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
72 Description: <xsl:for-each select="datafield[@tag = '740']">
73 Match: for-each
74 Start location: 210:8
75 Offset: 14550
76 Length: 8
77
78 System ID: C:\Users\Carlos.Martinez\OneDrive -
78 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
79 Description: </xsl:for-each>
80 Match: for-each
81 Start location: 212:9
82 Offset: 14655
83 Length: 8
84
85 System ID: C:\Users\Carlos.Martinez\OneDrive -
85 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
86 Description: <xsl:for-each select="datafield[@tag = '130']">
87 Match: for-each
88 Start location: 214:8
89 Offset: 14673
90 Length: 8
91
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
92 System ID: C:\Users\Carlos.Martinez\OneDrive -
92 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
93 Description: </xsl:for-each>
94 Match: for-each
95 Start location: 216:9
96 Offset: 14778
97 Length: 8
98
99 System ID: C:\Users\Carlos.Martinez\OneDrive -
99 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
100 Description: <xsl:for-each select="datafield[@tag = '730']">
101 Match: for-each
102 Start location: 218:8
103 Offset: 14796
104 Length: 8
105
106 System ID: C:\Users\Carlos.Martinez\OneDrive -
106 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
107 Description: </xsl:for-each>
108 Match: for-each
109 Start location: 220:9
110 Offset: 14901
111 Length: 8
112
113 System ID: C:\Users\Carlos.Martinez\OneDrive -
113 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
114 Description: <xsl:for-each select="datafield[@tag = '242']">
115 Match: for-each
116 Start location: 222:8
117 Offset: 14919
118 Length: 8
119
120 System ID: C:\Users\Carlos.Martinez\OneDrive -
120 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
121 Description: <xsl:for-each select="subfield[@code = 'y']">
122 Match: for-each
123 Start location: 225:10
124 Offset: 15042
125 Length: 8
126
127 System ID: C:\Users\Carlos.Martinez\OneDrive -
127 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
128 Description: </xsl:for-each>
129 Match: for-each
130 Start location: 229:11
131 Offset: 15186
132 Length: 8
133
134 System ID: C:\Users\Carlos.Martinez\OneDrive -
134 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
135 Description: </xsl:for-each>
136 Match: for-each
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
137 Start location: 270:9
138 Offset: 16382
139 Length: 8
140
141 System ID: C:\Users\Carlos.Martinez\OneDrive -
141 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
142 Description: <xsl:for-each select="datafield[@tag = '100']">
143 Match: for-each
144 Start location: 274:8
145 Offset: 16417
146 Length: 8
147
148 System ID: C:\Users\Carlos.Martinez\OneDrive -
148 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
149 Description: </xsl:for-each>
150 Match: for-each
151 Start location: 276:9
152 Offset: 16517
153 Length: 8
154
155 System ID: C:\Users\Carlos.Martinez\OneDrive -
155 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
156 Description: <xsl:for-each select="datafield[@tag = '110']">
157 Match: for-each
158 Start location: 278:8
159 Offset: 16535
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
160 Length: 8
161
162 System ID: C:\Users\Carlos.Martinez\OneDrive -
162 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
163 Description: </xsl:for-each>
164 Match: for-each
165 Start location: 280:9
166 Offset: 16635
167 Length: 8
168
169 System ID: C:\Users\Carlos.Martinez\OneDrive -
169 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
170 Description: <xsl:for-each select="datafield[@tag = '111']">
171 Match: for-each
172 Start location: 282:8
173 Offset: 16653
174 Length: 8
175
176 System ID: C:\Users\Carlos.Martinez\OneDrive -
176 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
177 Description: </xsl:for-each>
178 Match: for-each
179 Start location: 284:9
180 Offset: 16753
181 Length: 8
182
```


FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
183 System ID: C:\Users\Carlos.Martinez\OneDrive -
183 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
184 Description: <xsl:for-each select="datafield[@tag = '700']">
185 Match: for-each
186 Start location: 286:8
187 Offset: 16771
188 Length: 8
189
190 System ID: C:\Users\Carlos.Martinez\OneDrive -
190 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
191 Description: </xsl:for-each>
192 Match: for-each
193 Start location: 288:9
194 Offset: 16871
195 Length: 8
196
197 System ID: C:\Users\Carlos.Martinez\OneDrive -
197 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
198 Description: <xsl:for-each select="datafield[@tag = '710']">
199 Match: for-each
200 Start location: 290:8
201 Offset: 16889
202 Length: 8
203
204 System ID: C:\Users\Carlos.Martinez\OneDrive -
204 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
205 Description: </xsl:for-each>
206 Match: for-each
207 Start location: 292:9
208 Offset: 16989
209 Length: 8
210
211 System ID: C:\Users\Carlos.Martinez\OneDrive -
211 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
212 Description: <xsl:for-each select="datafield[@tag = '711']">
213 Match: for-each
214 Start location: 294:8
215 Offset: 17007
216 Length: 8
217
218 System ID: C:\Users\Carlos.Martinez\OneDrive -
218 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
219 Description: </xsl:for-each>
220 Match: for-each
221 Start location: 296:9
222 Offset: 17107
223 Length: 8
224
225 System ID: C:\Users\Carlos.Martinez\OneDrive -
225 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
226 Description: <xsl:for-each select="datafield[@tag = '720']">
227 Match: for-each
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
228 Start location: 298:8
229 Offset: 17125
230 Length: 8
231
232 System ID: C:\Users\Carlos.Martinez\OneDrive -
232 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
233 Description: </xsl:for-each>
234 Match: for-each
235 Start location: 300:9
236 Offset: 17225
237 Length: 8
238
239 System ID: C:\Users\Carlos.Martinez\OneDrive -
239 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
240 Description: <xsl:for-each
240 select="datafield[@tag='700'] [not (subfield[@code='t'])]">
241 Match: for-each
242 Start location: 303:8
243 Offset: 17258
244 Length: 8
245
246 System ID: C:\Users\Carlos.Martinez\OneDrive -
246 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
247 Description: </xsl:for-each>
248 Match: for-each
249 Start location: 309:9
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
250 Offset: 17493
251 Length: 8
252
253 System ID: C:\Users\Carlos.Martinez\OneDrive -
253 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
254 Description: <xsl:for-each
254 select="datafield[@tag='710'] [not (subfield[@code='t'])]">
255 Match: for-each
256 Start location: 310:8
257 Offset: 17510
258 Length: 8
259
260 System ID: C:\Users\Carlos.Martinez\OneDrive -
260 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
261 Description: </xsl:for-each>
262 Match: for-each
263 Start location: 315:9
264 Offset: 17702
265 Length: 8
266
267 System ID: C:\Users\Carlos.Martinez\OneDrive -
267 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
268 Description: <xsl:for-each
268 select="datafield[@tag='711'] [not (subfield[@code='t'])]">
269 Match: for-each
270 Start location: 316:8
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
271 Offset: 17719
272 Length: 8
273
274 System ID: C:\Users\Carlos.Martinez\OneDrive -
274 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
275 Description: </xsl:for-each>
276 Match: for-each
277 Start location: 321:9
278 Offset: 17912
279 Length: 8
280
281 System ID: C:\Users\Carlos.Martinez\OneDrive -
281 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
282 Description: <xsl:for-each
282 select="datafield[@tag='720'] [not (subfield[@code='t'])]">
283 Match: for-each
284 Start location: 323:8
285 Offset: 17930
286 Length: 8
287
288 System ID: C:\Users\Carlos.Martinez\OneDrive -
288 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
289 Description: </xsl:for-each>
290 Match: for-each
291 Start location: 335:9
292 Offset: 18252
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
293 Length: 8
294
295 System ID: C:\Users\Carlos.Martinez\OneDrive -
295 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
296 Description: <xsl:for-each select="datafield[@tag = 047]">
297 Match: for-each
298 Start location: 650:8
299 Offset: 30874
300 Length: 8
301
302 System ID: C:\Users\Carlos.Martinez\OneDrive -
302 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
303 Description: </xsl:for-each>
304 Match: for-each
305 Start location: 652:9
306 Offset: 30973
307 Length: 8
308
309 System ID: C:\Users\Carlos.Martinez\OneDrive -
309 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
310 Description: <xsl:for-each select="datafield[@tag = 336]">
311 Match: for-each
312 Start location: 653:8
313 Offset: 30990
314 Length: 8
315
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
316 System ID: C:\Users\Carlos.Martinez\OneDrive -
316 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
317 Description: </xsl:for-each>
318 Match: for-each
319 Start location: 655:9
320 Offset: 31089
321 Length: 8
322
323 System ID: C:\Users\Carlos.Martinez\OneDrive -
323 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
324 Description: <xsl:for-each select="datafield[@tag = 655]">
325 Match: for-each
326 Start location: 656:8
327 Offset: 31106
328 Length: 8
329
330 System ID: C:\Users\Carlos.Martinez\OneDrive -
330 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
331 Description: </xsl:for-each>
332 Match: for-each
333 Start location: 658:9
334 Offset: 31205
335 Length: 8
336
337 System ID: C:\Users\Carlos.Martinez\OneDrive -
337 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
338 Description: <xsl:for-each
339 Match: for-each
340 Start location: 670:9
341 Offset: 31584
342 Length: 8
343
344 System ID: C:\Users\Carlos.Martinez\OneDrive -
344 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
345 Description: </xsl:for-each>
346 Match: for-each
347 Start location: 673:10
348 Offset: 31773
349 Length: 8
350
351 System ID: C:\Users\Carlos.Martinez\OneDrive -
351 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
352 Description: <xsl:for-each select="datafield[@tag = 044]/subfield[@code = 'c']">
353 Match: for-each
354 Start location: 701:9
355 Offset: 32782
356 Length: 8
357
358 System ID: C:\Users\Carlos.Martinez\OneDrive -
358 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
359 Description: </xsl:for-each>
360 Match: for-each
```


FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
361 Start location: 709:10
362 Offset: 33063
363 Length: 8
364
365 System ID: C:\Users\Carlos.Martinez\OneDrive -
365 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
366 Description: <xsl:for-each select="datafield[@tag = 260]/subfield[@code = 'a']">
367 Match: for-each
368 Start location: 710:9
369 Offset: 33081
370 Length: 8
371
372 System ID: C:\Users\Carlos.Martinez\OneDrive -
372 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
373 Description: </xsl:for-each>
374 Match: for-each
375 Start location: 723:10
376 Offset: 33551
377 Length: 8
378
379 System ID: C:\Users\Carlos.Martinez\OneDrive -
379 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
380 Description: <xsl:for-each select="datafield[@tag = 046]/subfield[@code = 'm']">
381 Match: for-each
382 Start location: 724:9
383 Offset: 33569
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
384 Length: 8
385
386 System ID: C:\Users\Carlos.Martinez\OneDrive -
386 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
387 Description: </xsl:for-each>
388 Match: for-each
389 Start location: 728:10
390 Offset: 33720
391 Length: 8
392
393 System ID: C:\Users\Carlos.Martinez\OneDrive -
393 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
394 Description: <xsl:for-each select="@datafield[@tag = 046] /subfield[@code = 'n']">
395 Match: for-each
396 Start location: 729:9
397 Offset: 33738
398 Length: 8
399
400 System ID: C:\Users\Carlos.Martinez\OneDrive -
400 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
401 Description: </xsl:for-each>
402 Match: for-each
403 Start location: 733:10
404 Offset: 33887
405 Length: 8
406
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
407 System ID: C:\Users\Carlos.Martinez\OneDrive -
407 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
408 Description: <xsl:for-each select="datafield[@tag = 046]/subfield[@code = 'j']">
409 Match: for-each
410 Start location: 734:9
411 Offset: 33905
412 Length: 8
413
414 System ID: C:\Users\Carlos.Martinez\OneDrive -
414 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
415 Description: </xsl:for-each>
416 Match: for-each
417 Start location: 738:10
418 Offset: 34048
419 Length: 8
420
421 System ID: C:\Users\Carlos.Martinez\OneDrive -
421 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
422 Description: <xsl:for-each select="datafield[@tag = 046]/subfield[@code = 'c']">
423 Match: for-each
424 Start location: 742:9
425 Offset: 34090
426 Length: 8
427
428 System ID: C:\Users\Carlos.Martinez\OneDrive -
428 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
429 Description: </xsl:for-each>
430 Match: for-each
431 Start location: 746:10
432 Offset: 34259
433 Length: 8
434
435 System ID: C:\Users\Carlos.Martinez\OneDrive -
435 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
436 Description: <xsl:for-each select="datafield[@tag = 046]/subfield[@code = 'e']">
437 Match: for-each
438 Start location: 747:9
439 Offset: 34277
440 Length: 8
441
442 System ID: C:\Users\Carlos.Martinez\OneDrive -
442 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
443 Description: </xsl:for-each>
444 Match: for-each
445 Start location: 751:10
446 Offset: 34444
447 Length: 8
448
449 System ID: C:\Users\Carlos.Martinez\OneDrive -
449 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
450 Description: <xsl:for-each select="datafield[@tag = 046]/subfield[@code = 'k']">
451 Match: for-each
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
452 Start location: 753:9
453 Offset: 34463
454 Length: 8
455
456 System ID: C:\Users\Carlos.Martinez\OneDrive -
457 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
458 Description: </xsl:for-each>
459 Match: for-each
460 Start location: 757:10
461 Offset: 34634
462 Length: 8
463
464 System ID: C:\Users\Carlos.Martinez\OneDrive -
465 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
466 Description: <xsl:for-each select="datafield[@tag = 046]/subfield[@code = '1']">
467 Match: for-each
468 Start location: 758:9
469 Offset: 34652
470 Length: 8
471
472 System ID: C:\Users\Carlos.Martinez\OneDrive -
473 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
474 Description: </xsl:for-each>
475 Match: for-each
476 Start location: 762:10
477 Offset: 34821
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

475 Length: 8
476
477 System ID: C:\Users\Carlos.Martinez\OneDrive -
477 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
478 Description: <xsl:for-each
479 Match: for-each
480 Start location: 765:9
481 Offset: 34904
482 Length: 8
483
484 System ID: C:\Users\Carlos.Martinez\OneDrive -
484 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
485 Description: </xsl:for-each>
486 Match: for-each
487 Start location: 812:10
488 Offset: 36522
489 Length: 8
490
491 System ID: C:\Users\Carlos.Martinez\OneDrive -
491 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
492 Description: <xsl:for-each
493 Match: for-each
494 Start location: 1002:9
495 Offset: 43817
496 Length: 8
497

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
498 System ID: C:\Users\Carlos.Martinez\OneDrive -
498 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
499 Description: </xsl:for-each>
500 Match: for-each
501 Start location: 1007:10
502 Offset: 44007
503 Length: 8
504
505 System ID: C:\Users\Carlos.Martinez\OneDrive -
505 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
506 Description: <xsl:for-each select="datafield[@tag = 033] [@ind1 =
506 2]/subfield[@code = 'a'] [1]">
507 Match: for-each
508 Start location: 1008:9
509 Offset: 44025
510 Length: 8
511
512 System ID: C:\Users\Carlos.Martinez\OneDrive -
512 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
513 Description: </xsl:for-each>
514 Match: for-each
515 Start location: 1012:10
516 Offset: 44215
517 Length: 8
518
519 System ID: C:\Users\Carlos.Martinez\OneDrive -
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
519 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
520 Description: <xsl:for-each select="datafield[@tag = 033] [@ind1 =
520 2]/subfield[@code = 'a'] [2]">
521 Match: for-each
522 Start location: 1013:9
523 Offset: 44233
524 Length: 8
525
526 System ID: C:\Users\Carlos.Martinez\OneDrive -
526 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
527 Description: </xsl:for-each>
528 Match: for-each
529 Start location: 1017:10
530 Offset: 44421
531 Length: 8
532
533 System ID: C:\Users\Carlos.Martinez\OneDrive -
533 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
534 Description: <xsl:for-each select="datafield[@tag = 250]/subfield[@code = 'a']">
535 Match: for-each
536 Start location: 1018:9
537 Offset: 44439
538 Length: 8
539
540 System ID: C:\Users\Carlos.Martinez\OneDrive -
540 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
```


FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
541 Description: </xsl:for-each>
542 Match: for-each
543 Start location: 1022:10
544 Offset: 44572
545 Length: 8
546
547 System ID: C:\Users\Carlos.Martinez\OneDrive -
547 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
548 Description: <xsl:for-each select="leader">
549 Match: for-each
550 Start location: 1026:9
551 Offset: 44608
552 Length: 8
553
554 System ID: C:\Users\Carlos.Martinez\OneDrive -
554 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
555 Description: </xsl:for-each>
556 Match: for-each
557 Start location: 1042:10
558 Offset: 45335
559 Length: 8
560
561 System ID: C:\Users\Carlos.Martinez\OneDrive -
561 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
562 Description: <xsl:for-each select="datafield[@tag =
562 321]">
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
563 Match: for-each
564 Start location: 1043:9
565 Offset: 45353
566 Length: 8
567
568 System ID: C:\Users\Carlos.Martinez\OneDrive -
568 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
569 Description: </xsl:for-each>
570 Match: for-each
571 Start location: 1049:10
572 Offset: 45614
573 Length: 8
574
575 System ID: C:\Users\Carlos.Martinez\OneDrive -
575 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
576 Description: <xsl:for-each select="controlfield[@tag = 008]">
577 Match: for-each
578 Start location: 1054:10
579 Offset: 45735
580 Length: 8
581
582 System ID: C:\Users\Carlos.Martinez\OneDrive -
582 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
583 Description: </xsl:for-each>
584 Match: for-each
585 Start location: 1092:11
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
586 Offset: 47559
587 Length: 8
588
589 System ID: C:\Users\Carlos.Martinez\OneDrive -
589 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
590 Description: <xsl:for-each select="@tag = 264"[@ind2 = 0]">
591 Match: for-each
592 Start location: 1100:8
593 Offset: 47637
594 Length: 8
595
596 System ID: C:\Users\Carlos.Martinez\OneDrive -
596 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
597 Description: </xsl:for-each>
598 Match: for-each
599 Start location: 1116:9
600 Offset: 48148
601 Length: 8
602
603 System ID: C:\Users\Carlos.Martinez\OneDrive -
603 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
604 Description: <xsl:for-eachselect="@tag=264"[@ind2=1]">
605 Match: for-each
606 Start location: 1117:8
607 Offset: 48165
608 Length: 8
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
609
610 System ID: C:\Users\Carlos.Martinez\OneDrive -
610 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
611 Description: </xsl:for-each>
612 Match: for-each
613 Start location: 1140:9
614 Offset: 48966
615 Length: 8
616
617 System ID: C:\Users\Carlos.Martinez\OneDrive -
617 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
618 Description: <!-- <xsl:for-each select="datafield[@tag = 264][@ind2 = 1]">
619 Match: for-each
620 Start location: 1141:12
621 Offset: 48987
622 Length: 8
623
624 System ID: C:\Users\Carlos.Martinez\OneDrive -
624 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
625 Description: <xsl:for-each select="//datafield[@tag = '264']/subfield[@code =
625 'b']">
626 Match: for-each
627 Start location: 1160:11
628 Offset: 49721
629 Length: 8
630
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
631 System ID: C:\Users\Carlos.Martinez\OneDrive -
631 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
632 Description: </xsl:for-each>
633 Match: for-each
634 Start location: 1164:12
635 Offset: 49915
636 Length: 8
637
638 System ID: C:\Users\Carlos.Martinez\OneDrive -
638 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
639 Description: <!--</xsl:for-each>-->
640 Match: for-each
641 Start location: 1171:13
642 Offset: 50095
643 Length: 8
644
645 System ID: C:\Users\Carlos.Martinez\OneDrive -
645 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
646 Description: <xsl:for-each select="datafield[@tag = 264] [@ind2 = 2]">
647 Match: for-each
648 Start location: 1172:8
649 Offset: 50115
650 Length: 8
651
652 System ID: C:\Users\Carlos.Martinez\OneDrive -
652 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
653 Description: </xsl:for-each>
654 Match: for-each
655 Start location: 1188:9
656 Offset: 50631
657 Length: 8
658
659 System ID: C:\Users\Carlos.Martinez\OneDrive -
659 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
660 Description: <xsl:for-each select="@tag = 264" [@ind2 = 3]">
661 Match: for-each
662 Start location: 1189:8
663 Offset: 50648
664 Length: 8
665
666 System ID: C:\Users\Carlos.Martinez\OneDrive -
666 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
667 Description: </xsl:for-each>
668 Match: for-each
669 Start location: 1205:9
670 Offset: 51164
671 Length: 8
672
673 System ID: C:\Users\Carlos.Martinez\OneDrive -
673 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
674 Description: <xsl:for-each select="@tag = 880" ">
675 Match: for-each
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
676 Start location: 1208:8
677 Offset: 51183
678 Length: 8
679
680 System ID: C:\Users\Carlos.Martinez\OneDrive -
680 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
681 Description: <xsl:for-each
682 Match: for-each
683 Start location: 1220:12
684 Offset: 51728
685 Length: 8
686
687 System ID: C:\Users\Carlos.Martinez\OneDrive -
687 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
688 Description: </xsl:for-each>
689 Match: for-each
690 Start location: 1223:13
691 Offset: 51903
692 Length: 8
693
694 System ID: C:\Users\Carlos.Martinez\OneDrive -
694 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
695 Description: <xsl:for-each
696 Match: for-each
697 Start location: 1246:12
698 Offset: 52592
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
699 Length: 8
700
701 System ID: C:\Users\Carlos.Martinez\OneDrive -
701 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
702 Description: </xsl:for-each>
703 Match: for-each
704 Start location: 1251:13
705 Offset: 52796
706 Length: 8
707
708 System ID: C:\Users\Carlos.Martinez\OneDrive -
708 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
709 Description: <xsl:for-each select="../datafield[@tag = 300]">
710 Match: for-each
711 Start location: 1256:12
712 Offset: 52914
713 Length: 8
714
715 System ID: C:\Users\Carlos.Martinez\OneDrive -
715 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
716 Description: </xsl:for-each>
717 Match: for-each
718 Start location: 1258:13
719 Offset: 53013
720 Length: 8
721
```


FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

722 System ID: C:\Users\Carlos.Martinez\OneDrive -
722 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
723 Description: <xsl:for-each select="subfield">
724 Match: for-each
725 Start location: 1260:13
726 Offset: 53050
727 Length: 8
728
729 System ID: C:\Users\Carlos.Martinez\OneDrive -
729 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
730 Description: </xsl:for-each>
731 Match: for-each
732 Start location: 1266:14
733 Offset: 53267
734 Length: 8
735
736 System ID: C:\Users\Carlos.Martinez\OneDrive -
736 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
737 Description: </xsl:for-each>
738 Match: for-each
739 Start location: 1290:9
740 Offset: 54033
741 Length: 8
742
743 System ID: C:\Users\Carlos.Martinez\OneDrive -
743 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
744 Description: <xsl:for-each select="datafield[@tag = 041]">
745 Match: for-each
746 Start location: 1303:8
747 Offset: 54472
748 Length: 8
749
750 System ID: C:\Users\Carlos.Martinez\OneDrive -
750 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
751 Description: <xsl:for-each
752 Match: for-each
753 Start location: 1304:9
754 Offset: 54521
755 Length: 8
756
757 System ID: C:\Users\Carlos.Martinez\OneDrive -
757 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
758 Description: </xsl:for-each>
759 Match: for-each
760 Start location: 1347:10
761 Offset: 56154
762 Length: 8
763
764 System ID: C:\Users\Carlos.Martinez\OneDrive -
764 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
765 Description: </xsl:for-each>
766 Match: for-each
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
767 Start location: 1348:9
768 Offset: 56172
769 Length: 8
770
771 System ID: C:\Users\Carlos.Martinez\OneDrive -
771 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
772 Description: <xsl:for-each select="datafield[@tag = 256]/subfield[@code = 'a']">
773 Match: for-each
774 Start location: 1458:9
775 Offset: 60508
776 Length: 8
777
778 System ID: C:\Users\Carlos.Martinez\OneDrive -
778 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
779 Description: </xsl:for-each>
780 Match: for-each
781 Start location: 1462:10
782 Offset: 60635
783 Length: 8
784
785 System ID: C:\Users\Carlos.Martinez\OneDrive -
785 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
786 Description: <xsl:for-each select="controlfield[@tag = 007][substring(text(),
786 1, 1) = 'c']">
787 Match: for-each
788 Start location: 1463:9
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

789 Offset: 60653
790 Length: 8
791
792 System ID: C:\Users\Carlos.Martinez\OneDrive -
792 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
793 Description: </xsl:for-each>
794 Match: for-each
795 Start location: 1475:10
796 Offset: 61164
797 Length: 8
798
799 System ID: C:\Users\Carlos.Martinez\OneDrive -
799 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
800 Description: <xsl:for-each
801 Match: for-each
802 Start location: 1836:9
803 Offset: 77549
804 Length: 8
805
806 System ID: C:\Users\Carlos.Martinez\OneDrive -
806 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
807 Description: </xsl:for-each>
808 Match: for-each
809 Start location: 1841:10
810 Offset: 77731
811 Length: 8

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

812
813 System ID: C:\Users\Carlos.Martinez\OneDrive -
813 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
814 Description: <xsl:for-each select="datafield[@tag = 300]">
815 Match: for-each
816 Start location: 1843:9
817 Offset: 77750
818 Length: 8
819
820 System ID: C:\Users\Carlos.Martinez\OneDrive -
820 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
821 Description: </xsl:for-each>
822 Match: for-each
823 Start location: 1849:10
824 Offset: 77960
825 Length: 8
826
827 System ID: C:\Users\Carlos.Martinez\OneDrive -
827 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
828 Description: <xsl:for-each select="datafield[@tag = 337]">
829 Match: for-each
830 Start location: 1852:9
831 Offset: 77980
832 Length: 8
833
834 System ID: C:\Users\Carlos.Martinez\OneDrive -

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
834 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
835 Description: </xsl:for-each>
836 Match: for-each
837 Start location: 1861:10
838 Offset: 78306
839 Length: 8
840
841 System ID: C:\Users\Carlos.Martinez\OneDrive -
841 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
842 Description: <xsl:for-each select="datafield[@tag = 338]">
843 Match: for-each
844 Start location: 1863:9
845 Offset: 78325
846 Length: 8
847
848 System ID: C:\Users\Carlos.Martinez\OneDrive -
848 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
849 Description: </xsl:for-each>
850 Match: for-each
851 Start location: 1872:10
852 Offset: 78653
853 Length: 8
854
855 System ID: C:\Users\Carlos.Martinez\OneDrive -
855 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
856 Description: <xsl:for-each select="datafield[@tag = 351]">
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
857 Match: for-each
858 Start location: 1876:9
859 Offset: 78707
860 Length: 8
861
862 System ID: C:\Users\Carlos.Martinez\OneDrive -
862 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
863 Description: <xsl:for-each select="subfield[@code = '3']">
864 Match: for-each
865 Start location: 1878:11
866 Offset: 78788
867 Length: 8
868
869 System ID: C:\Users\Carlos.Martinez\OneDrive -
869 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
870 Description: </xsl:for-each>
871 Match: for-each
872 Start location: 1881:12
873 Offset: 78903
874 Length: 8
875
876 System ID: C:\Users\Carlos.Martinez\OneDrive -
876 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
877 Description: </xsl:for-each>
878 Match: for-each
879 Start location: 1886:10
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
880 Offset: 79063
881 Length: 8
882
883 System ID: C:\Users\Carlos.Martinez\OneDrive -
883 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
884 Description: <xsl:for-each select="datafield[@tag = 300]">
885 Match: for-each
886 Start location: 1893:10
887 Offset: 79199
888 Length: 8
889
890 System ID: C:\Users\Carlos.Martinez\OneDrive -
890 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
891 Description: </xsl:for-each>
892 Match: for-each
893 Start location: 1896:11
894 Offset: 79346
895 Length: 8
896
897 System ID: C:\Users\Carlos.Martinez\OneDrive -
897 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
898 Description: <xsl:for-each select="datafield[@tag = 337]">
899 Match: for-each
900 Start location: 1897:10
901 Offset: 79365
902 Length: 8
```


FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
903
904 System ID: C:\Users\Carlos.Martinez\OneDrive -
904 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
905 Description: </xsl:for-each>
906 Match: for-each
907 Start location: 1900:11
908 Offset: 79511
909 Length: 8
910
911 System ID: C:\Users\Carlos.Martinez\OneDrive -
911 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
912 Description: <xsl:for-each select="datafield[@tag = 338]">
913 Match: for-each
914 Start location: 1901:10
915 Offset: 79530
916 Length: 8
917
918 System ID: C:\Users\Carlos.Martinez\OneDrive -
918 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
919 Description: </xsl:for-each>
920 Match: for-each
921 Start location: 1904:11
922 Offset: 79676
923 Length: 8
924
925 System ID: C:\Users\Carlos.Martinez\OneDrive -
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
925 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
926 Description: <xsl:for-each select="datafield[@tag = 520]">
927 Match: for-each
928 Start location: 1911:8
929 Offset: 79783
930 Length: 8
931
932 System ID: C:\Users\Carlos.Martinez\OneDrive -
932 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
933 Description: </xsl:for-each>
934 Match: for-each
935 Start location: 1913:9
936 Offset: 79885
937 Length: 8
938
939 System ID: C:\Users\Carlos.Martinez\OneDrive -
939 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
940 Description: <xsl:for-each select="datafield[@tag = 505]">
941 Match: for-each
942 Start location: 1915:8
943 Offset: 79903
944 Length: 8
945
946 System ID: C:\Users\Carlos.Martinez\OneDrive -
946 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
947 Description: </xsl:for-each>
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
948 Match: for-each
949 Start location: 1917:9
950 Offset: 80000
951 Length: 8
952
953 System ID: C:\Users\Carlos.Martinez\OneDrive -
953 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
954 Description: <xsl:for-each select="datafield[@tag = 521]">
955 Match: for-each
956 Start location: 1919:8
957 Offset: 80018
958 Length: 8
959
960 System ID: C:\Users\Carlos.Martinez\OneDrive -
960 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
961 Description: </xsl:for-each>
962 Match: for-each
963 Start location: 1921:9
964 Offset: 80126
965 Length: 8
966
967 System ID: C:\Users\Carlos.Martinez\OneDrive -
967 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
968 Description: <xsl:for-each select="datafield[@tag = 506]">
969 Match: for-each
970 Start location: 1923:8
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

971 Offset: 80144
972 Length: 8
973
974 System ID: C:\Users\Carlos.Martinez\OneDrive -
974 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
975 Description: </xsl:for-each>
976 Match: for-each
977 Start location: 1925:9
978 Offset: 80253
979 Length: 8
980
981 System ID: C:\Users\Carlos.Martinez\OneDrive -
981 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
982 Description: <xsl:for-each select="datafield[@tag = 540]">
983 Match: for-each
984 Start location: 1927:8
985 Offset: 80271
986 Length: 8
987
988 System ID: C:\Users\Carlos.Martinez\OneDrive -
988 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
989 Description: </xsl:for-each>
990 Match: for-each
991 Start location: 1929:9
992 Offset: 80380
993 Length: 8

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
994
995 System ID: C:\Users\Carlos.Martinez\OneDrive -
995 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
996 Description: <xsl:for-each select="datafield[@tag=510]">
997 Match: for-each
998 Start location: 1960:8
999 Offset: 81601
1000 Length: 8
1001
1002 System ID: C:\Users\Carlos.Martinez\OneDrive -
1002 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1003 Description: <xsl:for-each select="subfield[@code!='6' or @code!='8']">
1004 Match: for-each
1005 Start location: 1964:11
1006 Offset: 81752
1007 Length: 8
1008
1009 System ID: C:\Users\Carlos.Martinez\OneDrive -
1009 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1010 Description: </xsl:for-each>
1011 Match: for-each
1012 Start location: 1967:12
1013 Offset: 81879
1014 Length: 8
1015
1016 System ID: C:\Users\Carlos.Martinez\OneDrive -
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1016 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1017 Description: </xsl:for-each>
1018 Match: for-each
1019 Start location: 1971:9
1020 Offset: 81997
1021 Length: 8
1022
1023 System ID: C:\Users\Carlos.Martinez\OneDrive -
1023 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1024 Description: <xsl:for-each select="datafield[@tag = 245]">
1025 Match: for-each
1026 Start location: 1978:9
1027 Offset: 82168
1028 Length: 8
1029
1030 System ID: C:\Users\Carlos.Martinez\OneDrive -
1030 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1031 Description: </xsl:for-each>
1032 Match: for-each
1033 Start location: 1980:10
1034 Offset: 82269
1035 Length: 8
1036
1037 System ID: C:\Users\Carlos.Martinez\OneDrive -
1037 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1038 Description: <xsl:for-each select="datafield[@tag = 362]">
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1039 Match: for-each
1040 Start location: 1983:8
1041 Offset: 82299
1042 Length: 8
1043
1044 System ID: C:\Users\Carlos.Martinez\OneDrive -
1044 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1045 Description: </xsl:for-each>
1046 Match: for-each
1047 Start location: 1985:9
1048 Offset: 82397
1049 Length: 8
1050
1051 System ID: C:\Users\Carlos.Martinez\OneDrive -
1051 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1052 Description: <xsl:for-each select="datafield[@tag = 500]">
1053 Match: for-each
1054 Start location: 1987:8
1055 Offset: 82415
1056 Length: 8
1057
1058 System ID: C:\Users\Carlos.Martinez\OneDrive -
1058 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1059 Description: </xsl:for-each>
1060 Match: for-each
1061 Start location: 1989:9
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

1062 Offset: 82513
1063 Length: 8
1064
1065 System ID: C:\Users\Carlos.Martinez\OneDrive -
1065 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1066 Description: <xsl:for-each select="datafield[@tag = 502]">
1067 Match: for-each
1068 Start location: 1991:8
1069 Offset: 82531
1070 Length: 8
1071
1072 System ID: C:\Users\Carlos.Martinez\OneDrive -
1072 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1073 Description: </xsl:for-each>
1074 Match: for-each
1075 Start location: 1993:9
1076 Offset: 82629
1077 Length: 8
1078
1079 System ID: C:\Users\Carlos.Martinez\OneDrive -
1079 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1080 Description: <xsl:for-each select="datafield[@tag = 504]">
1081 Match: for-each
1082 Start location: 1995:8
1083 Offset: 82647
1084 Length: 8

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1085
1086 System ID: C:\Users\Carlos.Martinez\OneDrive -
1086 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1087 Description: </xsl:for-each>
1088 Match: for-each
1089 Start location: 1997:9
1090 Offset: 82745
1091 Length: 8
1092
1093 System ID: C:\Users\Carlos.Martinez\OneDrive -
1093 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1094 Description: <xsl:for-each select="datafield[@tag = 508]">
1095 Match: for-each
1096 Start location: 1999:8
1097 Offset: 82763
1098 Length: 8
1099
1100 System ID: C:\Users\Carlos.Martinez\OneDrive -
1100 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1101 Description: </xsl:for-each>
1102 Match: for-each
1103 Start location: 2001:9
1104 Offset: 82861
1105 Length: 8
1106
1107 System ID: C:\Users\Carlos.Martinez\OneDrive -
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1107 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1108 Description: <xsl:for-each select="datafield[@tag = 511]">
1109 Match: for-each
1110 Start location: 2003:8
1111 Offset: 82879
1112 Length: 8
1113
1114 System ID: C:\Users\Carlos.Martinez\OneDrive -
1114 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1115 Description: </xsl:for-each>
1116 Match: for-each
1117 Start location: 2005:9
1118 Offset: 82977
1119 Length: 8
1120
1121 System ID: C:\Users\Carlos.Martinez\OneDrive -
1121 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1122 Description: <xsl:for-each select="datafield[@tag = 515]">
1123 Match: for-each
1124 Start location: 2007:8
1125 Offset: 82995
1126 Length: 8
1127
1128 System ID: C:\Users\Carlos.Martinez\OneDrive -
1128 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1129 Description: </xsl:for-each>
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1130 Match: for-each
1131 Start location: 2009:9
1132 Offset: 83093
1133 Length: 8
1134
1135 System ID: C:\Users\Carlos.Martinez\OneDrive -
1135 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1136 Description: <xsl:for-each select="datafield[@tag = 518]">
1137 Match: for-each
1138 Start location: 2011:8
1139 Offset: 83111
1140 Length: 8
1141
1142 System ID: C:\Users\Carlos.Martinez\OneDrive -
1142 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1143 Description: </xsl:for-each>
1144 Match: for-each
1145 Start location: 2013:9
1146 Offset: 83209
1147 Length: 8
1148
1149 System ID: C:\Users\Carlos.Martinez\OneDrive -
1149 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1150 Description: <xsl:for-each select="datafield[@tag = 524]">
1151 Match: for-each
1152 Start location: 2015:8
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

1153 Offset: 83227
1154 Length: 8
1155
1156 System ID: C:\Users\Carlos.Martinez\OneDrive -
1156 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1157 Description: </xsl:for-each>
1158 Match: for-each
1159 Start location: 2017:9
1160 Offset: 83325
1161 Length: 8
1162
1163 System ID: C:\Users\Carlos.Martinez\OneDrive -
1163 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1164 Description: <xsl:for-each select="datafield[@tag = 530]">
1165 Match: for-each
1166 Start location: 2019:8
1167 Offset: 83343
1168 Length: 8
1169
1170 System ID: C:\Users\Carlos.Martinez\OneDrive -
1170 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1171 Description: </xsl:for-each>
1172 Match: for-each
1173 Start location: 2021:9
1174 Offset: 83441
1175 Length: 8

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

1176
1177 System ID: C:\Users\Carlos.Martinez\OneDrive -
1177 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1178 Description: <xsl:for-each select="datafield[@tag = 533]">
1179 Match: for-each
1180 Start location: 2023:8
1181 Offset: 83459
1182 Length: 8
1183
1184 System ID: C:\Users\Carlos.Martinez\OneDrive -
1184 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1185 Description: </xsl:for-each>
1186 Match: for-each
1187 Start location: 2025:9
1188 Offset: 83557
1189 Length: 8
1190
1191 System ID: C:\Users\Carlos.Martinez\OneDrive -
1191 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1192 Description: <xsl:for-each select="datafield[@tag=534]">
1193 Match: for-each
1194 Start location: 2027:8
1195 Offset: 83581
1196 Length: 8
1197
1198 System ID: C:\Users\Carlos.Martinez\OneDrive -

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1198   USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1199   Description: </xsl:for-each>
1200   Match: for-each
1201   Start location: 2029:9
1202   Offset: 83677
1203   Length: 8
1204
1205   System ID: C:\Users\Carlos.Martinez\OneDrive -
1205   USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1206   Description: <xsl:for-each select="datafield[@tag = 535]">
1207   Match: for-each
1208   Start location: 2032:8
1209   Offset: 83699
1210   Length: 8
1211
1212   System ID: C:\Users\Carlos.Martinez\OneDrive -
1212   USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1213   Description: </xsl:for-each>
1214   Match: for-each
1215   Start location: 2034:9
1216   Offset: 83797
1217   Length: 8
1218
1219   System ID: C:\Users\Carlos.Martinez\OneDrive -
1219   USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1220   Description: <xsl:for-each select="datafield[@tag = 536]">
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1221 Match: for-each
1222 Start location: 2036:8
1223 Offset: 83815
1224 Length: 8
1225
1226 System ID: C:\Users\Carlos.Martinez\OneDrive -
1226 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1227 Description: </xsl:for-each>
1228 Match: for-each
1229 Start location: 2038:9
1230 Offset: 83913
1231 Length: 8
1232
1233 System ID: C:\Users\Carlos.Martinez\OneDrive -
1233 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1234 Description: <xsl:for-each select="datafield[@tag = 538]">
1235 Match: for-each
1236 Start location: 2040:8
1237 Offset: 83931
1238 Length: 8
1239
1240 System ID: C:\Users\Carlos.Martinez\OneDrive -
1240 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1241 Description: </xsl:for-each>
1242 Match: for-each
1243 Start location: 2042:9
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

1244	Offset: 84029	
1245	Length: 8	
1246		
1247	System ID: C:\Users\Carlos.Martinez\OneDrive -	
1247	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl	
1248	Description: <xsl:for-each select="datafield[@tag = 541]">	
1249	Match: for-each	
1250	Start location: 2044:8	
1251	Offset: 84047	
1252	Length: 8	
1253		
1254	System ID: C:\Users\Carlos.Martinez\OneDrive -	
1254	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl	
1255	Description: </xsl:for-each>	
1256	Match: for-each	
1257	Start location: 2046:9	
1258	Offset: 84145	
1259	Length: 8	
1260		
1261	System ID: C:\Users\Carlos.Martinez\OneDrive -	
1261	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl	
1262	Description: <xsl:for-each select="datafield[@tag = 545]">	
1263	Match: for-each	
1264	Start location: 2048:8	
1265	Offset: 84163	
1266	Length: 8	

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1267
1268 System ID: C:\Users\Carlos.Martinez\OneDrive -
1268 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1269 Description: </xsl:for-each>
1270 Match: for-each
1271 Start location: 2050:9
1272 Offset: 84261
1273 Length: 8
1274
1275 System ID: C:\Users\Carlos.Martinez\OneDrive -
1275 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1276 Description: <xsl:for-each select="datafield[@tag = 546]">
1277 Match: for-each
1278 Start location: 2052:8
1279 Offset: 84279
1280 Length: 8
1281
1282 System ID: C:\Users\Carlos.Martinez\OneDrive -
1282 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1283 Description: </xsl:for-each>
1284 Match: for-each
1285 Start location: 2054:9
1286 Offset: 84377
1287 Length: 8
1288
1289 System ID: C:\Users\Carlos.Martinez\OneDrive -
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1289   USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1290   Description: <xsl:for-each select="datafield[@tag = 561]">
1291   Match: for-each
1292   Start location: 2056:8
1293   Offset: 84395
1294   Length: 8
1295
1296   System ID: C:\Users\Carlos.Martinez\OneDrive -
1296   USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1297   Description: </xsl:for-each>
1298   Match: for-each
1299   Start location: 2058:9
1300   Offset: 84493
1301   Length: 8
1302
1303   System ID: C:\Users\Carlos.Martinez\OneDrive -
1303   USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1304   Description: <xsl:for-each select="datafield[@tag = 562]">
1305   Match: for-each
1306   Start location: 2060:8
1307   Offset: 84511
1308   Length: 8
1309
1310   System ID: C:\Users\Carlos.Martinez\OneDrive -
1310   USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1311   Description: </xsl:for-each>
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1312 Match: for-each
1313 Start location: 2062:9
1314 Offset: 84609
1315 Length: 8
1316
1317 System ID: C:\Users\Carlos.Martinez\OneDrive -
1317 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1318 Description: <xsl:for-each select="datafield[@tag = 581]">
1319 Match: for-each
1320 Start location: 2064:8
1321 Offset: 84627
1322 Length: 8
1323
1324 System ID: C:\Users\Carlos.Martinez\OneDrive -
1324 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1325 Description: </xsl:for-each>
1326 Match: for-each
1327 Start location: 2066:9
1328 Offset: 84725
1329 Length: 8
1330
1331 System ID: C:\Users\Carlos.Martinez\OneDrive -
1331 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1332 Description: <xsl:for-each select="datafield[@tag = 583]">
1333 Match: for-each
1334 Start location: 2068:8
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

1335 Offset: 84743
1336 Length: 8
1337
1338 System ID: C:\Users\Carlos.Martinez\OneDrive -
1338 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1339 Description: </xsl:for-each>
1340 Match: for-each
1341 Start location: 2070:9
1342 Offset: 84841
1343 Length: 8
1344
1345 System ID: C:\Users\Carlos.Martinez\OneDrive -
1345 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1346 Description: <xsl:for-each select="datafield[@tag = 585]">
1347 Match: for-each
1348 Start location: 2072:8
1349 Offset: 84859
1350 Length: 8
1351
1352 System ID: C:\Users\Carlos.Martinez\OneDrive -
1352 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1353 Description: </xsl:for-each>
1354 Match: for-each
1355 Start location: 2074:9
1356 Offset: 84957
1357 Length: 8

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

1358
1359 System ID: C:\Users\Carlos.Martinez\OneDrive -
1359 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1360 Description: <xsl:for-each select="datafield[@tag = 588]">
1361 Match: for-each
1362 Start location: 2076:8
1363 Offset: 84975
1364 Length: 8
1365
1366 System ID: C:\Users\Carlos.Martinez\OneDrive -
1366 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1367 Description: </xsl:for-each>
1368 Match: for-each
1369 Start location: 2078:9
1370 Offset: 85073
1371 Length: 8
1372
1373 System ID: C:\Users\Carlos.Martinez\OneDrive -
1373 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1374 Description: <xsl:for-each
1375 Match: for-each
1376 Start location: 2080:8
1377 Offset: 85091
1378 Length: 8
1379
1380 System ID: C:\Users\Carlos.Martinez\OneDrive -

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1380 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1381 Description: </xsl:for-each>
1382 Match: for-each
1383 Start location: 2083:9
1384 Offset: 85444
1385 Length: 8
1386
1387 System ID: C:\Users\Carlos.Martinez\OneDrive -
1387 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1388 Description: <xsl:for-each select="datafield[@tag = 034]">
1389 Match: for-each
1390 Start location: 2085:8
1391 Offset: 85462
1392 Length: 8
1393
1394 System ID: C:\Users\Carlos.Martinez\OneDrive -
1394 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1395 Description: </xsl:for-each>
1396 Match: for-each
1397 Start location: 2087:9
1398 Offset: 85562
1399 Length: 8
1400
1401 System ID: C:\Users\Carlos.Martinez\OneDrive -
1401 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1402 Description: <xsl:for-each select="datafield[@tag = 043]">
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1403 Match: for-each
1404 Start location: 2089:8
1405 Offset: 85580
1406 Length: 8
1407
1408 System ID: C:\Users\Carlos.Martinez\OneDrive -
1408 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1409 Description: </xsl:for-each>
1410 Match: for-each
1411 Start location: 2091:9
1412 Offset: 85680
1413 Length: 8
1414
1415 System ID: C:\Users\Carlos.Martinez\OneDrive -
1415 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1416 Description: <xsl:for-each select="datafield[@tag = 045]">
1417 Match: for-each
1418 Start location: 2093:8
1419 Offset: 85698
1420 Length: 8
1421
1422 System ID: C:\Users\Carlos.Martinez\OneDrive -
1422 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1423 Description: </xsl:for-each>
1424 Match: for-each
1425 Start location: 2095:9
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

1426 Offset: 85798
1427 Length: 8
1428
1429 System ID: C:\Users\Carlos.Martinez\OneDrive -
1429 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1430 Description: <xsl:for-each select="datafield[@tag = 255]">
1431 Match: for-each
1432 Start location: 2097:8
1433 Offset: 85816
1434 Length: 8
1435
1436 System ID: C:\Users\Carlos.Martinez\OneDrive -
1436 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1437 Description: </xsl:for-each>
1438 Match: for-each
1439 Start location: 2099:9
1440 Offset: 85916
1441 Length: 8
1442
1443 System ID: C:\Users\Carlos.Martinez\OneDrive -
1443 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1444 Description: <xsl:for-each select="datafield[@tag = 600]">
1445 Match: for-each
1446 Start location: 2101:8
1447 Offset: 85934
1448 Length: 8

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1449
1450 System ID: C:\Users\Carlos.Martinez\OneDrive -
1450 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1451 Description: </xsl:for-each>
1452 Match: for-each
1453 Start location: 2103:9
1454 Offset: 86035
1455 Length: 8
1456
1457 System ID: C:\Users\Carlos.Martinez\OneDrive -
1457 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1458 Description: <xsl:for-each select="datafield[@tag = 610]">
1459 Match: for-each
1460 Start location: 2105:8
1461 Offset: 86053
1462 Length: 8
1463
1464 System ID: C:\Users\Carlos.Martinez\OneDrive -
1464 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1465 Description: </xsl:for-each>
1466 Match: for-each
1467 Start location: 2107:9
1468 Offset: 86154
1469 Length: 8
1470
1471 System ID: C:\Users\Carlos.Martinez\OneDrive -
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1471 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1472 Description: <xsl:for-each select="datafield[@tag = 611]">
1473 Match: for-each
1474 Start location: 2109:8
1475 Offset: 86172
1476 Length: 8
1477
1478 System ID: C:\Users\Carlos.Martinez\OneDrive -
1478 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1479 Description: </xsl:for-each>
1480 Match: for-each
1481 Start location: 2111:9
1482 Offset: 86273
1483 Length: 8
1484
1485 System ID: C:\Users\Carlos.Martinez\OneDrive -
1485 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1486 Description: <xsl:for-each select="datafield[@tag = 630]">
1487 Match: for-each
1488 Start location: 2113:8
1489 Offset: 86291
1490 Length: 8
1491
1492 System ID: C:\Users\Carlos.Martinez\OneDrive -
1492 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1493 Description: </xsl:for-each>
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1494 Match: for-each
1495 Start location: 2115:9
1496 Offset: 86393
1497 Length: 8
1498
1499 System ID: C:\Users\Carlos.Martinez\OneDrive -
1499 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1500 Description: <xsl:for-each select="datafield[@tag = 648]">
1501 Match: for-each
1502 Start location: 2117:8
1503 Offset: 86411
1504 Length: 8
1505
1506 System ID: C:\Users\Carlos.Martinez\OneDrive -
1506 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1507 Description: </xsl:for-each>
1508 Match: for-each
1509 Start location: 2119:9
1510 Offset: 86513
1511 Length: 8
1512
1513 System ID: C:\Users\Carlos.Martinez\OneDrive -
1513 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1514 Description: <xsl:for-each select="datafield[@tag = 650]">
1515 Match: for-each
1516 Start location: 2121:8
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1517 Offset: 86531
1518 Length: 8
1519
1520 System ID: C:\Users\Carlos.Martinez\OneDrive -
1520 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1521 Description: </xsl:for-each>
1522 Match: for-each
1523 Start location: 2123:9
1524 Offset: 86631
1525 Length: 8
1526
1527 System ID: C:\Users\Carlos.Martinez\OneDrive -
1527 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1528 Description: <xsl:for-each select="datafield[@tag = 651]">
1529 Match: for-each
1530 Start location: 2125:8
1531 Offset: 86649
1532 Length: 8
1533
1534 System ID: C:\Users\Carlos.Martinez\OneDrive -
1534 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1535 Description: </xsl:for-each>
1536 Match: for-each
1537 Start location: 2127:9
1538 Offset: 86749
1539 Length: 8
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1540
1541 System ID: C:\Users\Carlos.Martinez\OneDrive -
1541 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1542 Description: <xsl:for-each select="datafield[@tag = 653]">
1543 Match: for-each
1544 Start location: 2129:8
1545 Offset: 86767
1546 Length: 8
1547
1548 System ID: C:\Users\Carlos.Martinez\OneDrive -
1548 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1549 Description: </xsl:for-each>
1550 Match: for-each
1551 Start location: 2131:9
1552 Offset: 86864
1553 Length: 8
1554
1555 System ID: C:\Users\Carlos.Martinez\OneDrive -
1555 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1556 Description: <xsl:for-each select="datafield[@tag = 656]">
1557 Match: for-each
1558 Start location: 2133:8
1559 Offset: 86882
1560 Length: 8
1561
1562 System ID: C:\Users\Carlos.Martinez\OneDrive -
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1562 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1563 Description: </xsl:for-each>
1564 Match: for-each
1565 Start location: 2135:9
1566 Offset: 86979
1567 Length: 8
1568
1569 System ID: C:\Users\Carlos.Martinez\OneDrive -
1569 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1570 Description: <xsl:for-each select="datafield[@tag = 752]">
1571 Match: for-each
1572 Start location: 2140:8
1573 Offset: 87055
1574 Length: 8
1575
1576 System ID: C:\Users\Carlos.Martinez\OneDrive -
1576 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1577 Description: </xsl:for-each>
1578 Match: for-each
1579 Start location: 2142:9
1580 Offset: 87158
1581 Length: 8
1582
1583 System ID: C:\Users\Carlos.Martinez\OneDrive -
1583 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1584 Description: <xsl:for-each select="datafield[@tag = 072][@ind2 = '0']">
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1585 Match: for-each
1586 Start location: 2145:8
1587 Offset: 87220
1588 Length: 8
1589
1590 System ID: C:\Users\Carlos.Martinez\OneDrive -
1590 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1591 Description: </xsl:for-each>
1592 Match: for-each
1593 Start location: 2155:9
1594 Offset: 87544
1595 Length: 8
1596
1597 System ID: C:\Users\Carlos.Martinez\OneDrive -
1597 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1598 Description: <xsl:for-each select="datafield[@tag = '050']">
1599 Match: for-each
1600 Start location: 2160:8
1601 Offset: 87648
1602 Length: 8
1603
1604 System ID: C:\Users\Carlos.Martinez\OneDrive -
1604 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1605 Description: </xsl:for-each>
1606 Match: for-each
1607 Start location: 2162:9
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1608 Offset: 87758
1609 Length: 8
1610
1611 System ID: C:\Users\Carlos.Martinez\OneDrive -
1611 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1612 Description: <xsl:for-each select="datafield[@tag = '060']">
1613 Match: for-each
1614 Start location: 2163:8
1615 Offset: 87775
1616 Length: 8
1617
1618 System ID: C:\Users\Carlos.Martinez\OneDrive -
1618 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1619 Description: </xsl:for-each>
1620 Match: for-each
1621 Start location: 2165:9
1622 Offset: 87885
1623 Length: 8
1624
1625 System ID: C:\Users\Carlos.Martinez\OneDrive -
1625 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1626 Description: <xsl:for-each select="datafield[@tag = '080']">
1627 Match: for-each
1628 Start location: 2166:8
1629 Offset: 87902
1630 Length: 8
```


FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1631
1632 System ID: C:\Users\Carlos.Martinez\OneDrive -
1633 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1634 Description: </xsl:for-each>
1635 Match: for-each
1636 Start location: 2168:9
1637 Offset: 88012
1638 Length: 8
1639
1639 System ID: C:\Users\Carlos.Martinez\OneDrive -
1640 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1641 Description: <xsl:for-each select="datafield[@tag = '082']">
1642 Match: for-each
1643 Start location: 2169:8
1644 Offset: 88029
1645 Length: 8
1646
1646 System ID: C:\Users\Carlos.Martinez\OneDrive -
1647 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1648 Description: </xsl:for-each>
1649 Match: for-each
1650 Start location: 2171:9
1651 Offset: 88139
1652 Length: 8
1653
1653 System ID: C:\Users\Carlos.Martinez\OneDrive -
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1653 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1654 Description: <xsl:for-each select="datafield[@tag = '084']">
1655 Match: for-each
1656 Start location: 2172:8
1657 Offset: 88156
1658 Length: 8
1659
1660 System ID: C:\Users\Carlos.Martinez\OneDrive -
1660 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1661 Description: </xsl:for-each>
1662 Match: for-each
1663 Start location: 2174:9
1664 Offset: 88266
1665 Length: 8
1666
1667 System ID: C:\Users\Carlos.Martinez\OneDrive -
1667 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1668 Description: <xsl:for-each select="datafield[@tag = '086']">
1669 Match: for-each
1670 Start location: 2175:8
1671 Offset: 88283
1672 Length: 8
1673
1674 System ID: C:\Users\Carlos.Martinez\OneDrive -
1674 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1675 Description: </xsl:for-each>
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1676 Match: for-each
1677 Start location: 2177:9
1678 Offset: 88393
1679 Length: 8
1680
1681 System ID: C:\Users\Carlos.Martinez\OneDrive -
1681 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1682 Description: <xsl:for-each select="datafield[@tag = 852]">
1683 Match: for-each
1684 Start location: 2193:8
1685 Offset: 88878
1686 Length: 8
1687
1688 System ID: C:\Users\Carlos.Martinez\OneDrive -
1688 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1689 Description: </xsl:for-each>
1690 Match: for-each
1691 Start location: 2195:9
1692 Offset: 88980
1693 Length: 8
1694
1695 System ID: C:\Users\Carlos.Martinez\OneDrive -
1695 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1696 Description: <xsl:for-each select="datafield[@tag = 856]">
1697 Match: for-each
1698 Start location: 2196:8
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

1699 Offset: 88997
1700 Length: 8
1701
1702 System ID: C:\Users\Carlos.Martinez\OneDrive -
1702 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1703 Description: </xsl:for-each>
1704 Match: for-each
1705 Start location: 2198:9
1706 Offset: 89099
1707 Length: 8
1708
1709 System ID: C:\Users\Carlos.Martinez\OneDrive -
1709 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1710 Description: <xsl:for-each select="@tag = 490"[@ind1 = 0]">
1711 Match: for-each
1712 Start location: 2199:8
1713 Offset: 89116
1714 Length: 8
1715
1716 System ID: C:\Users\Carlos.Martinez\OneDrive -
1716 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1717 Description: </xsl:for-each>
1718 Match: for-each
1719 Start location: 2201:9
1720 Offset: 89232
1721 Length: 8

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1722
1723 System ID: C:\Users\Carlos.Martinez\OneDrive -
1723 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1724 Description: <xsl:for-each select="datafield[@tag = 440]">
1725 Match: for-each
1726 Start location: 2202:8
1727 Offset: 89249
1728 Length: 8
1729
1730 System ID: C:\Users\Carlos.Martinez\OneDrive -
1730 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1731 Description: </xsl:for-each>
1732 Match: for-each
1733 Start location: 2217:9
1734 Offset: 89725
1735 Length: 8
1736
1737 System ID: C:\Users\Carlos.Martinez\OneDrive -
1737 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1738 Description: <xsl:for-each select="datafield[@tag = 510]">
1739 Match: for-each
1740 Start location: 2221:8
1741 Offset: 89802
1742 Length: 8
1743
1744 System ID: C:\Users\Carlos.Martinez\OneDrive -
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1744 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1745 Description: <xsl:for-each select="subfield[@code = 'a']">
1746 Match: for-each
1747 Start location: 2223:10
1748 Offset: 89891
1749 Length: 8
1750
1751 System ID: C:\Users\Carlos.Martinez\OneDrive -
1751 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1752 Description: </xsl:for-each>
1753 Match: for-each
1754 Start location: 2229:11
1755 Offset: 90040
1756 Length: 8
1757
1758 System ID: C:\Users\Carlos.Martinez\OneDrive -
1758 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1759 Description: <xsl:for-each select="subfield[@code = 'b']">
1760 Match: for-each
1761 Start location: 2230:10
1762 Offset: 90059
1763 Length: 8
1764
1765 System ID: C:\Users\Carlos.Martinez\OneDrive -
1765 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1766 Description: </xsl:for-each>
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1767 Match: for-each
1768 Start location: 2236:11
1769 Offset: 90234
1770 Length: 8
1771
1772 System ID: C:\Users\Carlos.Martinez\OneDrive -
1773 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1774 Description: </xsl:for-each>
1775 Match: for-each
1776 Start location: 2251:9
1777 Offset: 90651
1778 Length: 8
1779
1780 System ID: C:\Users\Carlos.Martinez\OneDrive -
1781 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1782 Description: <xsl:for-each select="datafield[@tag = 534]">
1783 Match: for-each
1784 Start location: 2252:8
1785 Offset: 90668
1786 Length: 8
1787
1788 System ID: C:\Users\Carlos.Martinez\OneDrive -
1789 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1790 Description: <xsl:for-each select="subfield[@code = 'c']">
1791 Match: for-each
1792 Start location: 2258:12
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

1790 Offset: 90917
1791 Length: 8
1792
1793 System ID: C:\Users\Carlos.Martinez\OneDrive -
1793 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1794 Description: </xsl:for-each>
1795 Match: for-each
1796 Start location: 2262:13
1797 Offset: 91044
1798 Length: 8
1799
1800 System ID: C:\Users\Carlos.Martinez\OneDrive -
1800 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1801 Description: <xsl:for-each select="@subfield[@code = 'b']">
1802 Match: for-each
1803 Start location: 2263:12
1804 Offset: 91065
1805 Length: 8
1806
1807 System ID: C:\Users\Carlos.Martinez\OneDrive -
1807 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1808 Description: </xsl:for-each>
1809 Match: for-each
1810 Start location: 2267:13
1811 Offset: 91188
1812 Length: 8

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1813
1814 System ID: C:\Users\Carlos.Martinez\OneDrive -
1814 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1815 Description: <xsl:for-each select="subfield[@code = 'z']">
1816 Match: for-each
1817 Start location: 2271:10
1818 Offset: 91294
1819 Length: 8
1820
1821 System ID: C:\Users\Carlos.Martinez\OneDrive -
1821 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1822 Description: </xsl:for-each>
1823 Match: for-each
1824 Start location: 2275:11
1825 Offset: 91427
1826 Length: 8
1827
1828 System ID: C:\Users\Carlos.Martinez\OneDrive -
1828 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1829 Description: </xsl:for-each>
1830 Match: for-each
1831 Start location: 2278:9
1832 Offset: 91507
1833 Length: 8
1834
1835 System ID: C:\Users\Carlos.Martinez\OneDrive -
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1835  USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1836  Description: <xsl:for-each select="datafield[@tag = 700] [subfield[@code = 't']] ">
1837
1838      Match: for-each
1839      Start location: 2279:8
1840      Offset: 91524
1841      Length: 8
1842
1843      System ID: C:\Users\Carlos.Martinez\OneDrive -
1844      USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1845      Description: </xsl:for-each>
1846      Match: for-each
1847      Start location: 2311:9
1848      Offset: 92755
1849      Length: 8
1850
1851      System ID: C:\Users\Carlos.Martinez\OneDrive -
1852      USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1853      Description: <xsl:for-each select="datafield[@tag = 710] [subfield[@code = 't']] ">
1854
1855      Match: for-each
1856      Start location: 2312:8
1857      Offset: 92772
1858      Length: 8
1859
1860      System ID: C:\Users\Carlos.Martinez\OneDrive -
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1856 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1857 Description: <xsl:for-each select="subfield[@code = 'a']">
1858 Match: for-each
1859 Start location: 2330:11
1860 Offset: 93476
1861 Length: 8
1862
1863 System ID: C:\Users\Carlos.Martinez\OneDrive -
1863 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1864 Description: </xsl:for-each>
1865 Match: for-each
1866 Start location: 2334:12
1867 Offset: 93597
1868 Length: 8
1869
1870 System ID: C:\Users\Carlos.Martinez\OneDrive -
1870 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1871 Description: <xsl:for-each select="subfield[@code = 'b']">
1872 Match: for-each
1873 Start location: 2335:11
1874 Offset: 93617
1875 Length: 8
1876
1877 System ID: C:\Users\Carlos.Martinez\OneDrive -
1877 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1878 Description: </xsl:for-each>
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1879 Match: for-each
1880 Start location: 2339:12
1881 Offset: 93738
1882 Length: 8
1883
1884 System ID: C:\Users\Carlos.Martinez\OneDrive -
1884 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1885 Description: </xsl:for-each>
1886 Match: for-each
1887 Start location: 2357:9
1888 Offset: 94388
1889 Length: 8
1890
1891 System ID: C:\Users\Carlos.Martinez\OneDrive -
1891 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1892 Description: <xsl:for-each select="datafield[@tag = 711][subfield[@code = 't']]">
1892
1893 Match: for-each
1894 Start location: 2358:8
1895 Offset: 94405
1896 Length: 8
1897
1898 System ID: C:\Users\Carlos.Martinez\OneDrive -
1898 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1899 Description: </xsl:for-each>
1900 Match: for-each
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

1901 Start location: 2387:9
1902 Offset: 95524
1903 Length: 8
1904
1905 System ID: C:\Users\Carlos.Martinez\OneDrive -
1905 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1906 Description: <xsl:for-each select="datafield[@tag = '2']">
1907 Match: for-each
1908 Start location: 2388:8
1909 Offset: 95541
1910 Length: 8
1911
1912 System ID: C:\Users\Carlos.Martinez\OneDrive -
1912 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1913 Description: </xsl:for-each>
1914 Match: for-each
1915 Start location: 2406:9
1916 Offset: 96180
1917 Length: 8
1918
1919 System ID: C:\Users\Carlos.Martinez\OneDrive -
1919 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1920 Description: <xsl:for-each select="datafield[@tag = 740] [@ind2 = 2]">
1921 Match: for-each
1922 Start location: 2407:8
1923 Offset: 96197

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

1924 Length: 8
1925
1926 System ID: C:\Users\Carlos.Martinez\OneDrive -
1926 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1927 Description: </xsl:for-each>
1928 Match: for-each
1929 Start location: 2422:9
1930 Offset: 96689
1931 Length: 8
1932
1933 System ID: C:\Users\Carlos.Martinez\OneDrive -
1933 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1934 Description: <xsl:for-each select="@tag = 760]">
1935 Match: for-each
1936 Start location: 2423:8
1937 Offset: 96706
1938 Length: 8
1939
1940 System ID: C:\Users\Carlos.Martinez\OneDrive -
1940 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1941 Description: </xsl:for-each>
1942 Match: for-each
1943 Start location: 2427:9
1944 Offset: 96855
1945 Length: 8
1946

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1947 System ID: C:\Users\Carlos.Martinez\OneDrive -
1947 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1948 Description: <xsl:for-each select="datafield[@tag = 762]">
1949 Match: for-each
1950 Start location: 2429:8
1951 Offset: 96898
1952 Length: 8
1953
1954 System ID: C:\Users\Carlos.Martinez\OneDrive -
1954 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1955 Description: </xsl:for-each>
1956 Match: for-each
1957 Start location: 2433:9
1958 Offset: 97052
1959 Length: 8
1960
1961 System ID: C:\Users\Carlos.Martinez\OneDrive -
1961 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
1962 Description: <xsl:for-each select="datafield[@tag = 765] | datafield[@tag =
1962 767] | datafield[@tag = 775...
1963 Match: for-each
1964 Start location: 2437:8
1965 Offset: 97216
1966 Length: 8
1967
1968 System ID: C:\Users\Carlos.Martinez\OneDrive -
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
1968   USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1969   Description: </xsl:for-each>
1970   Match: for-each
1971   Start location: 2441:9
1972   Offset: 97419
1973   Length: 8
1974
1975   System ID: C:\Users\Carlos.Martinez\OneDrive -
1975   USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1976   Description: <xsl:for-each select="datafield[@tag = 770] | datafield[@tag =
1976   774]">
1977   Match: for-each
1978   Start location: 2443:8
1979   Offset: 97437
1980   Length: 8
1981
1982   System ID: C:\Users\Carlos.Martinez\OneDrive -
1982   USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1983   Description: </xsl:for-each>
1984   Match: for-each
1985   Start location: 2447:9
1986   Offset: 97615
1987   Length: 8
1988
1989   System ID: C:\Users\Carlos.Martinez\OneDrive -
1989   USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
```


FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

1990 Description: <xsl:for-each select="datafield[@tag = 772] | datafield[@tag =
1990 773]">
1991 Match: for-each
1992 Start location: 2450:8
1993 Offset: 97634
1994 Length: 8
1995
1996 System ID: C:\Users\Carlos.Martinez\OneDrive -
1996 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
1997 Description: </xsl:for-each>
1998 Match: for-each
1999 Start location: 2454:9
2000 Offset: 97805
2001 Length: 8
2002
2003 System ID: C:\Users\Carlos.Martinez\OneDrive -
2003 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2004 Description: <xsl:for-each select="datafield[@tag = 776]">
2005 Match: for-each
2006 Start location: 2455:8
2007 Offset: 97822
2008 Length: 8
2009
2010 System ID: C:\Users\Carlos.Martinez\OneDrive -
2010 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2011 Description: </xsl:for-each>

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```

2012 Match: for-each
2013 Start location: 2459:9
2014 Offset: 97976
2015 Length: 8
2016
2017 System ID: C:\Users\Carlos.Martinez\OneDrive -
2017 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2018 Description: <xsl:for-each select="datafield[@tag = 780]">
2019 Match: for-each
2020 Start location: 2460:8
2021 Offset: 97993
2022 Length: 8
2023
2024 System ID: C:\Users\Carlos.Martinez\OneDrive -
2024 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2025 Description: </xsl:for-each>
2026 Match: for-each
2027 Start location: 2464:9
2028 Offset: 98145
2029 Length: 8
2030
2031 System ID: C:\Users\Carlos.Martinez\OneDrive -
2031 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2032 Description: <xsl:for-each select="datafield[@tag = 785]">
2033 Match: for-each
2034 Start location: 2465:8

```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2035	Offset: 98162	
2036	Length: 8	
2037		
2038	System ID: C:\Users\Carlos.Martinez\OneDrive -	
2038	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl	
2039	Description: </xsl:for-each>	
2040	Match: for-each	
2041	Start location: 2469:9	
2042	Offset: 98315	
2043	Length: 8	
2044		
2045	System ID: C:\Users\Carlos.Martinez\OneDrive -	
2045	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl	
2046	Description: <xsl:for-each select="datafield[@tag = 786]">	
2047	Match: for-each	
2048	Start location: 2470:8	
2049	Offset: 98332	
2050	Length: 8	
2051		
2052	System ID: C:\Users\Carlos.Martinez\OneDrive -	
2052	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl	
2053	Description: </xsl:for-each>	
2054	Match: for-each	
2055	Start location: 2474:9	
2056	Offset: 98483	
2057	Length: 8	

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2058
2059 System ID: C:\Users\Carlos.Martinez\OneDrive -
2059 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2060 Description: <xsl:for-each select="datafield[@tag = 800]">
2061 Match: for-each
2062 Start location: 2475:8
2063 Offset: 98500
2064 Length: 8
2065
2066 System ID: C:\Users\Carlos.Martinez\OneDrive -
2066 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2067 Description: </xsl:for-each>
2068 Match: for-each
2069 Start location: 2509:9
2070 Offset: 99764
2071 Length: 8
2072
2073 System ID: C:\Users\Carlos.Martinez\OneDrive -
2073 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2074 Description: <xsl:for-each select="datafield[@tag = 810]">
2075 Match: for-each
2076 Start location: 2510:8
2077 Offset: 99781
2078 Length: 8
2079
2080 System ID: C:\Users\Carlos.Martinez\OneDrive -

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2080  USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2081  Description: <xsl:for-each select="subfield[@code = 'a']">
2082  Match: for-each
2083  Start location: 2527:11
2084  Offset: 100419
2085  Length: 8
2086
2087  System ID: C:\Users\Carlos.Martinez\OneDrive -
2087  USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2088  Description: </xsl:for-each>
2089  Match: for-each
2090  Start location: 2531:12
2091  Offset: 100540
2092  Length: 8
2093
2094  System ID: C:\Users\Carlos.Martinez\OneDrive -
2094  USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2095  Description: <xsl:for-each select="subfield[@code = 'b']">
2096  Match: for-each
2097  Start location: 2532:11
2098  Offset: 100560
2099  Length: 8
2100
2101  System ID: C:\Users\Carlos.Martinez\OneDrive -
2101  USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2102  Description: </xsl:for-each>
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2103 Match: for-each
2104 Start location: 2536:12
2105 Offset: 100681
2106 Length: 8
2107
2108 System ID: C:\Users\Carlos.Martinez\OneDrive -
2108 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2109 Description: </xsl:for-each>
2110 Match: for-each
2111 Start location: 2548:9
2112 Offset: 101101
2113 Length: 8
2114
2115 System ID: C:\Users\Carlos.Martinez\OneDrive -
2115 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2116 Description: <xsl:for-each select="datafield[@tag = 811]">
2117 Match: for-each
2118 Start location: 2549:8
2119 Offset: 101118
2120 Length: 8
2121
2122 System ID: C:\Users\Carlos.Martinez\OneDrive -
2122 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2123 Description: </xsl:for-each>
2124 Match: for-each
2125 Start location: 2577:9
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2126	Offset: 102155	
2127	Length: 8	
2128		
2129	System ID: C:\Users\Carlos.Martinez\OneDrive -	
2129	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl	
2130	Description: <xsl:for-each select="datafield[@tag = '830']">	
2131	Match: for-each	
2132	Start location: 2578:8	
2133	Offset: 102172	
2134	Length: 8	
2135		
2136	System ID: C:\Users\Carlos.Martinez\OneDrive -	
2136	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl	
2137	Description: </xsl:for-each>	
2138	Match: for-each	
2139	Start location: 2594:9	
2140	Offset: 102703	
2141	Length: 8	
2142		
2143	System ID: C:\Users\Carlos.Martinez\OneDrive -	
2143	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl	
2144	Description: <xsl:for-each select="datafield[@tag = '856'][@ind2 =	
2144	'2']/subfield[@code = 'q']">	
2145	Match: for-each	
2146	Start location: 2595:8	
2147	Offset: 102720	

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2148	Length: 8	
2149		
2150	System ID: C:\Users\Carlos.Martinez\OneDrive -	
2150	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml	
2151	Description: </xsl:for-each>	
2152	Match: for-each	
2153	Start location: 2601:9	
2154	Offset: 102922	
2155	Length: 8	
2156		
2157	System ID: C:\Users\Carlos.Martinez\OneDrive -	
2157	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml	
2158	Description: <xsl:for-each select="datafield[@tag = '880']">	
2159	Match: for-each	
2160	Start location: 2603:8	
2161	Offset: 102940	
2162	Length: 8	
2163		
2164	System ID: C:\Users\Carlos.Martinez\OneDrive -	
2164	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml	
2165	Description: </xsl:for-each>	
2166	Match: for-each	
2167	Start location: 2605:9	
2168	Offset: 103050	
2169	Length: 8	
2170		

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2171 System ID: C:\Users\Carlos.Martinez\OneDrive -
2171 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2172 Description: <xsl:for-each select="datafield[@tag = '020']">
2173 Match: for-each
2174 Start location: 2610:8
2175 Offset: 103120
2176 Length: 8
2177
2178 System ID: C:\Users\Carlos.Martinez\OneDrive -
2178 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2179 Description: </xsl:for-each>
2180 Match: for-each
2181 Start location: 2616:9
2182 Offset: 103324
2183 Length: 8
2184
2185 System ID: C:\Users\Carlos.Martinez\OneDrive -
2185 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2186 Description: <xsl:for-each select="datafield[@tag = '020']">
2187 Match: for-each
2188 Start location: 2617:8
2189 Offset: 103341
2190 Length: 8
2191
2192 System ID: C:\Users\Carlos.Martinez\OneDrive -
2192 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2193 Description: </xsl:for-each>
2194 Match: for-each
2195 Start location: 2623:9
2196 Offset: 103559
2197 Length: 8
2198
2199 System ID: C:\Users\Carlos.Martinez\OneDrive -
2199 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2200 Description: <xsl:for-each select="datafield[@tag = '024'][@ind1 = '0']">
2201 Match: for-each
2202 Start location: 2625:8
2203 Offset: 103577
2204 Length: 8
2205
2206 System ID: C:\Users\Carlos.Martinez\OneDrive -
2206 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2207 Description: </xsl:for-each>
2208 Match: for-each
2209 Start location: 2631:9
2210 Offset: 103794
2211 Length: 8
2212
2213 System ID: C:\Users\Carlos.Martinez\OneDrive -
2213 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2214 Description: <xsl:for-each select="datafield[@tag = '024'][@ind1 = '2']">
2215 Match: for-each
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2216 Start location: 2632:8
2217 Offset: 103811
2218 Length: 8
2219
2220 System ID: C:\Users\Carlos.Martinez\OneDrive -
2220 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2221 Description: </xsl:for-each>
2222 Match: for-each
2223 Start location: 2638:9
2224 Offset: 104028
2225 Length: 8
2226
2227 System ID: C:\Users\Carlos.Martinez\OneDrive -
2227 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2228 Description: <xsl:for-each select="datafield[@tag = '024'][@ind1 = '4']">
2229 Match: for-each
2230 Start location: 2639:8
2231 Offset: 104045
2232 Length: 8
2233
2234 System ID: C:\Users\Carlos.Martinez\OneDrive -
2234 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2235 Description: </xsl:for-each>
2236 Match: for-each
2237 Start location: 2645:9
2238 Offset: 104279

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2239	Length: 8
2240	
2241	System ID: C:\Users\Carlos.Martinez\OneDrive -
2241	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2242	Description: <xsl:for-each select="datafield[@tag = '024']" data-bbox="268 199 288 846">>[@ind1 = '8']">
2243	Match: for-each
2244	Start location: 2646:8
2245	Offset: 104296
2246	Length: 8
2247	
2248	System ID: C:\Users\Carlos.Martinez\OneDrive -
2248	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2249	Description: </xsl:for-each>
2250	Match: for-each
2251	Start location: 2650:9
2252	Offset: 104444
2253	Length: 8
2254	
2255	System ID: C:\Users\Carlos.Martinez\OneDrive -
2255	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2256	Description: <xsl:for-each select="datafield[@tag = '022']" data-bbox="713 180 758 846">>[subfield[@code = 'a']]">
2257	Match: for-each
2258	Start location: 2652:8
2259	Offset: 104462
2260	Length: 8

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2261
2262 System ID: C:\Users\Carlos.Martinez\OneDrive -
2262 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2263 Description: </xsl:for-each>
2264 Match: for-each
2265 Start location: 2658:9
2266 Offset: 104689
2267 Length: 8
2268
2269 System ID: C:\Users\Carlos.Martinez\OneDrive -
2269 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2270 Description: <xsl:for-each select="datafield[@tag = '022'] [subfield[@code =
2270 'z']] ">
2271 Match: for-each
2272 Start location: 2659:8
2273 Offset: 104706
2274 Length: 8
2275
2276 System ID: C:\Users\Carlos.Martinez\OneDrive -
2276 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2277 Description: </xsl:for-each>
2278 Match: for-each
2279 Start location: 2665:9
2280 Offset: 104947
2281 Length: 8
2282

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2283 System ID: C:\Users\Carlos.Martinez\OneDrive -
2283 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2284 Description: <xsl:for-each select="datafield[@tag = '022'] [subfield[@code =
2284 'y']] ">
2285 Match: for-each
2286 Start location: 2666:8
2287 Offset: 104964
2288 Length: 8
2289
2290 System ID: C:\Users\Carlos.Martinez\OneDrive -
2290 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2291 Description: </xsl:for-each>
2292 Match: for-each
2293 Start location: 2672:9
2294 Offset: 105205
2295 Length: 8
2296
2297 System ID: C:\Users\Carlos.Martinez\OneDrive -
2297 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2298 Description: <xsl:for-each select="datafield[@tag = '022'] [subfield[@code =
2298 'l']] ">
2299 Match: for-each
2300 Start location: 2673:8
2301 Offset: 105222
2302 Length: 8
2303
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2304 System ID: C:\Users\Carlos.Martinez\OneDrive -
2304 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2305 Description: </xsl:for-each>
2306 Match: for-each
2307 Start location: 2679:9
2308 Offset: 105451
2309 Length: 8
2310
2311 System ID: C:\Users\Carlos.Martinez\OneDrive -
2311 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2312 Description: <xsl:for-each select="datafield[@tag = '022'] [subfield[@code =
2312 'm']] ">
2313 Match: for-each
2314 Start location: 2680:8
2315 Offset: 105468
2316 Length: 8
2317
2318 System ID: C:\Users\Carlos.Martinez\OneDrive -
2318 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2319 Description: </xsl:for-each>
2320 Match: for-each
2321 Start location: 2686:9
2322 Offset: 105711
2323 Length: 8
2324
2325 System ID: C:\Users\Carlos.Martinez\OneDrive -
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2325 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2326 Description: <xsl:for-each select="datafield[@tag = '010'] [subfield[@code =
2326 'a']] ">
2327 Match: for-each
2328 Start location: 2702:8
2329 Offset: 106148
2330 Length: 8
2331
2332 System ID: C:\Users\Carlos.Martinez\OneDrive -
2332 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2333 Description: </xsl:for-each>
2334 Match: for-each
2335 Start location: 2706:9
2336 Offset: 106335
2337 Length: 8
2338
2339 System ID: C:\Users\Carlos.Martinez\OneDrive -
2339 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2340 Description: <xsl:for-each select="datafield[@tag = '010'] [subfield[@code =
2340 'z']] ">
2341 Match: for-each
2342 Start location: 2708:8
2343 Offset: 106353
2344 Length: 8
2345
2346 System ID: C:\Users\Carlos.Martinez\OneDrive -
```


FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2346 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2347 Description: </xsl:for-each>
2348 Match: for-each
2349 Start location: 2712:9
2350 Offset: 106554
2351 Length: 8
2352
2353 System ID: C:\Users\Carlos.Martinez\OneDrive -
2353 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2354 Description: <xsl:for-each select="datafield[@tag = '016'] [subfield[@code =
2354 'a']] ">
2355 Match: for-each
2356 Start location: 2717:8
2357 Offset: 106629
2358 Length: 8
2359
2360 System ID: C:\Users\Carlos.Martinez\OneDrive -
2360 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2361 Description: </xsl:for-each>
2362 Match: for-each
2363 Start location: 2721:9
2364 Offset: 106820
2365 Length: 8
2366
2367 System ID: C:\Users\Carlos.Martinez\OneDrive -
2367 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2368 Description: <xsl:for-each select="datafield[@tag = '028']">
2369 Match: for-each
2370 Start location: 2723:8
2371 Offset: 106838
2372 Length: 8
2373
2374 System ID: C:\Users\Carlos.Martinez\OneDrive -
2374 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2375 Description: </xsl:for-each>
2376 Match: for-each
2377 Start location: 2743:9
2378 Offset: 107582
2379 Length: 8
2380
2381 System ID: C:\Users\Carlos.Martinez\OneDrive -
2381 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2382 Description: <xsl:for-each
2383 Match: for-each
2384 Start location: 2745:8
2385 Offset: 107600
2386 Length: 8
2387
2388 System ID: C:\Users\Carlos.Martinez\OneDrive -
2388 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2389 Description: </xsl:for-each>
2390 Match: for-each
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```

2391 Start location: 2751:9
2392 Offset: 107852
2393 Length: 8
2394
2395 System ID: C:\Users\Carlos.Martinez\OneDrive -
2395 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2396 Description: <xsl:for-each select="datafield[@tag = '037']">
2397 Match: for-each
2398 Start location: 2753:8
2399 Offset: 107870
2400 Length: 8
2401
2402 System ID: C:\Users\Carlos.Martinez\OneDrive -
2402 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2403 Description: </xsl:for-each>
2404 Match: for-each
2405 Start location: 2766:9
2406 Offset: 108348
2407 Length: 8
2408
2409 System ID: C:\Users\Carlos.Martinez\OneDrive -
2409 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2410 Description: <xsl:for-each select="datafield[@tag = '856'] [subfield[@code =
2410 'u']] ">
2411 Match: for-each
2412 Start location: 2770:8

```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2413	Offset: 108396	
2414	Length: 8	
2415		
2416	System ID: C:\Users\Carlos.Martinez\OneDrive -	
2416	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl	
2417	Description: </xsl:for-each>	
2418	Match: for-each	
2419	Start location: 2802:9	
2420	Offset: 109788	
2421	Length: 8	
2422		
2423	System ID: C:\Users\Carlos.Martinez\OneDrive -	
2423	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl	
2424	Description: <xsl:for-each select="@tag = 024"[@ind1 = 1]">	
2425	Match: for-each	
2426	Start location: 2804:8	
2427	Offset: 109806	
2428	Length: 8	
2429		
2430	System ID: C:\Users\Carlos.Martinez\OneDrive -	
2430	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl	
2431	Description: </xsl:for-each>	
2432	Match: for-each	
2433	Start location: 2808:9	
2434	Offset: 109961	
2435	Length: 8	

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2436
2437 System ID: C:\Users\Carlos.Martinez\OneDrive -
2437 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2438 Description:<xsl:for-eachselect="datafield[@tag='856'] [subfield[@code='u']] ">
2439 Match: for-each
2440 Start location: 2812:8
2441 Offset: 110038
2442 Length: 8
2443
2444 System ID: C:\Users\Carlos.Martinez\OneDrive -
2444 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2445 Description:</xsl:for-each>
2446 Match: for-each
2447 Start location: 2845:9
2448 Offset: 111384
2449 Length: 8
2450
2451 System ID: C:\Users\Carlos.Martinez\OneDrive -
2451 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2452 Description: <xsl:for-each select="datafield[@tag = 856] [@ind2 =
2452 '2'] [subfield[@code = 'u']] ">
2453 Match: for-each
2454 Start location: 2849:8
2455 Offset: 111409
2456 Length: 8
2457
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2458 System ID: C:\Users\Carlos.Martinez\OneDrive -
2458 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2459 Description: </xsl:for-each>
2460 Match: for-each
2461 Start location: 2871:9
2462 Offset: 112170
2463 Length: 8
2464
2465 System ID: C:\Users\Carlos.Martinez\OneDrive -
2465 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2466 Description: <xsl:for-each select="$marcLeader, 19, 1) = 'a']">
2467 Match: for-each
2468 Start location: 2884:9
2469 Offset: 112566
2470 Length: 8
2471
2472 System ID: C:\Users\Carlos.Martinez\OneDrive -
2472 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2473 Description: </xsl:for-each>
2474 Match: for-each
2475 Start location: 2886:10
2476 Offset: 112690
2477 Length: 8
2478
2479 System ID: C:\Users\Carlos.Martinez\OneDrive -
2479 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2480 Description: <xsl:for-each select="datafield[@tag = 040]">
2481 Match: for-each
2482 Start location: 2888:9
2483 Offset: 112767
2484 Length: 8
2485
2486 System ID: C:\Users\Carlos.Martinez\OneDrive -
2486 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2487 Description: </xsl:for-each>
2488 Match: for-each
2489 Start location: 2897:10
2490 Offset: 113106
2491 Length: 8
2492
2493 System ID: C:\Users\Carlos.Martinez\OneDrive -
2493 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2494 Description: <xsl:for-each select="controlfield[@tag = 008]">
2495 Match: for-each
2496 Start location: 2899:9
2497 Offset: 113125
2498 Length: 8
2499
2500 System ID: C:\Users\Carlos.Martinez\OneDrive -
2500 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2501 Description: </xsl:for-each>
2502 Match: for-each
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2503 Start location: 2903:10
2504 Offset: 113294
2505 Length: 8
2506
2507 System ID: C:\Users\Carlos.Martinez\OneDrive -
2507 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2508 Description: <xsl:for-each select="controlfield[@tag = 005]">
2509 Match: for-each
2510 Start location: 2905:9
2511 Offset: 113313
2512 Length: 8
2513
2514 System ID: C:\Users\Carlos.Martinez\OneDrive -
2514 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2515 Description: </xsl:for-each>
2516 Match: for-each
2517 Start location: 2909:10
2518 Offset: 113464
2519 Length: 8
2520
2521 System ID: C:\Users\Carlos.Martinez\OneDrive -
2521 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2522 Description: <xsl:for-each select="controlfield[@tag = 001]">
2523 Match: for-each
2524 Start location: 2910:9
2525 Offset: 113482

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2526	Length: 8	
2527		
2528	System ID: C:\Users\Carlos.Martinez\OneDrive -	
2528	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml	
2529	Description: </xsl:for-each>	
2530	Match: for-each	
2531	Start location: 2919:10	
2532	Offset: 113797	
2533	Length: 8	
2534		
2535	System ID: C:\Users\Carlos.Martinez\OneDrive -	
2535	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml	
2536	Description: <xsl:for-each select="datafield[@tag = 040]/subfield[@code = 'b']">	
2537	Match: for-each	
2538	Start location: 2929:9	
2539	Offset: 114238	
2540	Length: 8	
2541		
2542	System ID: C:\Users\Carlos.Martinez\OneDrive -	
2542	USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml	
2543	Description: </xsl:for-each>	
2544	Match: for-each	
2545	Start location: 2935:10	
2546	Offset: 114473	
2547	Length: 8	
2548		

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2549 System ID: C:\Users\Carlos.Martinez\OneDrive -
2549 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2550 Description: <xsl:for-each select="subfield[@code = 'a']">
2551 Match: for-each
2552 Start location: 2945:8
2553 Offset: 114656
2554 Length: 8
2555
2556 System ID: C:\Users\Carlos.Martinez\OneDrive -
2556 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2557 Description: <xsl:for-each select="subfield[@code = 'a']">
2558 Match: for-each
2559 Start location: 2966:8
2560 Offset: 115366
2561 Length: 8
2562
2563 System ID: C:\Users\Carlos.Martinez\OneDrive -
2563 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2564 Description: </xsl:for-each>
2565 Match: for-each
2566 Start location: 2997:9
2567 Offset: 116447
2568 Length: 8
2569
2570 System ID: C:\Users\Carlos.Martinez\OneDrive -
2570 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2571 Description: <xsl:for-each select="subfield[@code = 'u']">
2572 Match: for-each
2573 Start location: 3005:8
2574 Offset: 116607
2575 Length: 8
2576
2577 System ID: C:\Users\Carlos.Martinez\OneDrive -
2577 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2578 Description: </xsl:for-each>
2579 Match: for-each
2580 Start location: 3009:9
2581 Offset: 116722
2582 Length: 8
2583
2584 System ID: C:\Users\Carlos.Martinez\OneDrive -
2584 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2585 Description: <xsl:for-each select="subfield[@code = 'u'] | subfield[@code =
2585 '0']">
2586 Match: for-each
2587 Start location: 3016:8
2588 Offset: 116857
2589 Length: 8
2590
2591 System ID: C:\Users\Carlos.Martinez\OneDrive -
2591 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2592 Description: </xsl:for-each>
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2593 Match: for-each
2594 Start location: 3020:9
2595 Offset: 117018
2596 Length: 8
2597
2598 System ID: C:\Users\Carlos.Martinez\OneDrive -
2598 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2599 Description: <xsl:for-each select="subfield[@code = 'e']">
2600 Match: for-each
2601 Start location: 3027:8
2602 Offset: 117156
2603 Length: 8
2604
2605 System ID: C:\Users\Carlos.Martinez\OneDrive -
2605 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2606 Description: </xsl:for-each>
2607 Match: for-each
2608 Start location: 3033:9
2609 Offset: 117330
2610 Length: 8
2611
2612 System ID: C:\Users\Carlos.Martinez\OneDrive -
2612 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2613 Description: <xsl:for-each select="subfield[@code = '4']">
2614 Match: for-each
2615 Start location: 3034:8
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2616 Offset: 117347
2617 Length: 8
2618
2619 System ID: C:\Users\Carlos.Martinez\OneDrive -
2619 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2620 Description: </xsl:for-each>
2621 Match: for-each
2622 Start location: 3040:9
2623 Offset: 117516
2624 Length: 8
2625
2626 System ID: C:\Users\Carlos.Martinez\OneDrive -
2626 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2627 Description: <xsl:for-each select="@subfield[@code = 'g']">
2628 Match: for-each
2629 Start location: 3082:9
2630 Offset: 118896
2631 Length: 8
2632
2633 System ID: C:\Users\Carlos.Martinez\OneDrive -
2633 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2634 Description: </xsl:for-each>
2635 Match: for-each
2636 Start location: 3088:10
2637 Offset: 119027
2638 Length: 8

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2639
2640 System ID: C:\Users\Carlos.Martinez\OneDrive -
2640 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2641 Description: <xsl:for-each select="subfield[@code = 'q']">
2642 Match: for-each
2643 Start location: 3089:9
2644 Offset: 119045
2645 Length: 8
2646
2647 System ID: C:\Users\Carlos.Martinez\OneDrive -
2647 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2648 Description: </xsl:for-each>
2649 Match: for-each
2650 Start location: 3093:10
2651 Offset: 119161
2652 Length: 8
2653
2654 System ID: C:\Users\Carlos.Martinez\OneDrive -
2654 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2655 Description: <xsl:for-each select="subfield[@code = 'a']">
2656 Match: for-each
2657 Start location: 3131:8
2658 Offset: 120374
2659 Length: 8
2660
2661 System ID: C:\Users\Carlos.Martinez\OneDrive -

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2661 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2662 Description: </xsl:for-each>
2663 Match: for-each
2664 Start location: 3137:9
2665 Offset: 120530
2666 Length: 8
2667
2668 System ID: C:\Users\Carlos.Martinez\OneDrive -
2668 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2669 Description: <xsl:for-each select="subfield[@code = 'h']">
2670 Match: for-each
2671 Start location: 3144:8
2672 Offset: 120689
2673 Length: 8
2674
2675 System ID: C:\Users\Carlos.Martinez\OneDrive -
2675 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2676 Description: </xsl:for-each>
2677 Match: for-each
2678 Start location: 3150:9
2679 Offset: 120844
2680 Length: 8
2681
2682 System ID: C:\Users\Carlos.Martinez\OneDrive -
2682 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2683 Description: <xsl:for-each select="subfield[@code = 'h']">
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```

2684 Match: for-each
2685 Start location: 3157:8
2686 Offset: 121009
2687 Length: 8
2688
2689 System ID: C:\Users\Carlos.Martinez\OneDrive -
2689 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2690 Description: </xsl:for-each>
2691 Match: for-each
2692 Start location: 3163:9
2693 Offset: 121168
2694 Length: 8
2695
2696 System ID: C:\Users\Carlos.Martinez\OneDrive -
2696 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2697 Description: <xsl:for-each select="subfield[@code = 'n']">
2698 Match: for-each
2699 Start location: 3170:8
2700 Offset: 121327
2701 Length: 8
2702
2703 System ID: C:\Users\Carlos.Martinez\OneDrive -
2703 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2704 Description: </xsl:for-each>
2705 Match: for-each
2706 Start location: 3174:9

```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2707 Offset: 121428
2708 Length: 8
2709
2710 System ID: C:\Users\Carlos.Martinez\OneDrive -
2710 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2711 Description: <xsl:for-each select="subfield[@code = 'j']">
2712 Match: for-each
2713 Start location: 3181:8
2714 Offset: 121596
2715 Length: 8
2716
2717 System ID: C:\Users\Carlos.Martinez\OneDrive -
2717 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2718 Description: </xsl:for-each>
2719 Match: for-each
2720 Start location: 3189:9
2721 Offset: 121849
2722 Length: 8
2723
2724 System ID: C:\Users\Carlos.Martinez\OneDrive -
2724 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2725 Description: <xsl:for-each select="subfield[@code = 'x']">
2726 Match: for-each
2727 Start location: 3196:8
2728 Offset: 122038
2729 Length: 8

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2730
2731 System ID: C:\Users\Carlos.Martinez\OneDrive -
2731 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2732 Description: </xsl:for-each>
2733 Match: for-each
2734 Start location: 3200:9
2735 Offset: 122163
2736 Length: 8
2737
2738 System ID: C:\Users\Carlos.Martinez\OneDrive -
2738 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2739 Description: <xsl:for-each select="@subfield[@code = 'w']">
2740 Match: for-each
2741 Start location: 3207:8
2742 Offset: 122355
2743 Length: 8
2744
2745 System ID: C:\Users\Carlos.Martinez\OneDrive -
2745 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2746 Description: </xsl:for-each>
2747 Match: for-each
2748 Start location: 3211:9
2749 Offset: 122481
2750 Length: 8
2751
2752 System ID: C:\Users\Carlos.Martinez\OneDrive -

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2752 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2753 Description: <xsl:for-each select="subfield[@code = 'o']">
2754 Match: for-each
2755 Start location: 3218:8
2756 Offset: 122658
2757 Length: 8
2758
2759 System ID: C:\Users\Carlos.Martinez\OneDrive -
2759 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2760 Description: </xsl:for-each>
2761 Match: for-each
2762 Start location: 3222:9
2763 Offset: 122771
2764 Length: 8
2765
2766 System ID: C:\Users\Carlos.Martinez\OneDrive -
2766 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2767 Description: <xsl:for-each select="subfield[@code = 'a']">
2768 Match: for-each
2769 Start location: 3313:8
2770 Offset: 125513
2771 Length: 8
2772
2773 System ID: C:\Users\Carlos.Martinez\OneDrive -
2773 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2774 Description: </xsl:for-each>
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2775 Match: for-each
2776 Start location: 3319:9
2777 Offset: 125715
2778 Length: 8
2779
2780 System ID: C:\Users\Carlos.Martinez\OneDrive -
2780 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2781 Description: <xsl:for-each select="subfield[@code = 'b']">
2782 Match: for-each
2783 Start location: 3320:8
2784 Offset: 125732
2785 Length: 8
2786
2787 System ID: C:\Users\Carlos.Martinez\OneDrive -
2787 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2788 Description: </xsl:for-each>
2789 Match: for-each
2790 Start location: 3324:9
2791 Offset: 125841
2792 Length: 8
2793
2794 System ID: C:\Users\Carlos.Martinez\OneDrive -
2794 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2795 Description: <xsl:for-each select="subfield[@code = 't']">
2796 Match: for-each
2797 Start location: 3377:8

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2798 Offset: 127448
2799 Length: 8
2800
2801 System ID: C:\Users\Carlos.Martinez\OneDrive -
2801 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2802 Description: </xsl:for-each>
2803 Match: for-each
2804 Start location: 3387:9
2805 Offset: 127726
2806 Length: 8
2807
2808 System ID: C:\Users\Carlos.Martinez\OneDrive -
2808 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2809 Description: <xsl:for-each select="@subfield[@code = 't']">
2810 Match: for-each
2811 Start location: 3393:8
2812 Offset: 127837
2813 Length: 8
2814
2815 System ID: C:\Users\Carlos.Martinez\OneDrive -
2815 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2816 Description: </xsl:for-each>
2817 Match: for-each
2818 Start location: 3406:9
2819 Offset: 128250
2820 Length: 8

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2821
2822 System ID: C:\Users\Carlos.Martinez\OneDrive -
2822 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2823 Description: <xsl:for-each select="subfield[@code = 'p']">
2824 Match: for-each
2825 Start location: 3407:8
2826 Offset: 128267
2827 Length: 8
2828
2829 System ID: C:\Users\Carlos.Martinez\OneDrive -
2829 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2830 Description: </xsl:for-each>
2831 Match: for-each
2832 Start location: 3420:9
2833 Offset: 128699
2834 Length: 8
2835
2836 System ID: C:\Users\Carlos.Martinez\OneDrive -
2836 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2837 Description: <xsl:for-each select="subfield[@code = 's']">
2838 Match: for-each
2839 Start location: 3421:8
2840 Offset: 128716
2841 Length: 8
2842
2843 System ID: C:\Users\Carlos.Martinez\OneDrive -
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2843 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2844 Description: </xsl:for-each>
2845 Match: for-each
2846 Start location: 3434:9
2847 Offset: 129144
2848 Length: 8
2849
2850 System ID: C:\Users\Carlos.Martinez\OneDrive -
2850 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2851 Description: <xsl:for-each select="subfield[@code = 'f']">
2852 Match: for-each
2853 Start location: 3444:11
2854 Offset: 129451
2855 Length: 8
2856
2857 System ID: C:\Users\Carlos.Martinez\OneDrive -
2857 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2858 Description: </xsl:for-each>
2859 Match: for-each
2860 Start location: 3452:12
2861 Offset: 129726
2862 Length: 8
2863
2864 System ID: C:\Users\Carlos.Martinez\OneDrive -
2864 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2865 Description: <xsl:for-each select="subfield[@code = 'd']">
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2866 Match: for-each
2867 Start location: 3454:10
2868 Offset: 129759
2869 Length: 8
2870
2871 System ID: C:\Users\Carlos.Martinez\OneDrive -
2871 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2872 Description: </xsl:for-each>
2873 Match: for-each
2874 Start location: 3458:11
2875 Offset: 129878
2876 Length: 8
2877
2878 System ID: C:\Users\Carlos.Martinez\OneDrive -
2878 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2879 Description: <xsl:for-each select="subfield[@code = 'b']">
2880 Match: for-each
2881 Start location: 3459:10
2882 Offset: 129897
2883 Length: 8
2884
2885 System ID: C:\Users\Carlos.Martinez\OneDrive -
2885 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2886 Description: </xsl:for-each>
2887 Match: for-each
2888 Start location: 3463:11
```


FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```

2889 Offset: 130012
2890 Length: 8
2891
2892 System ID: C:\Users\Carlos.Martinez\OneDrive -
2892 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2893 Description: <xsl:for-each select="@subfield[@code = 'b']">
2894 Match: for-each
2895 Start location: 3474:8
2896 Offset: 130220
2897 Length: 8
2898
2899 System ID: C:\Users\Carlos.Martinez\OneDrive -
2899 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2900 Description: </xsl:for-each>
2901 Match: for-each
2902 Start location: 3480:9
2903 Offset: 130383
2904 Length: 8
2905
2906 System ID: C:\Users\Carlos.Martinez\OneDrive -
2906 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2907 Description: <xsl:for-each select="@subfield[@code = 'e']">
2908 Match: for-each
2909 Start location: 3487:8
2910 Offset: 130554
2911 Length: 8

```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2912
2913 System ID: C:\Users\Carlos.Martinez\OneDrive -
2913 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2914 Description: </xsl:for-each>
2915 Match: for-each
2916 Start location: 3493:9
2917 Offset: 130762
2918 Length: 8
2919
2920 System ID: C:\Users\Carlos.Martinez\OneDrive -
2920 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2921 Description: <xsl:for-each select="@subfield[@code = 'd']">
2922 Match: for-each
2923 Start location: 3500:8
2924 Offset: 130912
2925 Length: 8
2926
2927 System ID: C:\Users\Carlos.Martinez\OneDrive -
2927 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2928 Description: </xsl:for-each>
2929 Match: for-each
2930 Start location: 3506:9
2931 Offset: 131126
2932 Length: 8
2933
2934 System ID: C:\Users\Carlos.Martinez\OneDrive -
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2934 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2935 Description: <xsl:for-each select="subfield[@code = 'v' or @code = 'x' or @code
2936 = 'y' or @code = 'z']">
2937 Match: for-each
2938 Start location: 3574:8
2939 Offset: 133078
2940 Length: 8
2941 System ID: C:\Users\Carlos.Martinez\OneDrive -
2942 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2943 Description: </xsl:for-each>
2944 Match: for-each
2945 Start location: 3589:9
2946 Offset: 133599
2947 Length: 8
2948 System ID: C:\Users\Carlos.Martinez\OneDrive -
2949 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2950 Description: <xsl:for-each select="subfield">
2951 Match: for-each
2952 Start location: 3604:9
2953 Offset: 133987
2954 Length: 8
2955 System ID: C:\Users\Carlos.Martinez\OneDrive -
2956 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
2956 Description: </xsl:for-each>
2957 Match: for-each
2958 Start location: 3610:10
2959 Offset: 134318
2960 Length: 8
2961
2962 System ID: C:\Users\Carlos.Martinez\OneDrive -
2962 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2963 Description: <xsl:for-each select="datafield[@tag = '130'][@ind2 != '2']">
2964 Match: for-each
2965 Start location: 4561:8
2966 Offset: 167084
2967 Length: 8
2968
2969 System ID: C:\Users\Carlos.Martinez\OneDrive -
2969 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2970 Description: <xsl:for-each select="subfield">
2971 Match: for-each
2972 Start location: 4565:12
2973 Offset: 167225
2974 Length: 8
2975
2976 System ID: C:\Users\Carlos.Martinez\OneDrive -
2976 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
2977 Description: </xsl:for-each>
2978 Match: for-each
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

2979 Start location: 4574:13
2980 Offset: 167689
2981 Length: 8
2982
2983 System ID: C:\Users\Carlos.Martinez\OneDrive -
2983 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2984 Description: </xsl:for-each>
2985 Match: for-each
2986 Start location: 4586:9
2987 Offset: 168042
2988 Length: 8
2989
2990 System ID: C:\Users\Carlos.Martinez\OneDrive -
2990 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2991 Description: <xsl:for-each select="subfield">
2992 Match: for-each
2993 Start location: 4596:11
2994 Offset: 168307
2995 Length: 8
2996
2997 System ID: C:\Users\Carlos.Martinez\OneDrive -
2997 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
2998 Description: </xsl:for-each>
2999 Match: for-each
3000 Start location: 4606:12
3001 Offset: 168767

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

3002 Length: 8
3003
3004 System ID: C:\Users\Carlos.Martinez\OneDrive -
3004 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3005 Description: <xsl:for-each select="subfield[@code = 'i']">
3006 Match: for-each
3007 Start location: 4713:9
3008 Offset: 172052
3009 Length: 8
3010
3011 System ID: C:\Users\Carlos.Martinez\OneDrive -
3011 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3012 Description: </xsl:for-each>
3013 Match: for-each
3014 Start location: 4717:10
3015 Offset: 172200
3016 Length: 8
3017
3018 System ID: C:\Users\Carlos.Martinez\OneDrive -
3018 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3019 Description: <xsl:for-each select="subfield">
3020 Match: for-each
3021 Start location: 4749:11
3022 Offset: 173127
3023 Length: 8
3024

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3025 System ID: C:\Users\Carlos.Martinez\OneDrive -
3025 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3026 Description: </xsl:for-each>
3027 Match: for-each
3028 Start location: 4759:12
3029 Offset: 173553
3030 Length: 8
3031
3032 System ID: C:\Users\Carlos.Martinez\OneDrive -
3032 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3033 Description: ...the original if test will fail because of xpath: the current
3033 node (from the for-each above) is already the 720 datafield -->
3034 Match: for-each
3035 Start location: 4937:106
3036 Offset: 178834
3037 Length: 8
3038
3039 System ID: C:\Users\Carlos.Martinez\OneDrive -
3039 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3040 Description: <xsl:for-each select="subfield[@code != '6' and @code != '8']">
3041 Match: for-each
3042 Start location: 5114:10
3043 Offset: 183814
3044 Length: 8
3045
3046 System ID: C:\Users\Carlos.Martinez\OneDrive -
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3046 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3047 Description: </xsl:for-each>
3048 Match: for-each
3049 Start location: 5117:11
3050 Offset: 183943
3051 Length: 8
3052
3053 System ID: C:\Users\Carlos.Martinez\OneDrive -
3053 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3054 Description: <xsl:for-each select="subfield[@code != '6' and @code != '8']">
3055 Match: for-each
3056 Start location: 5144:10
3057 Offset: 184652
3058 Length: 8
3059
3060 System ID: C:\Users\Carlos.Martinez\OneDrive -
3060 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3061 Description: </xsl:for-each>
3062 Match: for-each
3063 Start location: 5147:11
3064 Offset: 184781
3065 Length: 8
3066
3067 System ID: C:\Users\Carlos.Martinez\OneDrive -
3067 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3068 Description: <xsl:for-each select="subfield[@code != '6' and @code != '8']">
```


FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3069 Match: for-each
3070 Start location: 5162:10
3071 Offset: 185193
3072 Length: 8
3073
3074 System ID: C:\Users\Carlos.Martinez\OneDrive -
3074 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3075 Description: </xsl:for-each>
3076 Match: for-each
3077 Start location: 5165:11
3078 Offset: 185322
3079 Length: 8
3080
3081 System ID: C:\Users\Carlos.Martinez\OneDrive -
3081 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3082 Description: <xsl:for-each
3083 Match: for-each
3084 Start location: 5180:10
3085 Offset: 185749
3086 Length: 8
3087
3088 System ID: C:\Users\Carlos.Martinez\OneDrive -
3088 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3089 Description: </xsl:for-each>
3090 Match: for-each
3091 Start location: 5184:11
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3092 Offset: 185917
3093 Length: 8
3094
3095 System ID: C:\Users\Carlos.Martinez\OneDrive -
3095 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3096 Description: <xsl:for-each select="@code != '6' and @code != '8']">
3097 Match: for-each
3098 Start location: 5199:10
3099 Offset: 186327
3100 Length: 8
3101
3102 System ID: C:\Users\Carlos.Martinez\OneDrive -
3102 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3103 Description: </xsl:for-each>
3104 Match: for-each
3105 Start location: 5202:11
3106 Offset: 186456
3107 Length: 8
3108
3109 System ID: C:\Users\Carlos.Martinez\OneDrive -
3109 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3110 Description: <xsl:for-each select="@code != '6' and @code != '8']">
3111 Match: for-each
3112 Start location: 5217:10
3113 Offset: 186865
3114 Length: 8
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

3115
3116 System ID: C:\Users\Carlos.Martinez\OneDrive -
3116 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3117 Description: </xsl:for-each>
3118 Match: for-each
3119 Start location: 5220:11
3120 Offset: 186994
3121 Length: 8
3122
3123 System ID: C:\Users\Carlos.Martinez\OneDrive -
3123 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3124 Description: <xsl:for-each select="@code != '3' and @code != '6' and
3124 @code != '8']">
3125 Match: for-each
3126 Start location: 5235:10
3127 Offset: 187399
3128 Length: 8
3129
3130 System ID: C:\Users\Carlos.Martinez\OneDrive -
3130 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3131 Description: </xsl:for-each>
3132 Match: for-each
3133 Start location: 5238:11
3134 Offset: 187545
3135 Length: 8
3136

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3137 System ID: C:\Users\Carlos.Martinez\OneDrive -
3137 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3138 Description: <xsl:for-each select="subfield[@code != '6' and @code != '8']">
3139 Match: for-each
3140 Start location: 5253:10
3141 Offset: 187963
3142 Length: 8
3143
3144 System ID: C:\Users\Carlos.Martinez\OneDrive -
3144 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3145 Description: </xsl:for-each>
3146 Match: for-each
3147 Start location: 5256:11
3148 Offset: 188092
3149 Length: 8
3150
3151 System ID: C:\Users\Carlos.Martinez\OneDrive -
3151 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3152 Description: <xsl:for-each
3153 Match: for-each
3154 Start location: 5271:10
3155 Offset: 188516
3156 Length: 8
3157
3158 System ID: C:\Users\Carlos.Martinez\OneDrive -
3158 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3159 Description:</xsl:for-each>
3160 Match: for-each
3161 Start location: 5275:11
3162 Offset: 188684
3163 Length: 8
3164
3165 System ID: C:\Users\Carlos.Martinez\OneDrive -
3165 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3166 Description: <xsl:for-each select="subfield[@code != '6' and @code != '8']">
3167 Match: for-each
3168 Start location: 5290:10
3169 Offset: 189096
3170 Length: 8
3171
3172 System ID: C:\Users\Carlos.Martinez\OneDrive -
3172 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3173 Description:</xsl:for-each>
3174 Match: for-each
3175 Start location: 5293:11
3176 Offset: 189225
3177 Length: 8
3178
3179 System ID: C:\Users\Carlos.Martinez\OneDrive -
3179 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3180 Description: <xsl:for-each select="subfield[@code != '6' and @code != '8']">
3181 Match: for-each
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

3182 Start location: 5310:10
3183 Offset: 189643
3184 Length: 8
3185
3186 System ID: C:\Users\Carlos.Martinez\OneDrive -
3186 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3187 Description: </xsl:for-each>
3188 Match: for-each
3189 Start location: 5313:11
3190 Offset: 189772
3191 Length: 8
3192
3193 System ID: C:\Users\Carlos.Martinez\OneDrive -
3193 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3194 Description: <xsl:for-each select="@code != '6' and @code != '8']">
3195 Match: for-each
3196 Start location: 5328:10
3197 Offset: 190189
3198 Length: 8
3199
3200 System ID: C:\Users\Carlos.Martinez\OneDrive -
3200 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3201 Description: </xsl:for-each>
3202 Match: for-each
3203 Start location: 5331:11
3204 Offset: 190318

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

3205 Length: 8
3206
3207 System ID: C:\Users\Carlos.Martinez\OneDrive -
3207 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3208 Description: <xsl:for-each select="subfield[@code != '6' and @code != '8']">
3209 Match: for-each
3210 Start location: 5346:10
3211 Offset: 190725
3212 Length: 8
3213
3214 System ID: C:\Users\Carlos.Martinez\OneDrive -
3214 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3215 Description: </xsl:for-each>
3216 Match: for-each
3217 Start location: 5349:11
3218 Offset: 190854
3219 Length: 8
3220
3221 System ID: C:\Users\Carlos.Martinez\OneDrive -
3221 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3222 Description: <xsl:for-each select="subfield[@code != '6' and @code != '8']">
3223 Match: for-each
3224 Start location: 5364:10
3225 Offset: 191268
3226 Length: 8
3227

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3228 System ID: C:\Users\Carlos.Martinez\OneDrive -
3228 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3229 Description: </xsl:for-each>
3230 Match: for-each
3231 Start location: 5367:11
3232 Offset: 191397
3233 Length: 8
3234
3235 System ID: C:\Users\Carlos.Martinez\OneDrive -
3235 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3236 Description: <xsl:for-each select="@code != '6' and @code != '8']">
3237 Match: for-each
3238 Start location: 5382:10
3239 Offset: 191808
3240 Length: 8
3241
3242 System ID: C:\Users\Carlos.Martinez\OneDrive -
3242 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3243 Description: </xsl:for-each>
3244 Match: for-each
3245 Start location: 5385:11
3246 Offset: 191937
3247 Length: 8
3248
3249 System ID: C:\Users\Carlos.Martinez\OneDrive -
3249 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
```


FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3250 Description: <xsl:for-each select="subfield[@code != '6' and @code != '8']">
3251 Match: for-each
3252 Start location: 5400:10
3253 Offset: 192360
3254 Length: 8
3255
3256 System ID: C:\Users\Carlos.Martinez\OneDrive -
3256 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3257 Description: </xsl:for-each>
3258 Match: for-each
3259 Start location: 5403:11
3260 Offset: 192489
3261 Length: 8
3262
3263 System ID: C:\Users\Carlos.Martinez\OneDrive -
3263 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3264 Description: <xsl:for-each select="subfield[@code != '6' and @code != '8']">
3265 Match: for-each
3266 Start location: 5418:10
3267 Offset: 192897
3268 Length: 8
3269
3270 System ID: C:\Users\Carlos.Martinez\OneDrive -
3270 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3271 Description: </xsl:for-each>
3272 Match: for-each
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

3273 Start location: 5421:11
3274 Offset: 193026
3275 Length: 8
3276
3277 System ID: C:\Users\Carlos.Martinez\OneDrive -
3277 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3278 Description: <xsl:for-each select="subfield[@code != '6' and @code != '8']">
3279 Match: for-each
3280 Start location: 5436:10
3281 Offset: 193435
3282 Length: 8
3283
3284 System ID: C:\Users\Carlos.Martinez\OneDrive -
3284 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3285 Description: </xsl:for-each>
3286 Match: for-each
3287 Start location: 5439:11
3288 Offset: 193564
3289 Length: 8
3290
3291 System ID: C:\Users\Carlos.Martinez\OneDrive -
3291 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3292 Description: <xsl:for-each select="subfield[@code != '6' and @code != '8']">
3293 Match: for-each
3294 Start location: 5454:10
3295 Offset: 193986

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

3296 Length: 8
3297
3298 System ID: C:\Users\Carlos.Martinez\OneDrive -
3298 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3299 Description: </xsl:for-each>
3300 Match: for-each
3301 Start location: 5457:11
3302 Offset: 194115
3303 Length: 8
3304
3305 System ID: C:\Users\Carlos.Martinez\OneDrive -
3305 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3306 Description: <xsl:for-each select="@code != '6' and @code != '8']">
3307 Match: for-each
3308 Start location: 5472:10
3309 Offset: 194527
3310 Length: 8
3311
3312 System ID: C:\Users\Carlos.Martinez\OneDrive -
3312 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3313 Description: </xsl:for-each>
3314 Match: for-each
3315 Start location: 5475:11
3316 Offset: 194656
3317 Length: 8
3318

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3319 System ID: C:\Users\Carlos.Martinez\OneDrive -
3319 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3320 Description: <xsl:for-each select="subfield[@code != '6' and @code != '8']">
3321 Match: for-each
3322 Start location: 5490:10
3323 Offset: 195062
3324 Length: 8
3325
3326 System ID: C:\Users\Carlos.Martinez\OneDrive -
3326 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3327 Description: </xsl:for-each>
3328 Match: for-each
3329 Start location: 5493:11
3330 Offset: 195191
3331 Length: 8
3332
3333 System ID: C:\Users\Carlos.Martinez\OneDrive -
3333 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3334 Description: <xsl:for-each select="subfield[@code != '6' and @code != '8']">
3335 Match: for-each
3336 Start location: 5508:10
3337 Offset: 195602
3338 Length: 8
3339
3340 System ID: C:\Users\Carlos.Martinez\OneDrive -
3340 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3341 Description: </xsl:for-each>
3342 Match: for-each
3343 Start location: 5511:11
3344 Offset: 195731
3345 Length: 8
3346
3347 System ID: C:\Users\Carlos.Martinez\OneDrive -
3347 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3348 Description: <xsl:for-each select="subfield[@code != '6' and @code != '8']">
3349 Match: for-each
3350 Start location: 5526:10
3351 Offset: 196123
3352 Length: 8
3353
3354 System ID: C:\Users\Carlos.Martinez\OneDrive -
3354 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3355 Description: </xsl:for-each>
3356 Match: for-each
3357 Start location: 5529:11
3358 Offset: 196252
3359 Length: 8
3360
3361 System ID: C:\Users\Carlos.Martinez\OneDrive -
3361 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3362 Description: <xsl:for-each select="subfield[@code = 'a' or @code = 'b' or @code
3362 = 'c']">
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3363 Match: for-each
3364 Start location: 5644:9
3365 Offset: 199716
3366 Length: 8
3367
3368 System ID: C:\Users\Carlos.Martinez\OneDrive -
3368 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3369 Description: </xsl:for-each>
3370 Match: for-each
3371 Start location: 5659:10
3372 Offset: 200237
3373 Length: 8
3374
3375 System ID: C:\Users\Carlos.Martinez\OneDrive -
3375 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3376 Description: <xsl:for-each select="subfield[@code = 'a' or @code = 'b' or @code
3376 = 'c']">
3377 Match: for-each
3378 Start location: 5671:10
3379 Offset: 200505
3380 Length: 8
3381
3382 System ID: C:\Users\Carlos.Martinez\OneDrive -
3382 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3383 Description: </xsl:for-each>
3384 Match: for-each
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

3385 Start location: 5687:11
3386 Offset: 200941
3387 Length: 8
3388
3389 System ID: C:\Users\Carlos.Martinez\OneDrive -
3389 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3390 Description: <xsl:for-each select="subfield[@code = 'a']">
3391 Match: for-each
3392 Start location: 5742:10
3393 Offset: 202557
3394 Length: 8
3395
3396 System ID: C:\Users\Carlos.Martinez\OneDrive -
3396 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3397 Description: </xsl:for-each>
3398 Match: for-each
3399 Start location: 5746:11
3400 Offset: 202674
3401 Length: 8
3402
3403 System ID: C:\Users\Carlos.Martinez\OneDrive -
3403 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3404 Description: <xsl:for-each select="subfield[@code = 'b']">
3405 Match: for-each
3406 Start location: 5747:10
3407 Offset: 202693

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

3408 Length: 8
3409
3410 System ID: C:\Users\Carlos.Martinez\OneDrive -
3410 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3411 Description: </xsl:for-each>
3412 Match: for-each
3413 Start location: 5751:11
3414 Offset: 202810
3415 Length: 8
3416
3417 System ID: C:\Users\Carlos.Martinez\OneDrive -
3417 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3418 Description: <xsl:for-each select="@subfield[@code = '4']">
3419 Match: for-each
3420 Start location: 5793:10
3421 Offset: 204096
3422 Length: 8
3423
3424 System ID: C:\Users\Carlos.Martinez\OneDrive -
3424 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3425 Description: </xsl:for-each>
3426 Match: for-each
3427 Start location: 5799:11
3428 Offset: 204277
3429 Length: 8
3430

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3431 System ID: C:\Users\Carlos.Martinez\OneDrive -
3431 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3432 Description: <xsl:for-each select="subfield[@code = 'a']">
3433 Match: for-each
3434 Start location: 5901:9
3435 Offset: 207250
3436 Length: 8
3437
3438 System ID: C:\Users\Carlos.Martinez\OneDrive -
3438 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3439 Description: </xsl:for-each>
3440 Match: for-each
3441 Start location: 5907:10
3442 Offset: 207462
3443 Length: 8
3444
3445 System ID: C:\Users\Carlos.Martinez\OneDrive -
3445 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3446 Description: <xsl:for-each select="subfield[@code = 'a']">
3447 Match: for-each
3448 Start location: 6023:10
3449 Offset: 209963
3450 Length: 8
3451
3452 System ID: C:\Users\Carlos.Martinez\OneDrive -
3452 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3453 Description: </xsl:for-each>
3454 Match: for-each
3455 Start location: 6029:11
3456 Offset: 210175
3457 Length: 8
3458
3459 System ID: C:\Users\Carlos.Martinez\OneDrive -
3459 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3460 Description: <xsl:for-each select="subfield[@code = 'b']">
3461 Match: for-each
3462 Start location: 6030:10
3463 Offset: 210194
3464 Length: 8
3465
3466 System ID: C:\Users\Carlos.Martinez\OneDrive -
3466 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3467 Description: </xsl:for-each>
3468 Match: for-each
3469 Start location: 6036:11
3470 Offset: 210402
3471 Length: 8
3472
3473 System ID: C:\Users\Carlos.Martinez\OneDrive -
3473 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3474 Description: <xsl:for-each select="subfield[@code = 'c']">
3475 Match: for-each
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

3476 Start location: 6037:10
3477 Offset: 210421
3478 Length: 8
3479
3480 System ID: C:\Users\Carlos.Martinez\OneDrive -
3480 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3481 Description: </xsl:for-each>
3482 Match: for-each
3483 Start location: 6043:11
3484 Offset: 210631
3485 Length: 8
3486
3487 System ID: C:\Users\Carlos.Martinez\OneDrive -
3487 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3488 Description: <xsl:for-each select="@subfield[@code = 'd']">
3489 Match: for-each
3490 Start location: 6044:10
3491 Offset: 210650
3492 Length: 8
3493
3494 System ID: C:\Users\Carlos.Martinez\OneDrive -
3494 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3495 Description: </xsl:for-each>
3496 Match: for-each
3497 Start location: 6050:11
3498 Offset: 210856

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3499 Length: 8
3500
3501 System ID: C:\Users\Carlos.Martinez\OneDrive -
3501 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3502 Description: <xsl:for-each select="subfield[@code = 'e']">
3503 Match: for-each
3504 Start location: 6051:10
3505 Offset: 210875
3506 Length: 8
3507
3508 System ID: C:\Users\Carlos.Martinez\OneDrive -
3508 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3509 Description: </xsl:for-each>
3510 Match: for-each
3511 Start location: 6057:11
3512 Offset: 211095
3513 Length: 8
3514
3515 System ID: C:\Users\Carlos.Martinez\OneDrive -
3515 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3516 Description: <xsl:for-each select="subfield[@code = 'g']">
3517 Match: for-each
3518 Start location: 6058:10
3519 Offset: 211114
3520 Length: 8
3521
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3522 System ID: C:\Users\Carlos.Martinez\OneDrive -
3522 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3523 Description: </xsl:for-each>
3524 Match: for-each
3525 Start location: 6064:11
3526 Offset: 211320
3527 Length: 8
3528
3529 System ID: C:\Users\Carlos.Martinez\OneDrive -
3529 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3530 Description: <xsl:for-each select="subfield[@code = 'h']">
3531 Match: for-each
3532 Start location: 6065:10
3533 Offset: 211339
3534 Length: 8
3535
3536 System ID: C:\Users\Carlos.Martinez\OneDrive -
3536 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3537 Description: </xsl:for-each>
3538 Match: for-each
3539 Start location: 6071:11
3540 Offset: 211577
3541 Length: 8
3542
3543 System ID: C:\Users\Carlos.Martinez\OneDrive -
3543 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3544 Description: <xsl:for-each select="subfield[@code = 'b']">
3545 Match: for-each
3546 Start location: 6106:8
3547 Offset: 212626
3548 Length: 8
3549
3550 System ID: C:\Users\Carlos.Martinez\OneDrive -
3550 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3551 Description: </xsl:for-each>
3552 Match: for-each
3553 Start location: 6118:9
3554 Offset: 213085
3555 Length: 8
3556
3557 System ID: C:\Users\Carlos.Martinez\OneDrive -
3557 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3558 Description: <xsl:for-each select="subfield[@code =
3558 'a'] [not (following-sibling::subfield[@code = 'b'])]">
3559 Match: for-each
3560 Start location: 6119:8
3561 Offset: 213102
3562 Length: 8
3563
3564 System ID: C:\Users\Carlos.Martinez\OneDrive -
3564 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3565 Description: </xsl:for-each>
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3566 Match: for-each
3567 Start location: 6129:9
3568 Offset: 213508
3569 Length: 8
3570
3571 System ID: C:\Users\Carlos.Martinez\OneDrive -
3571 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3572 Description: <xsl:for-each select="@tag = 086"[@ind1 = 0]">
3573 Match: for-each
3574 Start location: 6193:8
3575 Offset: 215590
3576 Length: 8
3577
3578 System ID: C:\Users\Carlos.Martinez\OneDrive -
3578 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3579 Description: </xsl:for-each>
3580 Match: for-each
3581 Start location: 6198:9
3582 Offset: 215800
3583 Length: 8
3584
3585 System ID: C:\Users\Carlos.Martinez\OneDrive -
3585 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3586 Description: <xsl:for-each select="@tag = 086"[@ind1 = 1]">
3587 Match: for-each
3588 Start location: 6199:8
```

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

```
3589 Offset: 215817
3590 Length: 8
3591
3592 System ID: C:\Users\Carlos.Martinez\OneDrive -
3592 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3593 Description: </xsl:for-each>
3594 Match: for-each
3595 Start location: 6204:9
3596 Offset: 216027
3597 Length: 8
3598
3599 System ID: C:\Users\Carlos.Martinez\OneDrive -
3599 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3600 Description: <xsl:for-each select="@tag = 086"[@ind1 != 1 and @ind1
3600 != 0]">
3601 Match: for-each
3602 Start location: 6205:8
3603 Offset: 216044
3604 Length: 8
3605
3606 System ID: C:\Users\Carlos.Martinez\OneDrive -
3606 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3607 Description: </xsl:for-each>
3608 Match: for-each
3609 Start location: 6213:9
3610 Offset: 216361
```


FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

3611 Length: 8
3612
3613 System ID: C:\Users\Carlos.Martinez\OneDrive -
3613 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3614 Description: <xsl:for-each select="datafield[@tag = '910']">
3615 Match: for-each
3616 Start location: 6335:8
3617 Offset: 220228
3618 Length: 8
3619
3620 System ID: C:\Users\Carlos.Martinez\OneDrive -
3620 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3621 Description: </xsl:for-each>
3622 Match: for-each
3623 Start location: 6337:9
3624 Offset: 220328
3625 Length: 8
3626
3627 System ID: C:\Users\Carlos.Martinez\OneDrive -
3627 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xsl
3628 Description: <xsl:for-each select="datafield[@tag = 859]">
3629 Match: for-each
3630 Start location: 6350:8
3631 Offset: 220650
3632 Length: 8
3633

FIND ALL - NAL-RDAMARC21SLIM2MODS.XSL

3634 System ID: C:\Users\Carlos.Martinez\OneDrive -
3634 USDA\Desktop\RDA_marc2mods\NAL-RDAmarc21slim2mods.xml
3635 Description: </xsl:for-each>
3636 Match: for-each
3637 Start location: 6371:9
3638 Offset: 221413
3639 Length: 8
3640
3641