CES-27 Distributed Processing 2nd Activity

Prof Hirata and Prof Juliana Carlos Matheus Barros da Silva

September 2019

2th Activity

It was implemented the Ricart-Agrawala's algorithm. The implementation was made in Go, and it can be seen on the repository¹.

First Case

The first test was conducted with 3 terminal windows on two of them were open the process and on the third one was open the shared process.

The test was made according to the model represented on Figure 1. The results can be seen on the terminal windows shown from Figure 2 to Figure 4.




Figure 1: Model representing the execution of Case 1.

```
Carlosmatheus@Carloss-MacBook-Pro-2 -/Documents/CES-27-Labs/lab02$ clear
carlosmatheus@Carloss-MacBook-Pro-2 -/Documents/CES-27-Labs/lab02$ go run Process.go 1 :10002 :10003
a
[04] Message: a
[04] Received reply message " a " from process: 2 at clock 4
[05] Entret na CS at clock 4
[05] Sai da CS at clock 5
[06] Received request message " b " from process: 2 at clock 6
```

Figure 2: Process 1 after execution of Case 1 example test case.

As expected, the mutual exclusion worked; thus, when a process request access the other reply allowing the access when it is on *released* state, then the first process accesses the shared

¹https://github.com/CarlosMatheus/CES-27/tree/master/lab02

```
Carlosmatheus@Carloss=MacBook=Pro=Z=-/Documents/CES-27-Labs/Lab925 clear
carlosmatheus@Carloss=MacBook=Pro=Z=-/Documents/CES-27-Labs/Lab925 go run Process.go 2 :10002 :10003

[82] Received request message " a " from process: 1 at clock 2 b

[04] Message: b

[08] Message: b

[08] Received reply message " b " from process: 1 at clock 8

[08] Entrei na CS at clock 8

[09] Sai da CS at clock 9
```

Figure 3: Process 2 after execution of Case 1 example test case.

```
Default—125×25

carlosmatheus@Corloss=MacBook-Pro-2:-/Documents/CES-27-Labs/Lab02$ clear
carlosmatheus@Corloss=MacBook-Pro-2:-/Documents/CES-27-Labs/Lab02$ go run SharedResource.go
[06] Received logical Clock: 5
[06] Received a
[10] Received logical Clock: 9
[10] Received b
```

Figure 4: Shared Resource after execution of Case 1 example test case.

resource. When it finishes, it returns to released state. Then the second process does the same steps. All the logic worked as well as the logical clocks on each process; therefore, the simulation on the terminals matched the model represented in Figure 1.

Second Case

It was built a test case with 6 terminal windows. The test was made according to the model represented in Figure 5. The results can be seen on the terminal windows shown from Figure 6 to Figure 11.

As expected, the mutual exclusion worked; Even when multiple processes were wanting to access the shared resource at the same time, the mutual exclusion guaranteed the safety and the liveness of the operation. All the logic worked as well as the logical clocks on each process; therefore, the simulation on the terminals matched the model represented in Figure 5.




Figure 5: Model representing the execution of Case 1.

```
Carlosmatheus@Carloss MacBous Pro 2 ~/Documents/CES-27-Labs/lab@25 clear
carlosmatheus@Carloss MacBous Pro 2 ~/Documents/CES-27-Labs/lab@25 go run Process.go 1 :10002 :10003 :10004 :10005 :10006
a
[04] Message: a
[04] Received reply message " a " from process: 3 at clock 4
[05] Received reply message " a " from process: 4 at clock 5
[06] Received reply message " a " from process: 5 at clock 7
[07] Entrein an CS at clock 7
[10] Received request message " a " from process: 5 at clock 10
[12] Received request message " c " from process: 2 at clock 12
[12] Sai da CS at clock 12
```

Figure 6: Process 1 after execution of Case 2 example test case.

```
Corlosmotheus@Corloss-MacBook-Pro-2:-/Documents/CES-27-Labs/lab925 clear
carlosmatheus@Corloss-MacBook-Pro-2:-/Documents/CES-27-Labs/lab925 go run Process.go 2:10902:10903:10904:10905:10906

[02] Received request message " a " from process: 1 at clock 2

[05] Received request message " b " from process: 5 at clock 5

c

[07] Message: c

[10] Received reply message " c " from process: 4 at clock 11

[13] Received reply message " c " from process: 1 at clock 15

[18] Received reply message " c " from process: 5 at clock 18

[19] Sai da CS at clock 18
```

Figure 7: Process 2 after execution of Case 2 example test case.

```
Corlosmotheus@Corloss MortBook Pro 2 -/Documents/CES-27-Labs/Lab925 clear
corlosmotheus@Corloss MortBook Pro 2 -/Documents/CES-27-Labs/Lab925 go run Process.go 3:10002:10003:10004:10005:10006
[02] Received request message " a " from process: 1 at clock 2
[05] Received request message " b " from process: 5 at clock 5
[08] Received request message " c " from process: 2 at clock 8
```

Figure 8: Process 3 after execution of Case 2 example test case.

```
Default

carlosmatheus@carloss-MosBack-Prop.; ~/Documents/ES-27-Labs/lab925 clear
carlosmatheus@carloss-MosBack-Prop.; ~/Documents/ES-27-Labs/lab925 go run Process.go 4 :10002 :10003 :10004 :10005 :10006

[02] Received request message " a " from process: 3 at clock 2
[08] Received request message " c " from process: 5 at clock 5
[08] Received request message " c " from process: 2 at clock 8
```

Figure 9: Process 4 after execution of Case 2 example test case.

```
Default

carlosmatheus@ arloss MacBonk Pro-2 ~/Documents/CES-27-Labs/Lab025 go run Process.go 5:10002:10003:10004:10005:10006

[02] Received request message " a " from process: 1 at clock 2 b

[04] Message: b

[07] Received reply message " b " from process: 2 at clock 7

[08] Received reply message " b " from process: 3 at clock 8

[09] Received reply message " b " from process: 3 at clock 9

[10] Received request message " c " from process: 2 at clock 10

[11] Received request message " c " from process: 2 at clock 11

[15] Received reply message " c " from process: 1 at clock 15

[16] Sai da CS at clock 16
```

Figure 10: Process 5 after execution of Case 2 example test case.

```
Default

conclosmotheus@Curloss-MacBook-Pro-2:~/Documents/CES-27-Labs/Lab925 clear
conclosmotheus@Lurloss-MacBook-Pro-2:~/Documents/CES-27-Labs/Lab925 go run SharedResource.go

[89] Received logical Clock: 8

[89] Received agical Clock: 16

[17] Received logical Clock: 19

[20] Received c

■

Received c
```

Figure 11: Shared Resource after execution of Case 2 example test case.