Getting Started with Mews Automations

Mews Automations allow you to build no-code workflows that react to events in your property and perform actions automatically — saving your team time and ensuring nothing falls through the cracks. Think of it as your personal assistant that watches for things happening in Mews and takes action on your behalf, 24/7.

Whether you want to automatically upgrade rooms for loyal guests, send a welcome SMS, assign tasks to your team, or add products to reservations — Automations make it possible without writing a single line of code.

In this guide

- 1. What are Automations?
- 2. Key concepts
- 3. Accessing Automations
- 4. The Automations dashboard
- 5. Creating your first automation
- 6. The flow designer (canvas)
- 7. Adding components to the canvas
- 8. Connecting components
- 9. Configuring components (the Inspector)
- 10. Using variables from previous components
- 11. Modifiers — transforming data
- 12. Mews components overview
- 13. Built-in utility components
- 14. Starting, stopping, and testing your automation
- 15. The Action Log
- 16. Using templates
- 17. Best practices
- 18. Troubleshooting

---

1. What Are Automations?

Automations are visual workflows that connect **triggers** (events that start the workflow) with **actions** (tasks that are performed automatically). They follow a simple logic:

When something happens (a trigger) → **Then** do something (one or more actions)

For example:

- **When** a guest checks in → **Then** send them a welcome SMS

- **When** it's 9 AM every day → **Then** check today's arrivals, find loyalty members, and upgrade their room
- **When** a reservation is created → **Then** add a note to the guest profile

Each automation is built on a visual canvas where you drag, drop, and connect components to define your workflow. No coding or technical skills are required.

---

2. Key Concepts

Before you start building, here are the core concepts you need to know:

Concept	Description
Automation (Flow)	A complete workflow that defines a sequence of steps. Each automation has a name, a status (Active or Inactive), and is made up of connected components.
Trigger	The starting point of every automation. A trigger defines *when* the automation runs. It can be an event (e.g. "Reservation Created") or a schedule (e.g. "Every day at 9 AM"). Every automation must have exactly one trigger.
Action	A step that *does* something: retrieves data, sends a message, adds a product, creates a task, etc. Actions run in the order they are connected.
Component	A building block on the canvas. Both triggers and actions are components. You configure each component in the Inspector panel.
Connection (Wire)	A line drawn between two components on the canvas. It defines the order in which components execute and the flow of data between them.
Variable	A piece of data output by a component (e.g. a guest's name, a reservation ID). You can use variables from earlier components as inputs in later ones.
Modifier	A built-in transformation you can apply to a variable — for example, converting text to uppercase, adding days to a date, or extracting the first item from a list.
Inspector	The configuration panel that appears on the right side of the canvas when you click on a component. This is where you set input values, map variables, and customize behavior.
Canvas	The visual workspace where you build your automation by placing and connecting components.

---

3. Accessing Automations

To open Automations in Mews:

1. Log in to your Mews property.
2. Open the **left-hand navigation menu**.
3. Click **Settings** to expand the section.
4. Click **Automations**.


MEWS
DEVELOPMENT
Profiles
Reservations
Operations
Finance
Exports
Tasks
Messages
User management
Settings
Property
Security
Services

4. The Automations Dashboard

The Automations page is your central hub for managing all workflows. Here you can see every automation at a glance.



What you see on the dashboard

Column	Description
Name	The name of the automation. Click the pencil icon on the right to open and edit it.
Status	Shows whether the automation is **Active** (running) or **Inactive** (paused/stopped).
Created	The date the automation was first created.
Last modified	The date the automation was last edited.
Actions	The pencil icon (**Edit**) opens the flow designer. The three-dot menu (**More**) provides additional options such as deactivating or renaming the automation.

Dashboard features

- **+ Create button** (top right) — Opens the dialog to create a new automation from scratch or from a template.
- **Search** — Filter automations by name.

- **Action log tab** — Switch to view a chronological log of all actions executed across your automations.

---

5. Creating Your First Automation

Click the **+ Create** button in the top-right corner of the Automations dashboard. A dialog will appear with several options:



Option A: Start from a template

Templates are pre-built automations that are nearly ready to use. Select one and you will get a fully configured flow with all components already placed and connected. You only need to review the settings and adjust any fields specific to your property (such as selecting which products to offer).

Currently available templates:

- **Upgrade room for loyalty members** — Automatically upgrades room categories for your loyal guests when they arrive, based on availability and occupancy.
- **Welcome gift for VIP guests** — Prepares a welcome amenity for VIP guests by creating a task for your team and sending the guest an SMS notification.

Tip: Templates are the fastest way to get started. Even if the template doesn't match your exact use case, you can use it as a starting point and customize it to your needs.

Option B: Custom automation

Select **Custom automation** to start with a blank canvas. You will be taken to the flow designer where you can build your workflow from scratch by adding and connecting components.

Option C: Describe what you want (AI prompt)

At the top of the dialog you will see a text field where you can describe what you want to automate in natural language (e.g. *"I want to automate how we welcome our VIP guests..."*). The system will suggest relevant templates or help you get started based on your description.

---

6. The Flow Designer (Canvas)

The flow designer is where you visually build your automation. It consists of three main areas:



Area	Description

Left panel — Component palette	A searchable list of all available components organized by category. You'll find **Mews** components (triggers and actions specific to your property) as well as **built-in utility components** (schedulers, loops, conditions) and **third-party integrations**.
Center — Canvas	The main workspace where you place components and draw connections between them. You can pan by clicking and dragging the background, and zoom in/out using the scroll wheel or pinch gesture.
Right panel — Inspector	Appears when you click on a component. Shows all the configuration fields for that component, including input fields, variable mappings, and advanced settings.

Canvas navigation

- **Pan:** Click and drag on an empty area of the canvas to move around.
- **Zoom:** Use the mouse scroll wheel or pinch gesture on a trackpad to zoom in and out.
- **Select a component:** Click on it. The Inspector panel will open on the right.
- **Move a component:** Click and drag the component to reposition it on the canvas.
- **Delete a component:** Select it and press the `Delete` key, or use the delete option from the component's context menu.

---

7. Adding Components to the Canvas

To add a component to your automation:

1. Open the **component palette** on the left side of the canvas.
2. Browse the categories or use the **search bar** to find a specific component.
3. **Drag** the component from the palette and **drop** it onto the canvas.


The House of Roller Derby / A
Filter connections
Mews
Reservations
Guests and Companies
Spaces, Rates, and Occupancy
Billing and Products
Messaging
Property Configuration
AI
Google Gemini
OpenAI
Anthropic Claude

Components are organized into categories:

- **Mews > Triggers** — Event-based starting points (Guest Profile Created, Reservation Created, Reservation Checked In).
- **Mews > Actions** — Operations you perform in Mews (Add Note, Send SMS, Upgrade Room, etc.).
- **Utilities** — Built-in components for scheduling, looping, branching, and data manipulation.
- **Third-party integrations** — Connect to external services and tools (where available).

Tip: If you're not sure which component you need, use the search bar at the top of the palette. Typing "SMS" will show the Send SMS component; typing "arrivals" will show Get Eligible Arrivals, etc.

---

8. Connecting Components

Components on the canvas have **ports** — small circles on their edges. To create a connection:

1. Hover over the **output port** (right side) of the source component. The port circle will highlight.
2. **Click and drag** from the output port to the **input port** (left side) of the target component.
3. Release the mouse button. A **wire** (line) will appear connecting the two components.



How connections work:

- Data flows from **left to right** along the wires. The output of one component becomes available as input to the next.
- A component can connect to **multiple downstream** components (branching).
- A component can receive connections from **multiple upstream** components.
- To **remove a connection**, click on the wire and press `Delete`, or right-click and select remove.

The order of connections determines the execution order. When a trigger fires, the automation runs through the connected components following the wires, from left to right.

---

9. Configuring Components (the Inspector)

Click on any component on the canvas to open the **Inspector panel** on the right side. The Inspector shows all the configuration fields for that component.

Check Occupancy → below_t... → in

Arrival Date

Now

Select the arrival date to search for eligible reservations.

LOYALTY

Loyalty Programs

— Select loyalty programs —

Select one or more loyalty programs to filter by.

BEHAVIORAL SIGNALS

Stay Count Threshold

Minimum number of past stays for a guest to qualify via soft signals.

Revenue Threshold

Minimum total revenue for a guest to qualify

Field types you will encounter

Field type	Description
Text input	Type a value directly (e.g. a phone number, a note message, a cron expression).
Dropdown	Select from a predefined list (e.g. a department, a loyalty program, a note classification).
Toggle	Switch a setting on or off (e.g. "Trigger immediately: True/False").
Number input	Enter a numeric value (e.g. quantity, buffer threshold, delay in milliseconds).
Variable picker (+)	Click the + button next to a field to dynamically reference output from a previous component. See Section 10.

Each field includes a **help text** description below it explaining what the field does and what values are accepted.

Important: Fields marked as **Required** must be filled in before the automation can run. Fields marked as Optional have sensible defaults and can be left as-is.

---

10. Using Variables from Previous Components

One of the most powerful features of Automations is the ability to use the **output of one component as the input for another**. This is how data flows through your automation.

How to reference a variable

1. Click on the component you want to configure.
2. In the Inspector, find the input field where you want to use data from a previous component.
3. Click the **+ button** next to that field. The **variable picker** will open.
4. You will see a list of all upstream (previous) components and their available output fields.
5. Click on the output field you want to use. It will be inserted into the input field as a **variable tag** (a colored pill showing the source component and field name).



Example

Say your automation starts with **Get Eligible Arrivals** (which outputs a list of Reservation IDs) and the next component is **Each** (which loops over a list). In the Each component's **Field** input, you click + and select **Get Eligible Arrivals → out → Reservation IDs**. The Each component now knows which list to iterate over.

How it looks: Once a variable is mapped, the field displays a colored tag like `Reservation IDs []` with a small pencil icon to edit or modify it. This tag represents the live data that will be passed at runtime.

You can combine **static text** with **variables** in the same field. For example, in an SMS message you might type: `Welcome to our hotel,` and then click **+** to insert the guest's first name variable, resulting in a personalized message like *"Welcome to our hotel, John!"*.

---

11. Modifiers — Transforming Data

Sometimes the data output by one component isn't in the exact format you need for the next component. **Modifiers** let you transform variables before passing them along — for example, converting text to uppercase, adding days to a date, or extracting the first item from a list.

How to apply a modifier

1. Click the **pencil icon** on a variable tag in an input field (or click the variable when adding it from the picker).
2. The **Modify variable** panel opens, showing:
    - **Left:** The current variable being modified.
    - **Center:** The list of available modifiers, organized by category.
    - **Right:** A **Test your modifier** panel where you can enter a sample value and see the output.
3. Click **Add modifier** and select the transformation you need.
4. Modifiers are applied **sequentially** — you can chain multiple modifiers, and each one transforms the output of the previous one.



Modifier categories

Modifiers are organized into six categories:

Object modifiers

For working with JSON objects and structured data.

Modifier	Description
Each	Loop over all values of a list or an object.
JSON Path	Access nested properties of an object using dot notation (e.g. `guest.firstName`).
JSONata	Transform a JSON object or array using the JSONata expression language — a powerful query and transformation syntax.
Keys	Return an array of all keys of the object.
Map	Create a new array by transforming each item of the original array.
Parse	Convert a JSON string into a structured object or list.

Set	Set a value at a specific path of the object.
Stringify	Convert an object or list to a JSON string.

List modifiers

For working with arrays and collections of items.

Modifier	Description
Count	Return the number of items in a list.
First Item	Return the first item from a list.
Flat	Flatten a nested list into a single-level list.
Index Of	Find the position of an item in a list.
Join	Combine all items in a list into a single string with a separator (e.g. comma, space).
Last Item	Return the last item from a list.
Nth Item	Return the item at a specific position in a list.
Reverse	Reverse the order of items in a list.
Slice	Return a portion of a list (from index X to index Y).
Sort	Sort items in a list in ascending or descending order.
Unique	Remove duplicate items from a list.

Text modifiers

For transforming strings and text values.

Modifier	Description
Capitalize	Capitalize the first letter of the text.
Concatenate	Join two or more text values together (e.g. first name + " " + last name).
Contains	Check if the text contains a specific substring. Returns true/false.
Encode URI	Encode text for use in a URL.
Length	Return the number of characters in the text.
Lowercase	Convert all characters to lowercase.
Match	Extract parts of the text using a regular expression pattern.

Replace	Replace occurrences of a substring with another value.
Split	Split text into a list using a separator (e.g. split by comma).
Substring	Extract a portion of the text between two positions.
Template	Insert variables into a text template using placeholders.
Trim	Remove leading and trailing whitespace from the text.
Uppercase	Convert all characters to uppercase.

Control modifiers

For conditional logic and flow control within a variable transformation.

Modifier	Description
If	Apply a conditional check: if the value meets a condition, output one result; otherwise output another.
Is Empty	Check if the value is empty, null, or undefined. Returns true/false.
Is Not Empty	Check if the value has content. Returns true/false.
Default	Provide a fallback value to use when the input is empty or null.

Number modifiers

For mathematical operations and number formatting.

Modifier	Description
Add	Add a number to the value.
Subtract	Subtract a number from the value.
Multiply	Multiply the value by a number.
Divide	Divide the value by a number.
Round	Round the number to the nearest integer.
Ceiling	Round the number up to the nearest integer.
Floor	Round the number down to the nearest integer.
Absolute	Return the absolute (non-negative) value.
Format Number	Format the number with a specific number of decimal places or locale formatting.

Date modifiers

For working with dates and times.

Modifier	Description
Add Time	Add a duration to a date (e.g. add 3 days, add 2 hours). Useful for setting deadlines or future dates.
Subtract Time	Subtract a duration from a date (e.g. go back 1 week).
Format Date	Format a date into a specific display format (e.g. `DD/MM/YYYY`, `MMMM Do, YYYY`).
Now	Return the current date and time.
Parse Date	Convert a text string into a date object using a specified format.
Difference	Calculate the difference between two dates (in days, hours, minutes, etc.).
Start Of	Get the start of a time period (e.g. start of the day, start of the month).
End Of	Get the end of a time period (e.g. end of the day, end of the week).

Testing modifiers

The **Test your modifier** panel (on the right side of the Modify variable screen) lets you enter a sample input value and click **Test** to see the output. This is an excellent way to verify your transformations before running the automation.

Tip: You can chain multiple modifiers. For example, to get tomorrow's date formatted nicely: start with a date variable → apply **Add Time** (+1 day) → apply **Format Date** (DD/MM/YYYY). Each modifier processes the output of the previous one.

---

12. Mews Components Overview

Mews provides its own set of components designed specifically for hospitality workflows. These are grouped into **Triggers** and **Actions**.

Triggers (event-based)

Triggers start your automation when something happens in Mews.

Trigger	When it fires	Key output data

Guest Profile Created	A new guest profile is added to Mews.	Guest name, email, phone, nationality, language, loyalty code.
Reservation Created	A new reservation is created.	Reservation ID, confirmation number, guest details, origin, assigned space, rate, dates.
Reservation Checked In	A guest checks in at the property.	Reservation ID, guest details, room assignment, check-in/out dates.

Actions (operations)

Guest & Reservation Operations

Action	What it does
Add Note to Guest Profile	Adds a categorized text note (e.g. Housekeeping, Complaints, Compliments) to a guest's profile.
Add Note to Reservation	Adds a note to one or more reservations, useful for group bookings or operational remarks.
Add Product to Reservation	Adds a product or charge (e.g. breakfast, parking, late checkout) to a reservation with configurable quantity and date range.
Upgrade Assigned Room Category	Upgrades a guest to a higher room category based on configurable upgrade paths, availability, and buffer settings.
Send SMS	Sends an SMS message to a guest, optionally linked to a reservation.
Add Task	Creates a task in Mews Operations with a deadline, description, department, and optional reservation link.

Data Retrieval & Filtering

Action	What it does
Get Eligible Arrivals	Retrieves confirmed reservations arriving on a given date, with optional loyalty, behavioral, and rate filters.
Get Occupancy / Check Occupancy	Returns the occupancy percentage for a date. Check Occupancy also compares it against a threshold for conditional branching.
Get Products	Retrieves orderable products at the property.
Get Products for Reservations	Retrieves products available for specific reservations.
Get Compatible Products	Filters products for compatibility with a reservation's service.

Get Services	Lists active (optionally bookable-only) services at the property.
Get Space Categories	Lists room/space categories, optionally filtered by service.
Get Rates	Lists enabled rates across bookable services.
Get Departments	Lists active departments for task routing.
Get Loyalty Programs	Lists loyalty programs configured at the property.
Get Loyalty Tiers	Lists loyalty tiers within programs for guest segmentation.

Note: For detailed documentation of each component — including every input field, output field, and step-by-step behavior — see the individual component documentation pages.

---

13. Built-in Utility Components

In addition to Mews-specific components, the automation platform provides a set of **built-in utility components** that help you control how your workflow behaves. These are essential building blocks for any automation.

Cron Scheduler — trigger

The **Cron Scheduler** triggers your automation on a recurring schedule using cron syntax. Use it when you want your automation to run at specific times (e.g. every morning at 9 AM, every Monday, on the first of each month).

Cron Scheduler

Action

Cron Scheduler

This trigger schedules jobs to run periodically at fixed times, dates, or intervals using cron syntax.

Trigger immediately

False

Set this to true if you want to trigger this component as soon as the flow starts.

Minute

*

Allowed values are *, -, /, 0-59, ,

Hour

12

Allowed values are *, -, /, 0-23, ,

Day of the Month

1

Field	Description	Allowed values
Trigger immediately	If set to True, the automation will fire once immediately when started, in addition to the scheduled runs.	True / False
Minute	Which minute(s) of the hour to run.	`*`, `-`, `/`, `0-59`, `,`
Hour	Which hour(s) of the day to run.	`*`, `-`, `/`, `0-23`, `,`
Day of the Month	Which day(s) of the month to run.	`*`, `-`, `/`, `1-31`, `,`
Day of the Week	Which day(s) of the week to run.	`*`, `-`, `/`, `0-6`, `SUN-SAT`, `,`
Timezone	The timezone for the schedule. Defaults to GMT if not specified.	e.g. `Europe/Prague`

Common cron examples

Schedule	Minute	Hour	Day of Month	Day of Week
Every day at 9:00 AM	`0`	`9`	`*`	`*`
Every day at noon	`0`	`12`	`*`	`*`
Every Monday at 8:00 AM	`0`	`8`	`*`	`1`
Every hour	`0`	`*`	`*`	`*`
Every 15 minutes	`*/15`	`*`	`*`	`*`
First day of every month at 6 AM	`0`	`6`	`1`	`*`

Important: Always set the **Timezone** field to match your property's timezone (e.g. `Europe/Prague`). If left empty, the schedule will use GMT, which may cause the automation to run at unexpected times.

Each (Loop) — utility

The **Each** component loops over a list and processes each item individually. It takes a list as input and outputs one item at a time to the connected downstream component(s). This is essential when a previous component returns multiple items (e.g. a list of reservation IDs) and you need to perform an action on each one.



Field	Description
Field	The list you want to iterate over. Click + to select the list output from a previous component (e.g. Reservation IDs from Get Eligible Arrivals).

Delay	Optional delay between items in milliseconds. Useful to avoid overwhelming external systems with rapid-fire requests.

How it works: If Get Eligible Arrivals returns 5 reservation IDs, the Each component will fire 5 times, passing one reservation ID each time to the connected downstream components. The downstream components (e.g. Upgrade Room, Send SMS) will therefore execute once per reservation.

Condition (If/Else) — utility

The **Condition** component lets you add branching logic to your automation. It evaluates a condition and routes the flow down one of two paths: **True** or **False**.

Field	Description
Input value	The value to check (use the + picker to reference a variable).
Operator	The comparison: equals, not equals, contains, greater than, less than, is empty, etc.
Comparison value	The value to compare against.

The component has two output ports: one for the **True** path and one for the **False** path. Connect different downstream components to each path.

Example: Check if the occupancy percentage is below 80%. If True → proceed with room upgrades. If False → skip upgrades (the property is too full).

Delay — utility

The **Delay** component pauses the automation for a specified amount of time before continuing to the next step. Useful when you need to wait between actions.

Field	Description
Duration	The amount of time to wait (in seconds or milliseconds, depending on configuration).

Set Variable — utility

The **Set Variable** component lets you create a named variable that stores a value or a transformed result. This is useful when you need to reuse the same computed value in multiple downstream components without repeating the transformation.

---

14. Starting, Stopping, and Testing Your Automation

Once your automation is built and configured, you need to **start** it for it to begin running.

Starting an automation

1. In the flow designer, click the **Start** button (typically a play icon in the top toolbar).
2. The automation status will change to **Active**.
3. If the trigger is event-based (e.g. Reservation Created), the automation will wait for that event to occur.
4. If the trigger is a Cron Scheduler, the automation will run at the next scheduled time. If **Trigger immediately** is set to True, it will also run once right away.

Stopping an automation

1. Click the **Stop** button in the flow designer toolbar.
2. The automation status will change to **Inactive**.
3. No further triggers will fire until the automation is started again.

Testing your automation

Tip: Before starting an automation in production, it's a good practice to test it. Here are some approaches:

- **Use "Trigger immediately":** For Cron Scheduler-based automations, set the "Trigger immediately" toggle to True. This will run the automation once as soon as you start it, so you can verify the results without waiting for the next scheduled time.
- **Check the Action Log:** After a test run, switch to the **Action log** tab on the Automations dashboard to see what happened. You can verify which components executed, what data flowed through, and whether any errors occurred.
- **Start with a small scope:** Use restrictive filters (e.g. a specific loyalty tier) so your test only affects a small number of reservations.

---

15. The Action Log

The **Action log** tab on the Automations dashboard provides a chronological record of every action executed by your automations. It is your primary tool for monitoring and debugging.



Use the Action log to:

- **Verify execution:** Confirm that your automation ran when expected.
- **Debug issues:** Identify which component in the flow caused an error.
- **Review data:** See what data was passed between components during execution.
- **Track activity:** Monitor how often your automations are running and what actions they're performing.

---

16. Using Templates

Templates are pre-built automations designed for common hospitality workflows. They save you time by providing a fully configured flow that you can use as-is or customize.

Available templates

Template	Description	Trigger
Upgrade room for loyalty members	Runs daily. Identifies arriving guests with optional loyalty/behavioral filters, checks property occupancy, attempts room upgrades based on configured upgrade paths and availability buffers, sends an SMS to upgraded guests, and adds a note to reservations where the upgrade failed.	Cron Scheduler (daily)

Welcome gift for VIP guests	Runs daily. Identifies arriving guests, checks which gift products are compatible with each reservation's service, creates a task in Mews Operations for your team to prepare the gift, and sends an SMS notification to the guest.	Cron Scheduler (daily)

How to use a template

1. Click **+ Create** on the Automations dashboard.
2. Select a template from the list (e.g. **Upgrade room for loyalty members**).
3. The flow designer opens with all components pre-placed and connected.
4. Review each component's settings in the Inspector panel. Most fields come pre-filled with sensible defaults.
5. Adjust any required fields specific to your property (these are highlighted in the template documentation).
6. Click **Start** when you're ready.

Note: For step-by-step setup instructions and detailed configuration guides for each template, see the dedicated template documentation pages.

---

17. Best Practices

1. **Start with a template.** Even if your use case is different, templates provide a great example of how to structure a flow and connect components.
2. **Name your automations clearly.** Use descriptive names like "Morning room upgrade for gold members" rather than "Untitled" so you and your team can quickly identify what each automation does.
3. **Set the timezone on Cron Schedulers.** Always configure the timezone field to match your property's timezone so automations run at the expected local time.
4. **Test with small scope first.** Use filters to limit your automation to a small set of reservations during testing (e.g. a specific loyalty tier or a single date). Once confirmed, broaden the scope.
5. **Use the Action log regularly.** After starting a new automation, check the Action log to confirm it's running correctly and producing the expected results.
6. **Add delays in loops.** When using the Each component to iterate over a large list, add a small delay between items (e.g. 500–1000 ms) to avoid overwhelming the system.
7. **Use modifiers instead of extra components.** If you need to transform a single value (e.g. format a date, concatenate strings), use modifiers on the variable rather than adding additional components. This keeps your flow cleaner.
8. **Keep automations focused.** It's better to have two simple automations than one overly complex one. If a workflow has many branches, consider splitting it into separate automations.

9. **Review before going live.** Walk through each component's configuration before starting the automation. Verify that all Required fields are filled, variables are correctly mapped, and the flow logic makes sense.
10. **Document your automations.** Use the automation name and any internal notes or descriptions to record what the automation does, who created it, and when it was last reviewed.

---

18. Troubleshooting

Problem	Solution
My automation is not running	Check that the automation status is **Active**. If it uses a Cron Scheduler, verify the cron settings and timezone are correct. Check if "Trigger immediately" can help you test it right away.
The automation runs but nothing happens	Check the **Action log** for errors. Verify that the trigger is producing output (e.g. there are actual arrivals for the date). Ensure all Required fields are filled in each component.
I see errors in the Action log	Click on the error entry to see the details. Common causes: a Required field is missing a value, a variable reference points to a component that has no output data, or a downstream system is temporarily unavailable.
Variables show as empty at runtime	Make sure the upstream component is producing data. If it's a data retrieval component (e.g. Get Eligible Arrivals), verify that there is data to return (e.g. there are confirmed arrivals for today). Also check that the variable mapping in the + picker points to the correct output field.
The Cron Scheduler fires at the wrong time	Check the **Timezone** field. If it's empty, the scheduler defaults to GMT. Set it to your property's timezone (e.g. `Europe/Prague`, `America/New_York`).
The Each loop processes zero items	Verify that the list variable connected to the Each component is not empty. Check the previous component's output in the Action log. The list field must reference an array, not a single value.
SMS messages are not being sent	Verify that the guest has a valid phone number in their profile. Check that the SMS component is correctly connected and the phone number variable is properly mapped.
I can't find a component in the palette	Use the **search bar** at the top of the component palette. Try different keywords (e.g. search "note" to find "Add Note to Reservation"). Some components may be listed under different names than expected.

What's Next?

Now that you understand the basics, here are some next steps:

- **Create your first automation** using a template — the *Welcome Gift for VIP Guests* template is a great starting point.
- **Read the component documentation** for each Mews component to understand all available input fields and options.
- **Experiment on the canvas** — create a custom automation with a Cron Scheduler trigger and a simple action to familiarize yourself with the flow designer.
- **Explore modifiers** — open the Modify variable panel and try chaining modifiers together to see how data transformations work.

You're ready! With Mews Automations, you can streamline your property's operations, deliver personalized guest experiences, and free your team to focus on what matters most — your guests. Happy automating!