

# Ejercicio Instituto

1)

The screenshot shows the MySQL Workbench interface. The query editor contains the following SQL statement:

```
1 • SELECT nombre, REVERSE (nombre) AS nombre_reves from alumno; -- CARLOSLE
```

The result grid displays the following data:

| # | nombre | nombre_reves |
|---|--------|--------------|
| 1 | Maria  | airaM        |
| 2 | Juan   | naul         |
| 3 | Pepo   | epeP         |
| 4 | Lucia  | aiucL        |
| 5 | Paco   | ocaP         |

2)

The screenshot shows the MySQL Workbench interface. The query editor contains the following SQL statement:

```
1 • SELECT CONCAT(nombre, ' ', apellido1, ' ', apellido2) AS nombre_completo, REVERSE (CONCAT(nombre, ' ', apellido1, ' ', apellido2)) AS nombre_reves FROM alumno; -- CARLOSLE
```

The result grid displays the following data:

| # | nombre_completo      | nombre_reves        |
|---|----------------------|---------------------|
| 1 | Maria Sánchez Pérez  | zeréP zehonÁS airaM |
| 2 | Juan Sáez Vega       | aeV zeáS nauJ       |
| 3 | Pepo Ramírez Gea     | aeG zerimaR epeP    |
| 4 | Lucia Sánchez Ortega | agetO zehonÁS aiucL |
| 5 | Paco Martínez López  | zePóL zenitraM ocaP |

The Action Output tab shows the following results:

| # | Time     | Action                                                         | Message           | Duration / Fetch       |
|---|----------|----------------------------------------------------------------|-------------------|------------------------|
| 1 | 17:08:59 | SELECT CONCAT( ' ', nombre, apellido1, apellido2) AS nom...    | 5 row(s) returned | 0.00036 sec / 0.000... |
| 2 | 17:09:24 | SELECT CONCAT(nombre, ' ', apellido1, ' ', apellido2) AS no... | 5 row(s) returned | 0.00045 sec / 0.000... |
| 3 | 17:10:16 | SELECT CONCAT(nombre, ' ', apellido1, ' ', apellido2) AS no... | 5 row(s) returned | 0.00070 sec / 0.000... |

3)

The screenshot shows the MySQL Workbench interface. The 'Schemas' pane on the left shows the 'instituto' database selected, with the 'alumno' table expanded. The 'Query' tab is active, showing a SQL query that concatenates the first and last names of students and reverses the last name. The 'Result Grid' shows the output of the query, with columns 'nombre\_completo' and 'nombre\_reves'.

| # | nombre_completo      | nombre_reves         |
|---|----------------------|----------------------|
| 1 | MARIA SANCHEZ PEREZ  | zerép zehcnás aíram  |
| 2 | JUAN SÁEZ VEGA       | agev zeás nauj       |
| 3 | PEPE RAMÍREZ GEA     | aeg zerimar eepa     |
| 4 | LUCÍA SÁNCHEZ ORTEGA | agetro zehcnás aicul |
| 5 | PACO MARTÍNEZ LOPEZ  | zepól zenitram ocap  |

4)

The screenshot shows the MySQL Workbench interface. The 'Schemas' pane on the left shows the 'instituto' database selected, with the 'alumno' table expanded. The 'Query' tab is active, showing a SQL query that concatenates the first and last names of students and reverses the last name. The 'Result Grid' shows the output of the query, with columns 'nombre\_completo' and 'nombre\_reves'.

| #  | nombre_completo            | nombre_reves |
|----|----------------------------|--------------|
| 1  | Maria Sánchez Pérez        | 19           |
| 2  | Juan Sáez Vega             | 14           |
| 3  | Pepe Ramírez Gea           | 16           |
| 4  | Lucía Sánchez Ortega       | 20           |
| 5  | Paco Martínez López        | 19           |
| 6  | Irene Gutiérrez Sánchez    | 23           |
| 7  | Cristina Fernández Ramírez | 26           |
| 8  | Antonio Carretero Ortega   | 24           |
| 9  | Manuel Domínguez Hernández | 26           |
| 10 | Daniel Moreno Ruiz         | 18           |

5)

The screenshot shows the MySQL Workbench interface. The 'Query' tab is active, displaying a SQL query: `SELECT CONCAT_WS(' ', nombre, apellido1, apellido2) AS nombre_completo, LOWER(CONCAT(nombre, ' ', apellido1, ' ', apellido2, '@teunomegal')) AS email FROM alumno; -- CARLOS LF`. The 'Result Grid' shows 10 rows of data. The 'Action Output' pane at the bottom shows the execution details: `SELECT CONCAT_WS(' ', nombre, apellido1, apellido2) AS no... 10 row(s) returned` with a duration of 0.00051 sec / 0.000...

| #  | nombre_completo            | email                               |
|----|----------------------------|-------------------------------------|
| 1  | Maria Sánchez Pérez        | maria.sánchez.pérez@teunomegal      |
| 2  | Juan Sáez Vega             | juan.sáez.vega@teunomegal           |
| 3  | Pope Ramírez Gea           | pepe.ramírez.gea@teunomegal         |
| 4  | Lucía Sánchez Ortega       | lucia.sánchez.ortega@teunomegal     |
| 5  | Paco Martínez López        | paco.martínez.lópez@teunomegal      |
| 6  | Irene Gutiérrez Sánchez    | irene.gutiérrez.sánchez@teunomegal  |
| 7  | Cristina Fernández Ramírez | cristina.fernández.ramírez@teuno... |
| 8  | Antonio Carretero Ortega   | antonio.carretero.ortega@teunome... |
| 9  | Manuel Domínguez Hernández | manuel.dominguez.hernández@te...    |
| 10 | Daniel Moreno Ruiz         | daniel.moreno.ruiz@teunomegal       |

6)

The screenshot shows the MySQL Workbench interface. The 'Query' tab is active, displaying a complex SQL query: `SELECT CONCAT(nombre, ' ', apellido1, ' ', apellido2, '') AS 'Nombre y apellidos', LOWER(CONCAT(nombre, ' ', apellido1, '@teunomegal')) AS 'Correo electrónico', CONCAT(REVERSE(apellido2), YEAR(fecha_nacimiento)) AS 'Contraseña' FROM alumno; -- CARLOS LF`. The 'Result Grid' shows 10 rows of data. The 'Action Output' pane at the bottom shows the execution details: `SELECT CONCAT(nombre, ' ', apellido1, ' ', COALESCE(a... 10 row(s) returned` with a duration of 0.0041 sec / 0.0000...

| #  | Nombre y apellidos         | Correo electrónico            | Contraseña    |
|----|----------------------------|-------------------------------|---------------|
| 1  | Maria Sánchez Pérez        | maria.sánchez@teunomegal      | zer6P1990     |
| 2  | Juan Sáez Vega             | juan.sáez@teunomegal          | ageV1998      |
| 3  | Pope Ramírez Gea           | pepe.ramírez@teunomegal       | aeG1988       |
| 4  | Lucía Sánchez Ortega       | lucia.sánchez@teunomegal      | ageO1993      |
| 5  | Paco Martínez López        | paco.martínez@teunomegal      | zsp6L1995     |
| 6  | Irene Gutiérrez Sánchez    | irene.gutiérrez@teunomegal    | zehcnS1991    |
| 7  | Cristina Fernández Ramírez | cristina.fernández@teunomegal | zerimaR1996   |
| 8  | Antonio Carretero Ortega   | antonio.carretero@teunomegal  | agerO1994     |
| 9  | Manuel Domínguez Hernández | manuel.dominguez@teunomegal   | zednánreH1999 |
| 10 | Daniel Moreno Ruiz         | daniel.moreno@teunomegal      | ziuR1998      |

# FyH 1)

MySQL Workbench interface showing a query execution result for a date extraction query.

**Query 1:**

```
1 • SELECT
2   fecha_nacimiento AS 'Data de nacimiento completa',
3   DAY(fecha_nacimiento) AS 'Dia',
4   MONTH(fecha_nacimiento) AS 'Mes',
5   YEAR(fecha_nacimiento) AS 'Ano'
6 FROM
7   alumno;
8
9 -- CARLOS LF
```

**Result Grid:**

| #  | Data de nacimiento completa | Dia | Mes | Ano  |
|----|-----------------------------|-----|-----|------|
| 1  | 1990-12-01                  | 1   | 12  | 1990 |
| 2  | 1998-04-02                  | 2   | 4   | 1998 |
| 3  | 1988-01-03                  | 3   | 1   | 1988 |
| 4  | 1993-06-13                  | 13  | 6   | 1993 |
| 5  | 1995-11-24                  | 24  | 11  | 1995 |
| 6  | 1991-03-28                  | 28  | 3   | 1991 |
| 7  | 1996-09-17                  | 17  | 9   | 1996 |
| 8  | 1994-05-20                  | 20  | 5   | 1994 |
| 9  | 1999-07-08                  | 8   | 7   | 1999 |
| 10 | 1998-02-03                  | 3   | 2   | 1998 |

**Action Output:**

| # | Time     | Action | Message                                                                                                                                                                              | Duration / Fetch       |
|---|----------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| 1 | 16:22:50 | SELECT | fecha_nacimiento AS 'Data de nacimiento completa', DAY(fecha_nacimiento) AS 'Dia', MONTH(fecha_nacimiento) AS 'Mes', YEAR(fecha_nacimiento) AS 'Ano' FROM alumno; 10 row(s) returned | 0.00035 sec / 0.000... |

Query Completed

# FyH 2)

MySQL Workbench interface showing a query execution result for a date formatting query.

**Query 1:**

```
1 • SELECT
2   DATE_FORMAT(fecha_nacimiento, '%d-%m-%Y') AS 'Data de nacimiento',
3   DAYNAME(fecha_nacimiento) AS 'Dia da semana',
4   MONTHNAME(fecha_nacimiento) AS 'Mes'
5 FROM
6   alumno;
7
8 -- CARLOS LF
```

**Result Grid:**

| #  | Data de nacimiento | Dia da semana | Mes       |
|----|--------------------|---------------|-----------|
| 1  | 01-12-1990         | Saturday      | December  |
| 2  | 02-04-1998         | Thursday      | April     |
| 3  | 03-01-1988         | Sunday        | January   |
| 4  | 13-06-1993         | Sunday        | June      |
| 5  | 24-11-1995         | Friday        | November  |
| 6  | 28-03-1991         | Thursday      | March     |
| 7  | 17-09-1996         | Tuesday       | September |
| 8  | 20-05-1994         | Friday        | May       |
| 9  | 08-07-1999         | Thursday      | July      |
| 10 | 03-02-1998         | Tuesday       | February  |

**Action Output:**

| # | Time     | Action | Message                                                                                                                                                                               | Duration / Fetch       |
|---|----------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| 1 | 16:38:47 | SELECT | DATE_FORMAT(fecha_nacimiento, '%d-%m-%Y') AS 'Data de nacimiento', DAYNAME(fecha_nacimiento) AS 'Dia da semana', MONTHNAME(fecha_nacimiento) AS 'Mes' FROM alumno; 10 row(s) returned | 0.00039 sec / 0.000... |

Query Completed

FhH 3)

MySQL Workbench interface showing a query execution result. The query calculates the number of days passed since birth for each student.

```
1 SELECT
2   fecha_nacimiento AS 'Data de nacimiento',
3   DATEDIFF(NOW(), fecha_nacimiento) AS 'Dias pasados desde a data de nacimiento'
4 FROM
5   alumno;
6
7 -- CARLOSLF
```

| #  | Data de nacimiento | Dias pasados desde a data de nacimiento |
|----|--------------------|-----------------------------------------|
| 1  | 1990-12-01         | 12133                                   |
| 2  | 1998-04-02         | 9454                                    |
| 3  | 1988-01-03         | 13196                                   |
| 4  | 1993-06-13         | 11208                                   |
| 5  | 1995-11-24         | 10314                                   |
| 6  | 1991-03-28         | 12016                                   |
| 7  | 1996-09-17         | 10016                                   |
| 8  | 1994-05-20         | 10567                                   |
| 9  | 1999-07-08         | 8992                                    |
| 10 | 1998-02-03         | 9512                                    |

Action Output:

| # | Time     | Action | Message                                                          | Duration / Fetch       |
|---|----------|--------|------------------------------------------------------------------|------------------------|
| 1 | 16:42:50 | SELECT | fecha_nacimiento AS 'Data de nacimiento', ... 10 row(s) returned | 0.00045 sec / 0.000... |

FyH 4)

MySQL Workbench interface showing a query execution result. The query calculates the floor of the age for each student.

```
1 SELECT
2   fecha_nacimiento AS 'Data de nacimiento',
3   FLOOR(DATEDIFF(NOW(), fecha_nacimiento) / 365.25) AS 'Idade'
4 FROM
5   alumno;
6
7 -- CARLOSLF
```

| #  | Data de nacimiento | Idade |
|----|--------------------|-------|
| 1  | 1990-12-01         | 33    |
| 2  | 1998-04-02         | 25    |
| 3  | 1988-01-03         | 36    |
| 4  | 1993-06-13         | 30    |
| 5  | 1995-11-24         | 28    |
| 6  | 1991-03-28         | 32    |
| 7  | 1996-09-17         | 27    |
| 8  | 1994-05-20         | 29    |
| 9  | 1999-07-08         | 24    |
| 10 | 1998-02-03         | 26    |

Action Output:

| # | Time     | Action | Message                                                          | Duration / Fetch       |
|---|----------|--------|------------------------------------------------------------------|------------------------|
| 1 | 16:45:52 | SELECT | fecha_nacimiento AS 'Data de nacimiento', ... 10 row(s) returned | 0.00035 sec / 0.000... |