

EJERCICIO 2:

The screenshot shows the MySQL Workbench interface. The 'Query' tab is active, displaying a large number of INSERT statements. The statements are organized into three main sections: 'cliente', 'comercial', and 'pedido'. The 'cliente' section contains 10 INSERT statements for the 'cliente' table. The 'comercial' section contains 10 INSERT statements for the 'comercial' table. The 'pedido' section contains 10 INSERT statements for the 'pedido' table. The 'Object Info' pane on the left shows the database schema 'examen2_CARLOSIF' with tables 'cliente', 'comercial', and 'pedido'. The 'Context Help' pane on the right displays a message: 'Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.'

The screenshot shows the MySQL Workbench interface. The 'Query' tab is active, displaying a large number of CREATE TABLE statements. The statements are organized into three main sections: 'cliente', 'comercial', and 'pedido'. The 'cliente' section contains 10 CREATE TABLE statements for the 'cliente' table. The 'comercial' section contains 10 CREATE TABLE statements for the 'comercial' table. The 'pedido' section contains 10 CREATE TABLE statements for the 'pedido' table. The 'Object Info' pane on the left shows the database schema 'examen2_CARLOSIF' with tables 'cliente', 'comercial', and 'pedido'. The 'Context Help' pane on the right displays a message: 'Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.'