

Calculation of Rule Set 2 score

Requirements:

Software: Python-2.7

Packages:

1. scikit-learn 0.16.1 (**Other versions will produce runtime errors**)
2. pickle
3. pandas
4. numpy
5. scipy

Inputs:

1. `--seq` : 30mer nucleotide sequence, which should be of the form NNNN20merNGGNNN
2. `--aa-cut` : This is an optional argument. Specify the position at which the sgRNA cuts the amino acid sequence. Default value: -1
3. `--per-peptide` : This is an optional argument. Specify the percentage of protein cut by the sgRNA. Default value: -1

The optional arguments are helpful for prediction but if this information is unknown, a separate model will be used for prediction where these features are turned off.

Output:

The Rule Set 2 score for the input sequence will be printed on the terminal.

Running the code:

To run this code, make the “analysis” folder your working directory.

- To run full model prediction, type on the terminal:
`python rs2_score_calculator.py --seq <30mer sequence> --aa-cut <amino acid cut position> --per-peptide <Percent peptide cut by sgRNA>`
- To use only sequence information, type on the terminal:
`python rs2_score_calculator.py --seq <30mer sequence>`

Examples:

For full model prediction:

```
python rs2_score_calculator.py --seq TGGAGGCTGCTTTACCCGCTGTGGGGGCGC --aa-cut 254 --per-peptide 87
```

Output: Rule set 2 score: 0.5309

For prediction using only sequence information:

```
python rs2_score_calculator.py --seq TGGAGGCTGCTTTACCCGCTGTGGGGGCGC
```

Output: Rule set 2 score: 0.5656

OR

```
python rs2_score_calculator.py --seq TGGAGGCTGCTTTACCCGCTGTGGGGGCGC --aa-cut -1 --per-peptide -1
```

Output: Rule set 2 score: 0.5656