



Mata Kuliah : Basis Data
Program Studi : D4 – Teknik Informatika
Semester : 2

Kelas : 1H
NIM : 254107020064
Nama : Carlos Fadellilah Rama
Jobsheet Ke- : 11

Laporan Jobsheet

Praktikum Ke-1

Langkah

Jawaban/Deskripsi

1

The screenshot displays a SQL development environment with a dark theme. The main editor window contains the following SQL script:


```
);  
  
INSERT INTO matakuliah (kode, nama, sks) VALUES  
('MK001', 'Basis Data Dasar', 0),  
('MK002', 'Pemrograman Java', 0),  
('MK003', 'Sistem Operasi', 0);  
  
-- Mengupdate mata kuliah pertama menjadi 3 SKS  
UPDATE matakuliah SET sks = 3 WHERE kode = 'MK001';  
  
-- Mengupdate mata kuliah kedua menjadi 2 SKS  
UPDATE matakuliah SET sks = 2 WHERE kode = 'MK002';  
  
-- Mengupdate mata kuliah ketiga menjadi 4 SKS  
UPDATE matakuliah SET sks = 4 WHERE kode = 'MK003';  
  
SELECT * FROM matakuliah;
```

Below the editor, a tab labeled "matakuliah 1" is active. It shows the result of the "SELECT * FROM matakuliah;" query in a table grid view:


	AZ kode	AZ nama	123 sks
1	MK001	Basis Data Dasar	3
2	MK002	Pemrograman Java	2
3	MK003	Sistem Operasi	4

The bottom status bar includes buttons for "Refresh", "Save", "Cancel", and "Export data", along with a page indicator showing "200" and "3".

Praktikum Ke-2

Langkah	Jawaban/Deskripsi																				
1	 <pre>-- Hapus dulu data lama yang mungkin salah kodenya (opsional) DELETE FROM matakuliah; -- Isi ulang dengan kode yang akan dipakai di tabel nilai INSERT INTO matakuliah (kode, nama, sks) VALUES ('MK01', 'Basis Data Dasar', 3), ('MK02', 'Pemrograman Java', 2), ('MK03', 'Sistem Operasi', 4); INSERT INTO nilai (nim, kode_matakuliah, nilai_angka, nilai_huruf) VALUES ('22001', 'MK01', 70, 'B'), ('22002', 'MK01', 70, 'B'), ('22003', 'MK02', 70, 'B'); SELECT * FROM nilai;</pre> <table><tr><th>id</th><th>nim</th><th>kode_matakuliah</th><th>nilai_angka</th><th>nilai_huruf</th></tr><tr><td>13</td><td>22001</td><td>MK01</td><td>70</td><td>B</td></tr><tr><td>14</td><td>22002</td><td>MK01</td><td>70</td><td>B</td></tr><tr><td>15</td><td>22003</td><td>MK02</td><td>70</td><td>B</td></tr></table>	id	nim	kode_matakuliah	nilai_angka	nilai_huruf	13	22001	MK01	70	B	14	22002	MK01	70	B	15	22003	MK02	70	B
id	nim	kode_matakuliah	nilai_angka	nilai_huruf																	
13	22001	MK01	70	B																	
14	22002	MK01	70	B																	
15	22003	MK02	70	B																	

Praktikum Ke-3

Langkah	Jawaban/Deskripsi						
1	 <pre> -- Isi ulang dengan kode yang akan dipakai di tabel nilai INSERT INTO matakuliah (kode, nama, sks) VALUES ('MK01', 'Basis Data Dasar', 3), ('MK02', 'Pemrograman Java', 2), ('MK03', 'Sistem Operasi', 4); INSERT INTO nilai (nim, kode_matakuliah, nilai_angka, nilai_huruf) VALUES ('22001', 'MK01', 70, 'B'), ('22002', 'MK01', 70, 'B'), ('22003', 'MK02', 70, 'B'); SELECT * FROM nilai; SELECT DISTINCT m.kode, m.nama FROM matakuliah m JOIN nilai n ON m.kode = n.kode_matakuliah; </pre> <table border="1"> <thead> <tr> <th>kode</th> <th>nama</th> </tr> </thead> <tbody> <tr> <td>MK01</td> <td>Basis Data Dasar</td> </tr> <tr> <td>MK02</td> <td>Pemrograman Java</td> </tr> </tbody> </table>	kode	nama	MK01	Basis Data Dasar	MK02	Pemrograman Java
kode	nama						
MK01	Basis Data Dasar						
MK02	Pemrograman Java						

Praktikum Ke-4

Langkah

Jawaban/Deskripsi

1

The screenshot displays the SQL Studio interface. The top pane shows a SQL script with the following queries:

```
 ('MK03', 'Sistem Operasi', 4);''  
  
● INSERT INTO nilai (nim, kode_matakuliah, nilai_angka, nilai_huruf) VALUES  
  ('22001', 'MK01', 70, 'B'),  
  ('22002', 'MK01', 70, 'B'),  
  ('22003', 'MK02', 70, 'B');  
  
● SELECT * FROM nilai;  
  
● SELECT DISTINCT m.kode, m.nama  
  FROM matakuliah m  
  JOIN nilai n ON m.kode = n.kode_matakuliah;  
  
● SELECT *  
  FROM nilai  
  WHERE nilai_angka NOT BETWEEN 40 AND 70;  
  
● INSERT INTO nilai (nim, kode_matakuliah, nilai_angka, nilai_huruf)  
  VALUES ('22001', 'MK03', 90, 'A');
```

The bottom pane shows the results of the query `SELECT * FROM nilai;` in a table grid:

	id	123 id	AZ nim	AZ kode_matakuliah	123 nilai_angka	AZ nilai_huruf
1		13	22001	MK01	70	B
2		14	22002	MK01	70	B
3		15	22003	MK02	70	B
4		16	22001	MK03	90	A
5		17	22001	MK03	90	A

The interface includes a toolbar at the bottom with options like Refresh, Save, Cancel, and Export data. The status bar at the very bottom shows 'WIB en Writable Smart Insert 66:1:1824'.

Praktikum Ke-5

Langkah

Jawaban/Deskripsi

1

The screenshot displays a SQL IDE interface. The top toolbar includes icons for Auto, Undo, Redo, Localhost, and various query execution options. The script editor contains the following SQL queries:

```
 ('22002', 'MK01', 70, 'B'),  
 ('22003', 'MK02', 70, 'B');  
  
 SELECT * FROM nilai;  
  
 ● SELECT DISTINCT m.kode, m.nama  
   FROM matakuliah m  
   JOIN nilai n ON m.kode = n.kode_matakuliah;  
  
 ● SELECT *  
   FROM nilai  
   WHERE nilai_angka NOT BETWEEN 40 AND 70;  
  
 ● INSERT INTO nilai (nim, kode_matakuliah, nilai_angka, nilai_huruf)  
   VALUES ('22001', 'MK03', 90, 'A');  
  
 ● SELECT *  
   FROM matakuliah  
   WHERE sks > (SELECT sks FROM matakuliah WHERE nama = 'Basis Data Dasar');
```

Below the script editor, a results window titled 'matakuliah 1' is open, showing the results of the query: `SELECT * FROM matakuliah WHERE`. The results are displayed in a grid with columns: `AZ kode`, `AZ nama`, and `123 sks`. The first row shows the data for 'MK03' and 'Sistem Operasi' with a value of 4 in the `123 sks` column.

	AZ kode	AZ nama	123 sks
1	MK03	Sistem Operasi	4

The bottom toolbar includes icons for Refresh, Save, Cancel, and various navigation options. The status bar at the bottom shows 'Export data' and a page number of 200.

