




Comparación de Métodos de Interpolación EEG, idx = [13]




Sklearn KNN




Sklearn Radius




KNN(NNK)




NNK




VKNN



Kaliofolias




AEW




Interpolaciones - Otros


RBFI MQ($\epsilon=0.9$)




RBFI MQ($\epsilon=1.0$)




RBFI MQ($\epsilon=1.1$)




Spline Superficie($s=10.0$)



Spline Superficie($s=50.0$)




Spline Superficie($s=100.0$)








Interpolaciones - Otros

NNI




RBFI TPS




Interpolaciones - Tikhonov


Tikhonov(KNN(k=5, $\sigma=0.1005$, n_edge=172), $\tau=0$)




Tikhonov(KNN(k=5, $\sigma=0.1005$, n_edge=172), $\tau=0.1$)




Tikhonov(KNN(k=5, $\sigma=0.1005$, n_edge=172), $\tau=1$)




Tikhonov(Radius(r=0.3016, $\sigma=0.1005$, n_edge=802), $\tau=0$)



Tikhonov(Radius(r=0.3016, $\sigma=0.1005$, n_edge=802), $\tau=0.1$)




Tikhonov(Radius(r=0.3016, $\sigma=0.1005$, n_edge=802), $\tau=1$)




Interpolaciones - Tikhonov


Tikhonov(VKNN($k_{\min}=2, k_{\max}=10, \beta=0.01, n_{\text{edge}}=220$), $\tau=0$)




Tikhonov(VKNN($k_{\min}=2, k_{\max}=10, \beta=0.01, n_{\text{edge}}=220$), $\tau=0.1$)




Tikhonov(VKNN($k_{\min}=2, k_{\max}=10, \beta=0.01, n_{\text{edge}}=220$), $\tau=1$)




Tikhonov(Kaliofolias($a=0.34, b=0.4, \gamma=0.04, n_{\text{edge}}=202$), $\tau=0$)



Tikhonov(Kaliofolias($a=0.34, b=0.4, \gamma=0.04, n_{\text{edge}}=202$), $\tau=0.1$)




Tikhonov(Kaliofolias($a=0.34, b=0.4, \gamma=0.04, n_{\text{edge}}=202$), $\tau=1$)




Interpolaciones - Tikhonov


Tikhonov(NNK(k=5, n_edge=100), $\tau=0$)




Tikhonov(NNK(k=5, n_edge=100), $\tau=0.1$)




Tikhonov(NNK(k=5, n_edge=100), $\tau=1$)




Tikhonov(AEW(k=5, $\sigma=0.10053801899027087$, n_edge=172), $\tau=0$)



Tikhonov(AEW(k=5, $\sigma=0.10053801899027087$, n_edge=172), $\tau=0.1$)




Tikhonov(AEW(k=5, $\sigma=0.10053801899027087$, n_edge=172), $\tau=1$)




Interpolaciones - BGSRP


BGSRP(KNN(k=5, $\sigma=0.1005$, n_edge=172),bandw=6, $\gamma=0.01$)




BGSRP(KNN(k=5, $\sigma=0.1005$, n_edge=172),bandw=6, $\gamma=1$)




BGSRP(KNN(k=5, $\sigma=0.1005$, n_edge=172),bandw=15, $\gamma=0.01$)




BGSRP(KNN(k=5, $\sigma=0.1005$, n_edge=172),bandw=15, $\gamma=1$)



BGSRP(Radius(r=0.3016, $\sigma=0.1005$, n_edge=802),bandw=6, $\gamma=0.01$)




BGSRP(Radius(r=0.3016, $\sigma=0.1005$, n_edge=802),bandw=6, $\gamma=1$)




Interpolaciones - BGSRP


BGSRP(Radius($r=0.3016, \sigma=0.1005$, $n_{\text{edge}}=802$), $\text{bandw}=15, \gamma=0.01$)




BGSRP(Radius($r=0.3016, \sigma=0.1005$, $n_{\text{edge}}=802$), $\text{bandw}=15, \gamma=1$)




BGSRP(VKNN($k_{\text{min}}=2, k_{\text{max}}=10, \beta=0.01$, $n_{\text{edge}}=220$), $\text{bandw}=6, \gamma=0.01$)




BGSRP(VKNN($k_{\text{min}}=2, k_{\text{max}}=10, \beta=0.01$, $n_{\text{edge}}=220$), $\text{bandw}=6, \gamma=1$)



BGSRP(VKNN($k_{\text{min}}=2, k_{\text{max}}=10, \beta=0.01$, $n_{\text{edge}}=220$), $\text{bandw}=15, \gamma=0.01$)




BGSRP(VKNN($k_{\text{min}}=2, k_{\text{max}}=10, \beta=0.01$, $n_{\text{edge}}=220$), $\text{bandw}=15, \gamma=1$)




Interpolaciones - BGSRP


BGSRP(Kaliofolias($a=0.34, b=0.4, \gamma=0.04$, $n_{\text{edge}}=202$), $\text{bandw}=6, \gamma=0.01$)




BGSRP(Kaliofolias($a=0.34, b=0.4, \gamma=0.04$, $n_{\text{edge}}=202$), $\text{bandw}=6, \gamma=1$)




BGSRP(Kaliofolias($a=0.34, b=0.4, \gamma=0.04$, $n_{\text{edge}}=202$), $\text{bandw}=15, \gamma=0.01$)




BGSRP(Kaliofolias($a=0.34, b=0.4, \gamma=0.04$, $n_{\text{edge}}=202$), $\text{bandw}=15, \gamma=1$)



BGSRP(NNK($k=5$, $n_{\text{edge}}=100$), $\text{bandw}=6, \gamma=0.01$)




BGSRP(NNK($k=5$, $n_{\text{edge}}=100$), $\text{bandw}=6, \gamma=1$)




Interpolaciones - BGSRP


BGSRP(NNK(k=5, n_edge=100),bandw=15, $\gamma=0.01$)




BGSRP(NNK(k=5, n_edge=100),bandw=15, $\gamma=1$)




BGSRP(AEW(k=5, $\sigma=0.10053801899027087$, n_edge=172),bandw=6, $\gamma=0.01$)



BGSRP(AEW(k=5, $\sigma=0.10053801899027087$, n_edge=172),bandw=6, $\gamma=1$)



BGSRP(AEW(k=5, $\sigma=0.10053801899027087$, n_edge=172),bandw=15, $\gamma=0.01$)



BGSRP(AEW(k=5, $\sigma=0.10053801899027087$, n_edge=172),bandw=15, $\gamma=1$)

