12. Actividad 5 — Anonimización (anonymization)

El área de dirección solicita información estadística.

No necesita conocer los clientes individualmente.

El objetivo es generar información agregada y reducir el riesgo de reidentificación.

12.1 Generalizar la edad

```
laboratorio1=# SELECT
    CASE
        WHEN edad BETWEEN 18 AND 30 THEN '18-30'
        WHEN edad BETWEEN 31 AND 45 THEN '31-45'
        ELSE '46+'
    END AS rango_edad,
    COUNT(*) AS total
FROM clientes
GROUP BY 1;
 rango_edad | total
------------+-------
 31-45      |     4
 46+        |     1
(2 rows)

laboratorio1=#
```

12.2 Generalizar la región

```
laboratorio1=# SELECT
    LEFT(codigo_postal, 2) AS region,
    COUNT(*) AS total
FROM clientes
GROUP BY 1;
 region | total
--------+-------
 82     |     1
 80     |     3
 81     |     1
(3 rows)

laboratorio1=#
```

12.3 Combinar atributos

```
laboratorio1=# SELECT
    CASE
        WHEN edad BETWEEN 18 AND 30 THEN '18-30'
        WHEN edad BETWEEN 31 AND 45 THEN '31-45'
        ELSE '46+'
    END AS rango_edad,

    LEFT(codigo_postal, 2) AS region,

    COUNT(*) AS total

FROM clientes

GROUP BY 1, 2;
 rango_edad | region | total
------------+--------+-------
 31-45      | 81     |     1
 46+        | 82     |     1
 31-45      | 80     |     3
(3 rows)

laboratorio1=#
```

12.4 Suprimir grupos pequeños

```
laboratorio1=# SELECT
    CASE
        WHEN edad BETWEEN 18 AND 30 THEN '18-30'
        WHEN edad BETWEEN 31 AND 45 THEN '31-45'
        ELSE '46+'
    END AS rango_edad,

    LEFT(codigo_postal, 2) AS region,

    COUNT(*) AS total

FROM clientes

GROUP BY 1, 2

HAVING COUNT(*) >= 5;
 rango_edad | region | total
------------+--------+-------
(0 rows)

laboratorio1=#
```