
TEST DETAILS REPORT

TC_005_19_reportTest





Project QTS Tests

Module 005_ReportTests_2 Test Object TC_005_19_reportTest

Statistics

Total Testcases	4	
Successful	4	~
Failed	0	
Not Executed	0	

Module Properties

Project Root Directory	E:\Projects\TESSY_TQP	
Configuration File	\$(PROJECTROOT)\tessy\config\qts_gcc_i386_configuration.xml	
Target Environment	GNU GCC Eclipse CDT (Default)	
Kind of Test	Unit Test	
Linker Options		
Source File(s)		
File	\$(PROJECTROOT)\Source\Report\tessy_qts_report_tests_2.c Revision: 8 Author: Tobias Bochtler	
Compiler Options	-DHAVE_BOOL -DHAVE_INT8 -DHAVE_INT64 -DHAVE_FLOAT -DHAVE_FLOAT64 -I\$(PROJECTROOT)\Source\Include	

Attributes	
Name	Value
Float Eval Epsilon	0.0
Float Precision	8

Comments/Description/Specification		
Name	Text	
Module '005_ReportTests_2'	The ReportTest2 tests are tests with usercode. There is no instrumentation.	

© Report created by TESSY V3.2.6, report template V2.4

2015-06-26, 09:30:51+0200



Usercode

Stub Functions

TC_005_19_reportTest

```
exfunc1
    $stub signed long exfunc1() {

    // This is the line 1 of testobject specific stubfunction
    // This is the line 2 of testobject specific stubfunction
    // This is the line 3 of testobject specific stubfunction
}

exfunc2
    $stub signed long exfunc2() {

    // This is the line 1 of testobject specific stubfunction
    // This is the line 2 of testobject specific stubfunction
    // This is the line 3 of testobject specific stubfunction
    // This is the line 3 of testobject specific stubfunction
}

Definitions
```

```
// This is the line 1 of the Definitions
// This is the line 2 of the Definitions
// This is the line 3 of the Definitions
```

TFST			

TC_005_19_reportTest

2015-06-26, 09:30:51+0200



Test Case 1	v v v v v v v v v v v v v v v v v v v
Test Case 2	
Test Gase 2	
Test Case 3	v v v v v v v v v v v v v v v v v v v
Test Case 4	