Project	QTS Tests
Module	005_ReportTests_2
Test Object	TC_005_32_reportTest

Statistics

Total Testcases	8
Successful	4
Failed	2 ✖
Not Executed	2 ⚠

Module Properties

Project Root Directory	E:\Projects\TESSY_TQP			
Configuration File	$(PROJECTROOT)\tessy\config\qts_gcc_i386_configuration.xml			
Target Environment	GNU GCC Eclipse CDT (Default)			
Kind of Test	Unit Test			
Linker Options				
Source File(s)				
File	$(PROJECTROOT)\Source\Report\tessy_qts_report_tests_2.c	Revision: 8	Author: Tobias Bochtler	Date: 18.09.2013
Compiler Options	-DHAVE_BOOL -DHAVE_INT8 -DHAVE_INT64 -DHAVE_FLOAT -DHAVE_FLOAT64 -I$(PROJECTROOT)\Source\Include			

Attributes	
Name	**Value**
Float Eval Epsilon	0.0
Float Precision	8

Comments/Description/Specification	
Name	**Text**
Module '005_ReportTests_2'	The ReportTest2 tests are tests with usercode. There is no instrumentation.

Test Case 1: test1

Specification	`Multiline specification line 1`
	`Multiline specification line 2`
	`Multiline specification line 3`
	`Multiline specification line 4`

Description	Multiline description line 1 Multiline description line 2 Multiline description line 3 Multiline description line 4

Prolog	`// This is the Testcase prolog line 1`
	`// This is the Testcase prolog line 2`
	`// This is the Testcase prolog line 3`

Test Step 1.1 (Repeat Count = 3)

Name	Input Value		
input1	3		
input2	4		

Name	Actual Value	Expected Value	Result
output1	3	2	❌
output2	4	4	✔

Test Step 1.2 (Repeat Count = 6)

Name	Input Value		
input1	3		
input2	4		

Name	Actual Value	Expected Value	Result
output1	3	5	❌
output2	4	4	✔

Test Case 2: test2

Specification	`Multiline specification line 1`
	`Multiline specification line 2`
	`Multiline specification line 3`
	`Multiline specification line 4`

Description	Multiline description line 1 Multiline description line 2 Multiline description line 3 Multiline description line 4

Prolog	`// This is the Testcase prolog line 1`
	`// This is the Testcase prolog line 2`
	`// This is the Testcase prolog line 3`

Test Step 2.1 (Repeat Count = 1)

Name	Input Value		
input1	3		
input2	4		

Name	Actual Value	Expected Value	Result
output1	3	3	✔
output2	4	4	✔

Test Case 3: test3 ❌

|	

Specification	`Multiline specification line 1`
	`Multiline specification line 2`
	`Multiline specification line 3`
	`Multiline specification line 4`

Description	Multiline description line 1 Multiline description line 2 Multiline description line 3 Multiline description line 4

Prolog	`// This is the Testcase prolog line 1`
	`// This is the Testcase prolog line 2`
	`// This is the Testcase prolog line 3`

Test Step 3.1 (Repeat Count = 21) ❌

Name	Input Value		
input1	3		
input2	4		

Name	Actual Value	Expected Value	Result
output1	3	1	❌
output2	4	4	✔

Test Case 4: test4 ⚠

Specification	`Multiline specification line 1`
	`Multiline specification line 2`
	`Multiline specification line 3`
	`Multiline specification line 4`

Description	Multiline description line 1 Multiline description line 2 Multiline description line 3 Multiline description line 4

Prolog	`// This is the Testcase prolog line 1`
	`// This is the Testcase prolog line 2`
	`// This is the Testcase prolog line 3`

Test Case 5: test5 ✔

Specification	`Multiline specification line 1`
	`Multiline specification line 2`
	`Multiline specification line 3`
	`Multiline specification line 4`

Description	Multiline description line 1 Multiline description line 2 Multiline description line 3 Multiline description line 4

Prolog	`// This is the Testcase prolog line 1`
	`// This is the Testcase prolog line 2`
	`// This is the Testcase prolog line 3`

Test Step 5.1 (Repeat Count = 1) ✔

Name	Input Value		
input1	3		
input2	4		

Name	Actual Value	Expected Value	Result
output1	3	3	✔
output2	4	4	✔

Test Case 6: test6

Specification	```Multiline specification line 1```
	```Multiline specification line 2```
	```Multiline specification line 3```
	```Multiline specification line 4```

Description	Multiline description line 1 Multiline description line 2 Multiline description line 3 Multiline description line 4

Prolog	```// This is the Testcase prolog line 1```
	```// This is the Testcase prolog line 2```
	```// This is the Testcase prolog line 3```

Test Step 6.1 (Repeat Count = 1)

Name	Input Value		
input1	3		
input2	4		

Name	Actual Value	Expected Value	Result
output1	3	3	✓
output2	4	4	✓

Test Step 6.2 (Repeat Count = 1)

Name	Input Value		
input1	3		
input2	4		

Name	Actual Value	Expected Value	Result
output1	3	3	✓
output2	4	4	✓

Test Case 7: test7

Specification	```Multiline specification line 1```
	```Multiline specification line 2```
	```Multiline specification line 3```
	```Multiline specification line 4```

Description	Multiline description line 1 Multiline description line 2 Multiline description line 3 Multiline description line 4

Prolog	```// This is the Testcase prolog line 1```
	```// This is the Testcase prolog line 2```
	```// This is the Testcase prolog line 3```

Test Case 8: test8

Specification	```Multiline specification line 1```
	```Multiline specification line 2```
	```Multiline specification line 3```
	```Multiline specification line 4```

Description	Multiline description line 1 Multiline description line 2 Multiline description line 3 Multiline description line 4

Prolog	```// This is the Testcase prolog line 1```
	```// This is the Testcase prolog line 2```
	```// This is the Testcase prolog line 3```

Test Step 8.1 (Repeat Count = 11)

Name	Input Value		
input1	3		
input2	4		

Name	Actual Value	Expected Value	Result
output1	3	3	✓
output2	4	4	✓

Test Step 8.2 (Repeat Count = 55)

Name	Input Value
input1	3

Name	Input Value		
input2	4		
Name	**Actual Value**	**Expected Value**	**Result**
output1	3	3	✔
output2	4	4	✔

Test Step 8.3 (Repeat Count = 1)   ✔

Name	Input Value		
input1	3		
input2	4		
Name	**Actual Value**	**Expected Value**	**Result**
output1	3	3	✔
output2	4	4	✔