Project	QTS Tests
Module	005_ReportTests_1
Test Object	TC_005_15_reportTest

Statistics

Total Testcases	4
Successful	0
Failed	**4** ✖
Not Executed	0

Module Properties

Project Root Directory	E:\Projects\TESSY_TQP
Configuration File	$(PROJECTROOT)\tessy\config\qts_gcc_i386_configuration.xml
Target Environment	GNU GCC Eclipse CDT (Default)
Kind of Test	Unit Test
Linker Options	
Source File(s)	

File	$(PROJECTROOT)\Source\Report\tessy_qts_report_tests_1.c	Revision: 8	Author: Tobias Bochtler	Date: 17.09.2013
Compiler Options	-DHAVE_BOOL -DHAVE_INT8 -DHAVE_INT64 -DHAVE_FLOAT -DHAVE_FLOAT64 -I$(PROJECTROOT)\Source\Include			

Attributes	
Name	**Value**
Float Eval Epsilon	0.0
Float Precision	8

Comments/Description/Specification	
Name	**Text**
Module '005_ReportTests_1'	The ReportTest1 tests are tests without usercode. There is no instrumentation except the tests 12 - 14 (C1-Instrumentation)

Usercode

Stub Functions

exfunc1
```
$stub void exfunc1() {

  /* empty stub code created by TESSY */
}
```

exfunc2
```
$stub void exfunc2() {

  /* empty stub code created by TESSY */
}
```

exfunc3
```
$stub void exfunc3() {

  /* empty stub code created by TESSY */
}
```

exfunc4
```
$stub void exfunc4() {

  /* empty stub code created by TESSY */
}
```

exfunc5
```
$stub void exfunc5() {

  /* empty stub code created by TESSY */
}
```

exfunc6
```
$stub void exfunc6(signed long a) {

  /* empty stub code created by TESSY */
}
```

Test Case 1

Specification   Single line specification

Test Step 1.1 (Repeat Count = 1)

Name	Input Value
in_out2	2
in_out3	2
input1	1

Name	Actual Value	Expected Value	Result
in_out2	1	4	❌
in_out3	3	4	❌
output2	1	3	❌

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
exfunc1	1	exfunc2	1	❌
exfunc2	1	exfunc4	1	❌
exfunc3	1	exfunc1	1	❌
exfunc4	1	exfunc6	1	❌

Test Case 2

Specification   Single line specification

Test Step 2.1 (Repeat Count = 1)

Name	Input Value
in_out2	2
in_out3	2
input1	1

Name	Actual Value	Expected Value	Result
in_out2	1	4	❌
in_out3	3	4	❌
output2	1	3	❌

Test Case 3

Specification   Single line specification

Test Step 3.1 (Repeat Count = 1)

Name	Input Value
in_out2	2
in_out3	2
input1	1

Name	Actual Value	Expected Value	Result
in_out2	1	4	✖
in_out3	3	4	✖
output2	1	3	✖

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
exfunc1	1	exfunc6	1	✖
exfunc2	1	exfunc5	1	✖
exfunc3	1	exfunc4	1	✖
exfunc4	1	exfunc3	1	✖

Test Case 4

Specification   Single line specification

Test Step 4.1 (Repeat Count = 1)

Name	Input Value
in_out2	2
in_out3	2
input1	2

Name	Actual Value	Expected Value	Result
in_out2	3	4	✖
in_out3	1	4	✖
output2	1	3	✖