Razorcat

Project	QTS Tests
Module	005_ReportTests_1
Test Object	TC_005_09_reportTest

Statistics

Total Testcases	6	
Successful	6	✔
Failed	0	
Not Executed	0	

Module Properties

Project Root Directory	E:\Projects\TESSY_TQP
Configuration File	$(PROJECTROOT)\tessy\config\qts_gcc_i386_configuration.xml
Target Environment	GNU GCC Eclipse CDT (Default)
Kind of Test	Unit Test
Linker Options	
Source File(s)	

|				
File	$(PROJECTROOT)\Source\Report\tessy_qts_report_tests_1.c	Revision: 8	Author: Tobias Bochtler	Date: 17.09.2013
Compiler Options	-DHAVE_BOOL -DHAVE_INT8 -DHAVE_INT64 -DHAVE_FLOAT -DHAVE_FLOAT64 -I$(PROJECTROOT)\Source\Include			

Attributes	
Name	**Value**
CTE File	$(PROJECTROOT)\tessy\persist\tessy\project\00000bf3\00000bf5\.database\.tdb\00000C09\TC_005_09_reportTest.cte
Float Eval Epsilon	0.0
Float Precision	8

Comments/Description/Specification	
Name	**Text**
Module '005_ReportTests_1'	The ReportTest1 tests are tests without usercode. There is no instrumentation except the tests 12 - 14 (C1-Instrumentation)

Test Specification

Test Case 1: Testcase 1 ✔

Specification `- x1:1`
`- x3 < 2:yes`

Description Multiline description line 1
Multiline description line 2
Multiline description line 3
Multiline description line 4

Test Step 1.1 (Repeat Count = 3) ✔

Name	Input Value		
in_out2	1		
in_out3	3		
input1	1		

Name	Actual Value	Expected Value	Result
in_out2	2	2	✔
in_out3	2	2	✔
output2	1	1	✔

Test Case 2: Testcase 2 ✔

Specification `- x1:1`
`- x3 < 2:no`

Description Multiline description line 1
Multiline description line 2
Multiline description line 3
Multiline description line 4

Test Step 2.1 (Repeat Count = 6) ✔

Name	Input Value		
in_out2	3		
in_out3	3		
input1	1		

Name	Actual Value	Expected Value	Result
in_out2	1	1	✔
in_out3	5	5	✔
output2	1	1	✔

Test Case 3: Testcase 3 ✔

Specification	– x1:2 – x3 < 3:yes
Description	Multiline description line 1 Multiline description line 2 Multiline description line 3 Multiline description line 4

Test Step 3.1 (Repeat Count = 2) ✔

Name	Input Value
in_out2	2
in_out3	2
input1	2

Name	Actual Value	Expected Value	Result
in_out2	2	2	✔
in_out3	2	2	✔
output2	1	1	✔

Test Case 4: Testcase 4 ✔

Specification	– x1:2 – x3 < 3:no
Description	Multiline description line 1 Multiline description line 2 Multiline description line 3 Multiline description line 4

Test Step 4.1 (Repeat Count = 9) ✔

Name	Input Value
in_out2	3
in_out3	3
input1	2

Name	Actual Value	Expected Value	Result
in_out2	2	2	✔
in_out3	4	4	✔
output2	1	1	✔

Test Case 5: Testcase 5 ✔

Specification	– x1:3 – x3 < 4:yes
Description	Multiline description line 1 Multiline description line 2 Multiline description line 3 Multiline description line 4

Test Step 5.1 (Repeat Count = 2) ✔

Name	Input Value
in_out2	3
in_out3	3
input1	3

Name	Actual Value	Expected Value	Result
in_out2	3	3	✔
in_out3	3	3	✔
output2	1	1	✔

Test Case 6: Testcase 6 ✔

Specification	– x1:3 – x3 < 4:no
Description	Multiline description line 1 Multiline description line 2 Multiline description line 3 Multiline description line 4

Test Step 6.1 (Repeat Count = 3) ✔

Name	Input Value
in_out2	8
in_out3	4
input1	3

Name	Actual Value	Expected Value	Result
in_out2	5	5	✔
in_out3	7	7	✔
output2	1	1	✔