TEST DETAILS REPORT

TC_005_14_reportTest

2015-06-26, 09:35:39+0200

Project	QTS Tests
Module	005_ReportTests_1
Test Object	TC_005_14_reportTest

Instrumentation: Test Object Only

Branch (C1) Coverage	**28.57 %**

Statistics

Total Testcases	6
Successful	0
Failed	4
Not Executed	2

Module Properties

Project Root Directory	E:\Projects\TESSY_TQP			
Configuration File	$(PROJECTROOT)\tessy\config\qts_gcc_i386_configuration.xml			
Target Environment	GNU GCC Eclipse CDT (Default)			
Kind of Test	Unit Test			
Linker Options				
Source File(s)				
File	$(PROJECTROOT)\Source\Report\tessy_qts_report_tests_1.c	Revision: 8	Author: Tobias Bochtler	Date: 17.09.2013
Compiler Options	-DHAVE_BOOL -DHAVE_INT8 -DHAVE_INT64 -DHAVE_FLOAT -DHAVE_FLOAT64 -I$(PROJECTROOT)\Source\Include			

Attributes

Name	Value
Float Eval Epsilon	0.0
Float Precision	8

Comments/Description/Specification

Name	Text
Module '005_ReportTests_1'	The ReportTest1 tests are tests without usercode. There is no instrumentation except the tests 12 - 14 (C1-Instrumentation)

Usercode

Stub Functions

exfunc1

```
$stub void exfunc1() {

 /* empty stub code created by TESSY */
}
```

exfunc2

```
$stub void exfunc2() {

 /* empty stub code created by TESSY */
}
```

exfunc3

```
$stub void exfunc3() {

 /* empty stub code created by TESSY */
}
```

exfunc4

```
$stub void exfunc4() {

 /* empty stub code created by TESSY */
}
```

exfunc5

```
$stub void exfunc5() {

 /* empty stub code created by TESSY */
}
```

exfunc6

```
$stub void exfunc6(signed long a) {

 /* empty stub code created by TESSY */
}
```

Test Case 1

Specification `Single line specification`

Test Step 1.1 (Repeat Count = 1)

Name	Input Value
in_out2	2
in_out3	3
input1	1

Name	Actual Value	Expected Value	Result
in_out2	1	5	✘
in_out3	4	5	✘
output2	1	5	✘

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
exfunc1	1	exfunc1	1	✔
exfunc2	1	exfunc2	1	✔
exfunc3	1	exfunc3	1	✔
exfunc4	1	exfunc4	1	✔

Test Case 2

Specification `Single line specification`

Test Step 2.1 (Repeat Count = 1)

Name	Input Value
in_out2	2
in_out3	3
input1	1

Name	Actual Value	Expected Value	Result
in_out2	1	5	✘
in_out3	4	5	✘
output2	1	5	✘

Test Case 3

Specification `Single line specification`

Test Case 4

Specification `Single line specification`

Test Step 4.1 (Repeat Count = 1)

Name	Input Value
in_out2	2
in_out3	3
input1	1

Name	Actual Value	Expected Value	Result
in_out2	1	5	
in_out3	4	5	
output2	1	5	

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
exfunc1	1	*** No Call Expected ***	0	
exfunc2	1	*none*	0	
exfunc3	1	*none*	0	
exfunc4	1	*none*	0	

Test Case 5

Specification `Single line specification`

Test Step 5.1 (Repeat Count = 1)

Name	Input Value
in_out2	2
in_out3	3
input1	1

Name	Actual Value	Expected Value	Result
in_out2	1	5	
in_out3	4	5	
output2	1	5	

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
exfunc1	1	exfunc1	1	
exfunc2	1	exfunc2	1	
exfunc3	1	exfunc3	1	
exfunc4	1	exfunc4	1	

Test Case 6

Specification `Single line specification`