Project	QTS Tests
Module	005_ReportTests_2
Test Object	TC_005_18_reportTest

Statistics

Total Testcases	3	
Successful	3	✔
Failed	0	
Not Executed	0	

Module Properties

Project Root Directory	E:\Projects\TESSY_TQP			
Configuration File	$(PROJECTROOT)\tessy\config\qts_gcc_i386_configuration.xml			
Target Environment	GNU GCC Eclipse CDT (Default)			
Kind of Test	Unit Test			
Linker Options				
Source File(s)				
File	$(PROJECTROOT)\Source\Report\tessy_qts_report_tests_2.c	Revision: 8	Author: Tobias Bochtler	Date: 18.09.2013
Compiler Options	-DHAVE_BOOL -DHAVE_INT8 -DHAVE_INT64 -DHAVE_FLOAT -DHAVE_FLOAT64 -I$(PROJECTROOT)\Source\Include			

Attributes	
Name	**Value**
Float Eval Epsilon	0.0
Float Precision	8

Comments/Description/Specification	
Name	**Text**
Module '005_ReportTests_2'	The ReportTest2 tests are tests with usercode. There is no instrumentation.

Usercode

Stub Functions

exfunc1
```
$stub signed long exfunc1() {

 // This is the line 1 of testobject specific stubfunction
 // This is the line 2 of testobject specific stubfunction
 // This is the line 3 of testobject specific stubfunction
}
```

Declarations

```
// This is the line 1 of the Declarations
// This is the line 2 of the Declarations
// This is the line 3 of the Declarations
```

Test Case 1 ✔

Test Case 2 ✔

Test Case 3 ✔