Project	QTS Tests
Module	005_ReportTests_1
Test Object	TC_005_10_reportTest

Statistics

Total Testcases	6	
Successful	6	✔
Failed	0	
Not Executed	0	

Module Properties

| Project Root Directory	E:\Projects\TESSY_TQP			
Configuration File	$(PROJECTROOT)\tessy\config\qts_gcc_i386_configuration.xml			
Target Environment	GNU GCC Eclipse CDT (Default)			
Kind of Test	Unit Test			
Linker Options				
Source File(s)				
File	$(PROJECTROOT)\Source\Report\tessy_qts_report_tests_1.c	Revision: 8	Author: Tobias Bochtler	Date: 17.09.2013
Compiler Options	-DHAVE_BOOL -DHAVE_INT8 -DHAVE_INT64 -DHAVE_FLOAT -DHAVE_FLOAT64 -I$(PROJECTROOT)\Source\Include			

Attributes	
Name	**Value**
CTE File	$(PROJECTROOT)\tessy\persist\tessy\project\00000bf3\00000bf5\.database\.tdb\00000C0C\TC_005_10_reportTest.cte
Float Eval Epsilon	0.0
Float Precision	8

| Comments/Description/Specification	
Name	**Text**
Module '005_ReportTests_1'	The ReportTest1 tests are tests without usercode. There is no instrumentation except the tests 12 - 14 (C1-Instrumentation)

Test Specification

Test Specification

Test Case 1: Testcase 1 ✔

Specification   – x1:1
                     – x3 < 2:yes

Test Step 1.1 (Repeat Count = 1) ✔

Name	Input Value		
in_out2	1		
in_out3	1		
input1	1		

Name	Actual Value	Expected Value	Result
in_out2	2	2	✔
in_out3	0	0	✔
output2	1	1	✔

Test Step 1.2 (Repeat Count = 1) ✔

Name	Input Value		
in_out2	1		
in_out3	1		
input1	1		

Name	Actual Value	Expected Value	Result
in_out2	2	2	✔
in_out3	0	0	✔
output2	1	1	✔

Test Step 1.3 (Repeat Count = 1) ✔

Name	Input Value		
in_out2	1		
in_out3	1		
input1	1		

Name	Actual Value	Expected Value	Result
in_out2	2	2	✔
in_out3	0	0	✔
output2	1	1	✔

Test Case 2: Testcase 2 ✔

Specification   – x1:1
                     – x3 < 2:no

Test Step 2.1 (Repeat Count = 1) ✔

Name	Input Value
in_out2	2

Name	Input Value		
in_out3	2		
input1	1		

Name	Actual Value	Expected Value	Result
in_out2	1	1	✔
in_out3	3	3	✔
output2	1	1	✔

Test Step 2.2 (Repeat Count = 1) ✔

Name	Input Value		
in_out2	2		
in_out3	2		
input1	1		

Name	Actual Value	Expected Value	Result
in_out2	1	1	✔
in_out3	3	3	✔
output2	1	1	✔

Test Case 3: Testcase 3 ✔

Specification   – x1:2
                     – x3 < 3:yes

Test Step 3.1 (Repeat Count = 1) ✔

Name	Input Value		
in_out2	2		
in_out3	2		
input1	2		

Name	Actual Value	Expected Value	Result
in_out2	3	3	✔
in_out3	1	1	✔
output2	1	1	✔

Test Step 3.2 (Repeat Count = 1) ✔

Name	Input Value		
in_out2	2		
in_out3	2		
input1	2		

Name	Actual Value	Expected Value	Result
in_out2	3	3	✔
in_out3	1	1	✔
output2	1	1	✔

Test Step 3.3 (Repeat Count = 1) ✔

Name	Input Value		
in_out2	2		
in_out3	2		
input1	2		

Name	Actual Value	Expected Value	Result
in_out2	3	3	✔
in_out3	1	1	✔
output2	1	1	✔

Test Step 3.4 (Repeat Count = 1) ✔

Name	Input Value		
in_out2	2		
in_out3	2		
input1	2		
Name	**Actual Value**	**Expected Value**	**Result**
in_out2	3	3	✔
in_out3	1	1	✔
output2	1	1	✔

Test Case 4: Testcase 4 ✔

Specification   – x1:2
                    – x3 < 3:no

Test Step 4.1 (Repeat Count = 1) ✔

Name	Input Value		
in_out2	3		
in_out3	3		
input1	2		
Name	**Actual Value**	**Expected Value**	**Result**
in_out2	2	2	✔
in_out3	4	4	✔
output2	1	1	✔

Test Step 4.2 (Repeat Count = 1) ✔

Name	Input Value		
in_out2	3		
in_out3	3		
input1	2		
Name	**Actual Value**	**Expected Value**	**Result**
in_out2	2	2	✔
in_out3	4	4	✔
output2	1	1	✔

Test Case 5: Testcase 5 ✔

Specification   – x1:3
                    – x3 < 4:yes

Test Step 5.1 (Repeat Count = 1) ✔

Name	Input Value		
in_out2	3		
in_out3	3		
input1	3		
Name	**Actual Value**	**Expected Value**	**Result**
in_out2	4	4	✔
in_out3	2	2	✔
output2	1	1	✔

Test Step 5.2 (Repeat Count = 1) ✔

Name	Input Value		
in_out2	3		
in_out3	3		
input1	3		
Name	**Actual Value**	**Expected Value**	**Result**
in_out2	4	4	✔
in_out3	2	2	✔
output2	1	1	✔

Test Step 5.3 (Repeat Count = 1) ✔

Name	Input Value		
in_out2	3		
in_out3	3		
input1	3		

Name	Actual Value	Expected Value	Result
in_out2	4	4	✔
in_out3	2	2	✔
output2	1	1	✔

Test Case 6: Testcase 6 ✔

Specification
```
- x1:3
- x3 < 4:no
```

Test Step 6.1 (Repeat Count = 1) ✔

Name	Input Value		
in_out2	7		
in_out3	2		
input1	3		

Name	Actual Value	Expected Value	Result
in_out2	6	6	✔
in_out3	3	3	✔
output2	1	1	✔

Test Step 6.2 (Repeat Count = 1) ✔

Name	Input Value		
in_out2	7		
in_out3	2		
input1	3		

Name	Actual Value	Expected Value	Result
in_out2	6	6	✔
in_out3	3	3	✔
output2	1	1	✔