Project	QTS Tests
Module	005_ReportTests_2
Test Object	TC_005_38_reportTest

Statistics

Total Testcases	8
Successful	0
Failed	4 ❌
Not Executed	4 ⚠

Module Properties

Project Root Directory	E:\Projects\TESSY_TQP			
Configuration File	$(PROJECTROOT)\tessy\config\qts_gcc_i386_configuration.xml			
Target Environment	GNU GCC Eclipse CDT (Default)			
Kind of Test	Unit Test			
Linker Options				
Source File(s)				
File	$(PROJECTROOT)\Source\Report\tessy_qts_report_tests_2.c	Revision: 8	Author: Tobias Bochtler	Date: 18.09.2013
Compiler Options	-DHAVE_BOOL -DHAVE_INT8 -DHAVE_INT64 -DHAVE_FLOAT -DHAVE_FLOAT64 -I$(PROJECTROOT)\Source\Include			

Attributes	
Name	**Value**
Float Eval Epsilon	0.0
Float Precision	8

Comments/Description/Specification	
Name	**Text**
Module '005_ReportTests_2'	The ReportTest2 tests are tests with usercode. There is no instrumentation.

Usercode

Stub Functions

exfunc1
```
$stub signed long exfunc1() {

  // This is the line 1 of testobject specific stubfunction
  // This is the line 2 of testobject specific stubfunction
  // This is the line 3 of testobject specific stubfunction
  }
```

exfunc2
```
$stub signed long exfunc2() {

  // This is the line 1 of testobject specific stubfunction
  // This is the line 2 of testobject specific stubfunction
  // This is the line 3 of testobject specific stubfunction
  }
```

Definitions

```
// This is the line 1 of the Definitions
// This is the line 2 of the Definitions
// This is the line 3 of the Definitions
```

Test Case 1 ⚠

Test Case 2 ⚠

Test Case 3 ⚠

Test Case 4 ⚠

Test Case 5 ✖

Test Step 5.1 (Repeat Count = 11) ✖

Name	Input Value
input1	1
input2	2
input3	3

Name	Actual Value	Expected Value	Result
output1	1	2	✖
output2	2	3	✖
output3	3	3	✔

Test Case 6 ✖

Test Step 6.1 (Repeat Count = 1) ✖

Name	Input Value
input1	1
input2	2
input3	3

Name	Actual Value	Expected Value	Result
output1	1	2	✖
output2	2	22	✖
output3	3	3	✔

Test Step Call Trace ✖

Actual Function	Count	Expected Function	Count	Result
exfunc1	1	*** No Call Expected ***	0	✖
exfunc2	1	*none*	0	✖

Test Case 7 ✖

Test Step 7.1 (Repeat Count = 11) ✖

Name	Input Value
input1	1
input2	2
input3	3

Name	Actual Value	Expected Value	Result
output1	1	22	✖
output2	2	2	✔
output3	3	3	✔

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
exfunc1	1	*** No Call Expected ***	0	☒
exfunc2	1	*none*	0	☒
exfunc1	1	*none*	0	☒
exfunc2	1	*none*	0	☒
exfunc1	1	*none*	0	☒
exfunc2	1	*none*	0	☒
exfunc1	1	*none*	0	☒
exfunc2	1	*none*	0	☒
exfunc1	1	*none*	0	☒
exfunc2	1	*none*	0	☒
exfunc1	1	*none*	0	☒
exfunc2	1	*none*	0	☒
exfunc1	1	*none*	0	☒
exfunc2	1	*none*	0	☒
exfunc1	1	*none*	0	☒
exfunc2	1	*none*	0	☒
exfunc1	1	*none*	0	☒
exfunc2	1	*none*	0	☒
exfunc1	1	*none*	0	☒
exfunc2	1	*none*	0	☒
exfunc1	1	*none*	0	☒
exfunc2	1	*none*	0	☒

Test Step 7.2 (Repeat Count = 1)

Name	Input Value
input1	1
input2	2
input3	3

Name	Actual Value	Expected Value	Result
output1	1	22	☒
output2	2	2	✔
output3	3	3	✔

Test Case 8

Test Step 8.1 (Repeat Count = 1)

Name	Input Value
input1	1
input2	2
input3	3

Name	Actual Value	Expected Value	Result
output1	1	22	☒
output2	2	2	✔
output3	3	3	✔