

TEST DETAILS REPORT

2015-06-26, 09:35:29+0200

TC_005_13_reportTest



Project	QTS Tests
Module	005_ReportTests_1
Test Object	TC_005_13_reportTest

Instrumentation: Test Object Only

Branch (C1) Coverage **71.42 %**

Statistics

Total Testcases	4
Successful	1
Failed	2
Not Executed	1

Module Properties

Project Root Directory	E:\Projects\TESSY_TQP
Configuration File	\$(PROJECTROOT)\tessy\config\qts_gcc_i386_configuration.xml
Target Environment	GNU GCC Eclipse CDT (Default)
Kind of Test	Unit Test
Linker Options	
Source File(s)	
File	\$(PROJECTROOT)\Source\Report\tessy_qts_report_tests_1.c Revision: 8 Author: Tobias Bochtler Date: 17.09.2013
Compiler Options	-DHAVE_BOOL -DHAVE_INT8 -DHAVE_INT64 -DHAVE_FLOAT -DHAVE_FLOAT64 -I\$(PROJECTROOT)\Source\Include

Attributes

Name	Value
Float Eval Epsilon	0.0
Float Precision	8

Comments/Description/Specification

Name	Text
Module '005_ReportTests_1'	The ReportTest1 tests are tests without usercode. There is no instrumentation except the tests 12 - 14 (C1-Instrumentation)

Usercode

Stub Functions

```
exfunc1
$stub void exfunc1() {
    /* empty stub code created by TESSY */
}

exfunc2
$stub void exfunc2() {
    /* empty stub code created by TESSY */
}

exfunc3
$stub void exfunc3() {
    /* empty stub code created by TESSY */
}

exfunc4
$stub void exfunc4() {
    /* empty stub code created by TESSY */
}

exfunc5
$stub void exfunc5() {
    /* empty stub code created by TESSY */
}

exfunc6
$stub void exfunc6(signed long a) {
    /* empty stub code created by TESSY */
}
```

Test Case 1

Specification Single line specification

Test Step 1.1 (Repeat Count = 1)

Name	Input Value		
in_out2	1		
in_out3	1		
input1	1		
Name	Actual Value	Expected Value	Result
in_out2	2	2	✓
in_out3	0	0	✓
output2	1	1	✓

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
exfunc1	1	exfunc1	1	✓
exfunc2	1	exfunc2	1	✓
exfunc5	1	exfunc5	1	✓

Test Case 2

Specification Single line specification

Test Case 3

Specification Single line specification

Test Step 3.1 (Repeat Count = 1)

Input Data (Input Values)			
Name	Input Value		
in_out2	2		
in_out3	2		
input1	2		
Test Results			
Name	Actual Value	Expected Value	Result
in_out2	3	3	✓
in_out3	1	3	✗
output2	1	1	✓

Test Case 4

Specification Single line specification

Test Step 4.1 (Repeat Count = 1)

Name	Input Value		
in_out2	5		
in_out3	5		
input1	2		
Name	Actual Value	Expected Value	Result
in_out2	4	2	✖
in_out3	6	2	✖
output2	1	1	✔

Test Step Call Trace

Actual Function	Count	Expected Function	Count	Result
exfunc1	1	exfunc1	1	✓
exfunc2	1	exfunc2	1	✓
exfunc3	1	exfunc4	1	✗
exfunc4	1	exfunc6	1	✗
exfunc6	1	*none*	0	✗