

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ☐ CSS

```

<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <!-- CSRF Token -->
  <meta name="csrf-token" content="p0XDNiAPAb2F5Bk8cmjj8dzEDNUQLDz0PjxUA8t6">

  <title>eAuciton</title>

  <!-- Styles -->
  <link href="http://127.0.0.1:8000/css/milligram.min.css" rel="stylesheet">

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 17, column 3; to line 17, column 33](#)

```
sheet"><..... <script type="text/javascript">..... /
```

2. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 21, column 3; to line 21, column 75](#)

```
script><..... <script type="text/javascript" src=http://127.0.0.1:8000/js/app.js
defer></scri
```

3. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 22, column 3; to line 22, column 77](#)

```
script><..... <script type="text/javascript"
src=http://127.0.0.1:8000/js/timer.js defer></scri
```

4. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).
From line 39, column 13; to line 39, column 36
`<h1 class="text-center">Discov`
5. **Error** End tag `div` seen, but there were open elements.
From line 56, column 5; to line 56, column 10
`ion><< </div><< <`
6. **Error** Unclosed element `section`.
From line 34, column 7; to line 34, column 28
`t">< <section id="content"><`
7. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
From line 34, column 7; to line 34, column 28
`t">< <section id="content"><`
8. **Error** Stray end tag `section`.
From line 57, column 5; to line 57, column 14
`/div>< </section>< </m`

Document checking completed.

Source

```

1. <!DOCTYPE html><
2. <html lang="en"><
3. <
4. <head><
5.   <meta charset="utf-8"><
6.   <meta http-equiv="X-UA-Compatible" content="IE=edge"><
7.   <meta name="viewport" content="width=device-width, initial-scale=1"><
8. <
9.   <!-- CSRF Token --><
10.  <meta name="csrf-token" content="p0XDNiAPAb2F5Bk8cmjj8dzEDNUQLDz0PjxUA8t6"><
11. <
12.  <title>eAuciton</title><
13. <
14.  <!-- Styles --><
15.  <link href="http://127.0.0.1:8000/css/milligram.min.css" rel="stylesheet"><
16.  <link href="http://127.0.0.1:8000/css/app.css" rel="stylesheet"><
17.  <script type="text/javascript"><
18.    // Fix for Firefox autofocus CSS bug<
19.    // See: http://stackoverflow.com/questions/18943276/html-5-autofocus-
    messes-up-css-loading/18945951#18945951<
20.  </script><

```

```

21. <script type="text/javascript" src=http://127.0.0.1:8000/js/app.js defer>
    </script><
22. <script type="text/javascript" src=http://127.0.0.1:8000/js/timer.js defer>
    </script><
23. <link
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
    rel="stylesheet" integrity="sha384-
    EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOMLASjC"
    crossorigin="anonymous"><
24. </head><
25. <
26. <body class="body"><
27.   <main><
28.     <header class="p-3"><
29.       <h1><a class="text-danger" href="http://127.0.0.1:8000">eAuction</a>
    </h1><
30.       <a class="btn btn-danger btn-lg"
    href="http://127.0.0.1:8000/login"> Login </a><
31.       <a class="btn btn-danger btn-lg" href="http://127.0.0.1:8000/register">
    Register </a><
32.     </header><
33.     <div class="full-height"><
34.       <section id="content"><
35.         <
36.       <section id="header"><
37.         <div><
38.           <div class="text_search"><
39.             <h1 class="text-center">Discover new products and create your
    auctions</h1><
40.           </div><
41.           <div class="search-forms"><
42.             <form class="form-inline my-2 my-lg-0" method="get"
    action="http://127.0.0.1:8000/search"><
43.               <input class="form-control mr-sm-2" name="query" type="search"
    placeholder="Search" aria-label="Search"><
44.             </form><
45.             <!-- <form class="form-inline my-2 my-lg-0" method="get"
    action="http://127.0.0.1:8000/search"><
46.               <input class="form-control mr-sm-2" name="query" type="search"
    placeholder="Search" aria-label="Search"><
47.               <button class="btn btn-outline-success my-2 my-sm-0"
    type="submit">Search</button><
48.             </form> --><
49.           </div><
50.         </div><
51.         <div class="p-5"><
52.           <button class="btn btn-danger btn-lg" onclick="
    window.location.href='/auctions'">All Auctions</button><
53.         </div><
54.       </section><
55.     <
56.   </div><
57. </section><
58. </main><
59. <
60. <footer class="footer" style="text-align:center;"><
61.   <a class="btn btn-danger btn-lg" href="http://127.0.0.1:8000/about"> About
    us </a><
62.   <a class="btn btn-danger btn-lg" href="http://127.0.0.1:8000/faq"> FAQ's
    </a><
63. </footer><
64. </body><
65. <
66. </html>

```

Used the HTML parser.

Total execution time 13 milliseconds.

