

# Jupyter: An insider story

Matthias Bussonnier



**Berkeley**  
UNIVERSITY OF CALIFORNIA

**BIDS**  
BERKELEY INSTITUTE  
FOR DATA SCIENCE

Slides (likely) on GitHub:  
<https://github.com/Carreau/talks/>

# Me

- 2011 - Master degree in Physics
- 2011 - 2014 PhD in Biophysics, Using / Contributing to IPython
- 2012 - ... Jupyter/IPython Core dev
- 2014 - ... PostDoc at UC Berkeley - Full time on Jupyter/IPython

Feel free to interrupt me if you have any questions



carreau



mbussonn



bussonniermatthias@gmail

---

# This is a story about community

## How Jupyter came to be

Why is it an attractive community ?

## How it is currently used

what are the challenges ?

## What we hope it will become


How can you be part of it?

# The Dark Ages (< 2001)




FORTRAN

...



# Start of a long tradition:



# Start of a long tradition:



xkcd.com



IPython 0.1

(PhD can wait)

# 2001-2010ish




NOVEMBER 2001: "JUST AN AFTERNOON HACK"

- 259 Line Python script.
- `sys.ps1` -> `In[N]`.
- `sys.displayhook` -> `Out[N]`, caches results.
- Plotting, Numeric, etc.



# 2011-2012

## QtConsole



Nice & hard to use

- No menu
- Few shortcuts

But really useful... can I be of help?

First, real pull request on a project I enjoyed:

- 2 changed files with 14 additions.
- 12 (remainings) comments[1]
- 7 Days in the making
  - (That's 2 lines / day)
- I was not a Python expert:
  - "Semicolon at end of line are unnecessary"

I probably worked 50h on that. If 1000 users gain 30s each week for a year that's 833h. SO it was worth it.

[1] (GitHub did not kept intermediate commit at the time)



---

~500 Pull requests later,


“I’ll likely spend two days teaching someone how to do it, than doing it myself”

That’s how I was welcomed to the project, that’s how we (try to) welcome new contributors.

(I’m still not a Python Expert)

# Not the first notebook

## 6th Notebooks Prototype




## WHY THIS ONE WORKED

- Mature Web technologies
  - Websocket vs Ajax
  - Javascript (v8)
  - MathJax...
  - JSON vs XML
- More mature protocol
- Separation of Concern
- Feedback from Sage Math
- The Community

(SciPy 2012 good example)


# The Community

- Started mostly with scientists
  - dog fooding
  - we build tools we need
- Most of us are not software engineers
  - You can likely help us to make it better
  - Developing Jupyter is not hard, it's long
- The Core team does publish a lot of notebooks.
  - Gallery of interesting notebook
  - Nbviewer
  - Ligo
    - All by Community



# The Community

- We love to write software for our users
  - Writing software should be fun
- We love to teach
  - We prefer to let people do PR instead of taking over.
  - We don't like to just give the solution away.
- We are Learning
  - We know that we don't know (especially JS)
  - We can't be expert in 50 languages.



---

“Data Scientists love Python so much that they write  
Python all Day.

IPython developer love Python so much, that they  
write JavaScript all day.”

*—Jake van der Plas*

# The Community

[jupyter.org/community.html](https://jupyter.org/community.html)



## Jupyter General Mailing List

A Google Group for general Jupyter discussions of Jupyter's use.



## Jupyter in Education Mailing List

A Google Group for general Jupyter discussions of Jupyter's use in education.



## Jupyter on GitHub x 65 535 repositories

GitHub is our primary place to report issues with Jupyter.



## Jupyter Developer Chatroom S

A place for contributors to ask and receive brief Jupyter development questions.



## Jupyter on Stack Overflow

A third party question and answer site for programmers to share information about Jupyter.



- We do not distinguish developers and users.
  - No -dev vs -user mailing list.
- Contributions is not only “writing code” or “fixing bugs”
- Dev meetings recorded and on Youtube (weekly recap of who did what)





# How is Jupyter used, & Challenges





## Deploying JupyterHub for Education

## On Demand notebook Server **binder**



Hard cover Books

O'Reilly Data




# Biggest Deployment:



# Your Laptops !

# Challenges



(As usual there is ~~an~~ two xkcd for that)

“Clients may maintain connections to the server for no more than 86,400 seconds per day. If you need additional time, you may contact IERS to file a request for up to one additional second.”

# Can't follow everything



---

# Can't respond to everything

---

- Really hard not to respond to someone asking a question
  - Don't know
  - Some else will respond the wrong thing
    - You should give others the change to get involved.
  - Respond too late
- What should I prioritize
  - Fix Bugs / Leave them open for new comers to fix ?
  - Write Docs
  - Write features
  - Use Jupyter to figure out what's wrong
  - Review other's Pull Requests

---

# Can't respond to everything

---

- Bug reports for beginner user
  - Pandas, Matplotlib, Anaconda, Python, Windows, OS X, IBM workbench.
  - Many “Beginner” user don't make the difference Jupyter/the language/library they use.
- Bug report from advance user.
  - Race condition when deploying JupyterHub on 50 nodes with a couple hundreds of users.




# Lead to subtle issues

Time, makes us communicate in short, confusing sentences.  
Often with lots of implicit knowledge.

nbconvert/nbconvertapp.py

	⚙	@@ -323,19 +338,23 @@ def init_single_notebook_resources(self, notebook_file
323	338	
324	339	return resources
325	340	
326		- def export_single_notebook(self, notebook_filename, resources):
	341	+ def export_single_notebook(self, shell_input, resources):

 Carreau added a note on Dec 8, 2015


Project Jupyter member +😊 ✎ ✕

can you rename `shell_input` here back to `notebook_filename` (also in docstring)

You can assign after but the comment than changing the signature break api is right.

Time, makes us communicate in short, confusing sentences.  
Often with lots of implicit knowledge.

# The Big Split



“Core” developers can focus on a subset of component  
hard time figuring out where to open a bug

---

Automation

Communication

Community

**An open source project is more than just the license.**

Documentation

Trust

Bus Factor

DevOps

---

# Jupyter

---

- Is, and starting to appear more as an ecosystem than single tool.
- The “core”
  - Provide a default set of component
  - set a basic & sane configuration.
    - (I’m looking at you Vim and Emacs)
  - Is a “reference” implementation
- People from allover the world
  - Most of the best extensions, usage, demo, ... are not in the core.

---

Not everyone can read/respond to 200 email/day  
Try a more curated channel

[github.com/jupyter/newsletter](https://github.com/jupyter/newsletter)



Newsletter 1 | **March 15** | Hello World

Greetings! This update is the first installment of a newsletter we've started to help keep our global community up to speed on all things Jupyter. Keeping in line with Jupyter's nature, it is our goal that the newsletter be a collaborative effort. If you have ideas or content for the newsletter, feel free to add it to our [Newsletter Git repository](#) - or just open an issue with interesting links if you are unfamiliar with pull requests. If you know of anyone who may have an interest in learning about or getting involved with the project, share our [subscription link](#). We welcome feedback from the community.

## JupyterDays Boston

This Thursday and Friday, O'Reilly Media and the Harvard-Smithsonian Center for Astrophysics Library and the Harvard Law School Library will be hosting the third official JupyterDay event, complete with talks, discussions, hands-on training sessions, and




---

Please come help with the newsletter.

# The Future

Code Edition




Interact

hydrogen



ick

Pycharm

eclipse




PTVS




Think of Jupyter-\* as a reference implementation





Fruit-Company




2DArray-Laboratory

# The Future

## Publication

Simplifying author workflow, and make user visible document more interactive.


- O'reilly Thebee
- Kernel Gateway
- Binder
- nbconvert
- Static widgets
- Dashboards



# The Future


---

Where is the current core going ?  
(currently on master)



Demo

# Each pannel is an independant component





# Dashboard



jupyter scotch\_dashboard (unsaved changes)

File Edit View Insert Cell Kernel Help Python 3

```
js = Javascript("IPython.notebook.events.trigger('select.factors_keys', {'ks': ['ks']});" % name)
return display(html, js)
```

Now we can render the previously assigned `tmpl` with an argument `name` as our first scotch 'Aberfeldy'. This is a default scotch, and the template will re-render when user picks a new scotch from the drop down.

```
In [15]: prompt_w = widgets.HTML(value=tmpl.render(name='Aberfeldy'))
prompt_w
```

If you like Daimore you might want to try these five brands. Click one to see how its taste profile compares.

After that, we will render the scotch drop-down picker, which will call our previously defined `on_scotch_picker` function when a new selection is made, and a similarities table will render accordingly.

```
In [16]: picker_w = widgets.Interact(on_pick_scotch, Scotch=list(sim_df.index))
```

Scotch Daimore

	Similarity
<a href="#">RoyalLochnagar</a>	0.970362
<a href="#">Dalluaine</a>	0.959166
<a href="#">GlenOrd</a>	0.945333
<a href="#">Glendullan</a>	0.945112
<a href="#">BlairAthol</a>	0.944089

And lastly, we construct a `RadarWidget` to display a radar chart showing the selected scotches taste profiles.

```
In [17]: radar_w = RadarWidget(df=features_df)
radar_w
```

And finally, we'll include a footer in our dashboard with some attribution information.

jupyter scotch\_dashboard (autosaved)

File Edit View Insert Cell Kernel Help Python 3

Arrange and size cells to create your dashboard. [MORE INFO](#) [Show code on hover](#)

## Got Scotch?

If you like Daimore you might want to try these five brands. Click one to see how its taste profile compares.

prompt\_w

Scotch Daimore

	Similarity
<a href="#">RoyalLochnagar</a>	0.970362
<a href="#">Dalluaine</a>	0.959166
<a href="#">GlenOrd</a>	0.945333
<a href="#">Glendullan</a>	0.945112
<a href="#">BlairAthol</a>	0.944089

Powered by data from [https://www.mathstat.scot.nhs.uk/outreach/nessie/nessie\\_whisky.html](https://www.mathstat.scot.nhs.uk/outreach/nessie/nessie_whisky.html) and inspired by analysis from <http://blog.revolutionanalytics.com/2013/12/k-means-clustering-86-single-malt-scotch-whiskies.html>. This dashboard originated as a Jupyter Notebook.

## Hidden Cells

In this notebook, we're going to create a dashboard that recommends scotches based on their taste profiles.

We will have a short intro line indicating which scotch you're examining, followed by a dropdown of all the scotches to pick from. Then on the selection of a scotch, a recommendation table will display the top 5 most similar scotches to your original selection. We will also have a radar chart to show this scotch's taste profile. You can also click on one of the recommendations to examine further in the radar chart this scotch's taste profile compared to your original selection.

## Got Scotch?


If you like Aberfeldy you might want to try these five brands. Click one to see how its taste profile compares.

Scotch

Aberfeldy



	Similarity
<a href="#">BlairAthol</a>	0.975610
<a href="#">Benromach</a>	0.975610
<a href="#">Benrinnes</a>	0.965345
<a href="#">Scapa</a>	0.963072
<a href="#">Auchroisk</a>	0.963036



Powered by data from [https://www.mathstat.strath.ac.uk/outreach/nessie/nessie\\_whisky.html](https://www.mathstat.strath.ac.uk/outreach/nessie/nessie_whisky.html) and inspired by analysis from <http://blog.revolutionanalytics.com/2013/12/k-means-clustering-86-single-malt-scotch-whiskies.html>. This dashboard originated as a Jupyter Notebook.




---

# incubator & other projects

---

- Content management
  - Indexing
  - Search
  - Execute notebook as library
  - Execute notebook as templates
  - ...
- Separate component
  - Phosphorjs-\*
  - nteract-\*
  - ...
- Kernelless interactivity
  - mpld3
  - bqplot
  - ...



# Goals

- Make interactive computing more accessible
- Build a set of tools which helps both beginners and advance users.
- Grow a community of user who are knowledgeable on how to use and develop the necessary tools
- Find people with interesting ideas.

```
In [4]: for i in (s,s2):
...:     print(i)
...:
```

The IPython shell now have syntax highlighting and real multi-line editing



ALFRED P. SLOAN  
FOUNDATION

GORDON AND BETTY  
**MOORE**  
FOUNDATION

SIMONS FOUNDATION



## A few new people

- Usually at CalPoly, here today:
  - Ana
  - Safia
  - Carole
- Berkeley
  - 2 New post docs
  - Project Manger
- Internships
  - A few students at Berkeley and CalPoly



---

# We want you

---


- Come on the 29th in Berkeley [1]
- Organize the next JupyterDays !
- Add your project to the newsletter !
- Write a blog post (on [blog.jupyter.org](http://blog.jupyter.org) ?)
- Participate on the mailing lists/GitHub/gitter...

[1] [www.meetup.com/Berkeley-Data-Science-Meetup/events/229439651/](http://www.meetup.com/Berkeley-Data-Science-Meetup/events/229439651/)

---

Looking forward to get **you** working with us, and see  
what **you** made with Jupyter

*Time for questions ?*



Apologies for the typos, this was written on a mobile phone with autocorrect enabled, in a plane, while arguing on bugs, fixing Twitter (and vice versa). [or not]





