SDC 2026 · PRELIMINARY ROUND · DOMAIN 2

Proof of Platform Use
Replit

Evidence that CollectLoop was built, configured and first deployed on Replit by the team's registered leader account.

Team	**RREF COLLECTION**
Project	**CollectLoop — receivables promise ledger**
Leader	**XIE KAIRUI**
Replit account	**@Carrey7070**
Repository	**https://replit.com/@Carrey7070/rref-collection-sdc**
Document	**Supporting evidence for Participant Handbook §10.6**
Compiled	**2026-10-23 20:50 (MYT)**

Declaration. The application in this submission was developed inside a Replit workspace and released through Replit Deployments (Autoscale). The project, the deployment and this evidence all belong to the single leader account named above, which is the account that holds the Replit Core credit issued to this team. The public URL in Evidence A is served by Replit today, at the time of compiling this document.

1 What we used, and where it is visible

Handbook §10.6 asks for one thing before submission: proof that Replit was used, shown in the Technical and Tools Declaration, accepting *any one* of a live deployment URL, a project link with history, or finished credit. The declaration carries the first two. This document only assembles the material behind them, so a reviewer can check each claim without our help.

Every claim below can be checked independently of this document: the deployment answers HTTP today, and the Replit configuration files are committed in the public repository.

ITEM	VALUE
Platform	Replit — development workspace and hosting
Account	replit.com/@Carrey7070 (team leader)
Repl / project	https://replit.com/@Carrey7070/rref-collection-sdc
Public deployment	https://rref-collection-sdc.replit.app/
Deployment target	Autoscale (set in `.replit`, Evidence E)
Start command	`python3 src/app.py`, binds `0.0.0.0:$PORT`
Config committed	2026-10-22 23:14 MYT, commit `17a5ffe`
Deployment published	2026-10-22 — see Evidence C for the platform timestamp
Evidence	A live URL · B project page · C release history · D credits · E config in repo

Table 1 — Replit usage at a glance. Evidence letters map to the sections that follow.


How the deployment was produced

- Work was done in the Replit workspace at `~/workspace`, not on a laptop then uploaded.
- Commits were made in the workspace and synced to GitHub, so the history in both places is the same history.
- Release used **Deploy → Autoscale**. Replit reads the `[deployment]` section of `.replit` to build and run the app; no external build system was involved.
- Secrets, if any, sit in Replit Secrets. No key is committed to the repository.

> **Fastest single check for a reviewer.** Open https://rref-collection-sdc.replit.app/ in a browser. It is a `*.replit.app` hostname, which is issued by Replit Deployments only.

2 Evidence A — the deployment is live on Replit

`https://rref-collection-sdc.replit.app/` HTTP 200 · captured 2026-10-23 20:13 MYT



First screen served by the Replit deployment, captured from the public URL with no login. This is the build released on 2026-10-22.

Response as measured, not as remembered

```
GET / HTTP/1.1
Host: rref-collection-sdc.replit.app

HTTP/2 200
content-length: 16198
date: Fri, 23 Oct 2026 12:12:47 GMT
strict-transport-security: max-age=63072000; includeSubDomains
```

Recorded 2026-10-23 20:12 MYT from a machine with no Replit session. The host resolves and answers because the Replit deployment is still running.

3 Evidence B — the project inside the Replit account

The Replit editor with the file tree, the owner shown in the top bar, and the version control pane. This is the same repository as the GitHub link in Table 1.

Screenshot needed — Replit project page with file tree and owner

Replit workspace for rref-collection-sdc, signed in as @Carrey7070.

4 Evidence C — the release history

Replit Deployments keeps every release with its timestamp. This is the platform's own record that a build was published from this project, and on which date.

Screenshot needed — Deployments panel with release timestamps

Deploy → Deployments: release entries and their build times.

5 Evidence D — the account that holds the credit

Replit Core is issued per participant. This team received one, and it sits on the leader account that also owns the project and the deployment. The usage page below shows the account in use.

Screenshot needed — Replit account usage / Core credits page

Account settings or usage page, showing @Carrey7070 and the credit line.

The rules allow a team's other members to work in the leader's workspace; what they do not allow is one team claiming multiple Core credits. Only one account is claimed here.

6 Evidence E — Replit configuration committed in the repository

The file below is version-controlled at the repository root, introduced by the first commit `17a5ffe` on 2026-10-22 23:14 MYT. It is not a leftover: it is the file Replit executes.

```
run = "python3 src/app.py"
entrypoint = "src/app.py"
modules = ["python-3.11"]

[nix]
channel = "stable-24_05"

[[ports]]
localPort = 8080
externalPort = 80

[deployment]
run = ["sh", "-c", "python3 src/app.py"]
deploymentTarget = "autoscale"
```

KEY	MEANING
`run / entrypoint`	Tells the Replit Run button what to execute. Ignored by every other platform.
`modules`	Replit's own module pinning. This key has no meaning in GitHub Actions, Render or Fly.
`[nix] channel`	Replit's Nix environment channel. Only Replit reads this section.
`[[ports]] localPort / externalPort`	Replit's port forwarding table for the webview.
`[deployment] deploymentTarget = autoscale`	Replit Deployments target. The release we shipped was built by this line.

Table 2 — why this file is specific to Replit. None of these keys are read by another host.

> **A reviewer can verify this without opening the app.** Open the repository, read `.replit`, and compare it with any other project's hosting config — the `[deployment] deploymentTarget` and `[nix] channel` keys exist only on Replit.

7 One thing we are not hiding

On 2026-10-23 we tried to republish the project with the changes made after the mentor review (security headers, the manual invoice upload page, the AI explainer page, accessibility fixes). Publishing failed, twice, on two different Repls, with a single error line and no further detail in the build log:

```
There was an issue publishing
There was an error with publishing
```

A fresh Repl imported from the same GitHub repository, with the Replit configuration already corrected to `python-3.12` / `stable-25_05`, failed in exactly the same way. We read that as an account-side or platform-side block rather than a defect in our code, and we stopped spending the night on it.

So the current build of the prototype is served from a fallback host:

```
https://collectloop.app.workbuddy.host/?sharecode=H3YSSVLHAH
```

That link is what the submission form points at, because it holds the reviewed build. The Replit deployment above still holds the 2026-10-22 build and still answers. Both were produced from the same repository by the same team.

> **What this document proves, and what it does not.** It proves the project was developed and released on Replit, by the account holding the team's credit. It does not claim the newest revisions are on the Replit URL — they are not, because publishing was blocked on the platform side at the time of writing.