


Cache County

Trails & Active Transportation Guidebook

October 2026

Cache County
1857

ACKNOWLEDGEMENTS

Thank you to…

Cache County
George Daines, Executive

Cache County Council
Sandi Goodlander, Chair
Kathryn Beus, Vice Chair
David Erickson
JoAnn Bennett
Nolan Gunnell
Mark Hurd
Keegan Garrity

Cache County Project Team
Landis Wenger, Regional Trails & Active Transportation Coordinator
Emily Fletcher, Regional Trails Planner I
Angie Zetterquist, Planning Manager

Steering Committee
Isacc Gardner, CMPO
Jared Bowling, UDOT
Brady Bodily, Lewiston
Ed Buist, Mendon
Black Wright, River Heights
Robert Stroud, Hyrum
Marcus Allton, Hyde Park
Ryan Snow, Providence
Scott Perkes, North Logan City
Scott Wells, Wellsville
Justin Lewis, Smithfield
Levi Roberts, Nibley City
Russ Holey, Logan City

Bike Utah
Cameron Carter, Project Manager
Carson Miller, Planner
Jacob Brooks, Graphic Designer

Place Builders
Kirby Sniderman

TABLE OF CONTENT

Chapter 1: Introduction

- How to Use This Plan
- Cache County
- Community and Stakeholder Engagement

Chapter 2: Plan & Policy Review

- County and Regional Plans
- Municipal Plans
    - plans, studies, policies, and design guidance
    - Goals, commonalities
- Policy Review
- Other Guidebooks

Chapter 3: Facility Analysis

- AT Design Principles
- Facility Types
- Inventory of Existing and Planned Facilities
- Regionally Significant Routes
- Successes and Challenges
    - successful design approaches, recurring challenges, and implementation considerations

Chapter 4: Design Standards

- Mixed Traffic Facilities
    - Neighborhood Byway
    - Traffic Calming and Speed Management
- Visually Separated Facilities

Bike Lane

Buffered Bike Lane

Physically Separated Facilities

Sidewalk

One-Way Protected Bike Lane

Two-Way Protected Bike Lane

Shared Use Path

Chapter 5: Model Ordinances & Policy Tools

Complete Streets

Development Standards

Multi-Modal Main Streets

Safe Routes to School

Connectivity…in general

Addressing Conflicts (scooters downtown, etc)

CHAPTER 1: INTRODUCTION

How to Use This Plan

Purpose

Scope

The Cache County Trails and Active Transportation Guidebook is a technical resource designed to guide the planning, design, and implementation of active transportation facilities across Cache County and its municipalities. It provides consistent design standards and policy tools that reflect the diverse contexts of the communities it serves. From Logan's urban core to the county's rural towns, this guidebook can serve as a toolkit for designing effective and thoughtful active transportation facilities.

This guidebook is intended to support a wide range of users: County and municipal staff applying design standards in development review and capital project delivery, elected officials and planning commissions evaluating transportation investments and policy adoption, and community members, advocates, and partner agencies seeking to understand the direction and priorities for active transportation in Cache County.

This guidebook has been developed through a collaborative process that included review of existing plans and facilities across the county, input from municipal partners and stakeholders, and coordination with Cache County staff. It is intended for adoption as an amendment to the Cache County Trails and Active Transportation Master Plan and will serve as the primary document for active transportation design across the county.

This guidebook addresses the full range of active transportation facilities found in and appropriate for Cache County, providing design guidance and examples for on-street facilities, cycletracks, neighborhood streets, and paved or natural shared-use trails. Engineering standards and typical sections are included for each facility type tailored to urban, suburban, and rural contexts to reflect the varied and diverse character of communities across the county.

Beyond physical design, the guidebook addresses context-sensitive aesthetics to ensure that active transportation facilities align with the scale and character of the communities they serve. This is recognising that what works in Logan may look different from what is appropriate in Hyrum or Richmond.

The guidebook also includes model ordinances and policy tools to support local implementation, covering topics such as micromobility, active transportation connectivity requirements, and development standards. Together these elements give Cache County and its municipalities a practical resource for planning, designing, and building a connected active transportation network that reflects local priorities and meets community needs.

Cache County

Cache County is located in northern Utah, bordered by the Wasatch Mountains to the east and the Wellsville Mountains to the west, encompassing approximately 1,173 square miles of Cache Valley. The county's 19 incorporated municipalities range from Logan's urban core to small agricultural towns, each with distinct transportation needs and community character.

Cache County's population has grown approximately 28% since 2010, reaching approximately 145,000 residents, with suburban communities like Hyrum, Nibley, and Providence among the fastest growing. The county has the largest share of residents between the ages of 18 and 29 of any county in Utah, largely due to the presence of Utah State University, which is also the county's largest employer. Despite this young, active population, most residents drive alone to work, with an average commute of about 18 minutes and two cars per household. Shifting even a modest share of short trips to active transportation represents a meaningful opportunity to improve public health and quality of life. This guidebook gives the county and its municipalities the tools to pursue that.

Community and Stakeholder Engagement

CHAPTER 2: PLAN & POLICY REVIEW

Cache County and its municipalities have produced a substantial body of active transportation planning over the past decade, reflecting genuine commitment to building safer, more connected communities. That body of work spans multiple scales — from countywide frameworks down to municipal plans. This section reviews that landscape in three parts: county and regional plans, municipal plans, and relevant guidebooks and standards from other communities.

County and Regional Plans

Cache County and its regional partners have adopted several plans that guide regional active transportation investments, as shown in **Table 1**. These plans vary significantly in scope and are described below.

Table 1: County and Regional Plans		
Jurisdiction	**Plan Name and Link**	**Year**
Cache County	Cache County Trails and Active Transportation Master Plan	2018
	Cache County Trails and Active Transportation Program	2021
	Cache County General Plan	2023
Cache Metropolitan Planning Organization	CMPO Regional Transportation Plan	2023
	CMPO Comprehensive Safety Action Plan	2025
Cache Valley Transit District	CVTD First and Last Mile Study	2022

Cache County Trails and Active Transportation Master Plan (2018)


This Master Plan is the foundational planning document for active transportation in Cache County. Of the recommendations included in the plan, 81% were sourced directly from previously adopted municipal and regional plans, meaning the Master Plan largely codified and connected existing local priorities rather than starting from scratch. Projects were also scored and prioritized using a weighted analysis of location, public desire, and feasibility, with feasibility (land ownership and sensitive-lands constraints) weighted most heavily.


The plan's design guidance centers on eight facility types:

- Natural surface trail / singletrack
- Shared use path (canal, powerline, and railroad corridors)
- Sidepath

- Cycletrack
- Two-way cycletrack
- Protected bike lane
- On-street bike lane
- Shared roadway

While the 2018 Master Plan remains the county's guiding framework, it is now 8 years old, and Cache County is actively working on an update. This guidebook is intended to complement that update, building on the Master Plan's existing design guidance such as the cross section shown below.




CACHE COUNTY
TRAILS & ACTIVE
TRANSPORTATION
MASTER PLAN
2017
DOWNLOAD FULL PLAN @
trails.cachecounty.org/masterplan.pdf
LEWISTON
RICHMOND
TRENTON
NEWTON
SMITHFIELD
HYDE PARK
NORTH LOGAN
LOGAN
MENDON
RIVER HEIGHTS
PROVIDENCE
HELLVILLE
NIBLEY
WELLSVILLE
WELLSVILLE WILDERNESS
MOUNT NAOMI WILDERNESS
PARADISE
AVON
LEGEND
Proposed
Existing
Paved Pathways
Unpaved Pathways
Singletrack Trails
Active Transportation Streets
Shared Roadways
Trailheads
Neighborhood Access Points
Grade Separated Crossings
Improved Crossings
Land Ownership
USFS
State
All other private or local municipality
Jurisdiction
USFS Admin Boundary
Wilderness
Municipality
Waterway
UDOT Roadway
Local Roads
Unpaved Roads
2 Miles
Cache County
This plan was made possible through Cache County, her municipalities, and the National Park Service's Rivers Trails and Conservation Assistance Program.
For more detailed information regarding the Cache County Trails and Active Transportation Master Plan, visit trails.cachecounty.org, or write the County Trails Planner via trails@cachecounty.org

Cache County Trails and Active Transportation Program (2021)


This program supports implementation of the Master Plan. Through this program, County staff provide technical assistance in support of specific regional projects, including the Bjorr Trail, Murray Farm Trailhead, Blacksmith Fork Connector Trail, Bridger Bike Park, 800 West Regional Trail, Bonneville Shoreline Trail, Hyde Park Canyon, and Logan River Blue Trail.

Cache County General Plan (2023)

The General Plan sets countywide policy direction across a broad range of topics, two of which speak directly to active transportation. The Active Lifestyles and Recreation guiding principle calls for identifying, preserving, constructing, and managing open space and natural areas to support a connected system of trails, recreation, and scenic corridors. The Valley Connectivity guiding principle encourages safe, affordable, and efficient infrastructure for roads, trails, and transit, along with a variety of transportation options.

CMPO Regional Transportation Plan (2023)

The Regional Transportation Plan lays out a fiscally-constrained, phased project list across all modes — including active transportation — looking out to 2050. AT projects are displayed in the map below.



CMPO Comprehensive Safety Action Plan (2025)

This plan identifies the county's highest-risk roadways using crash history and traffic volume data and recommends countermeasures accordingly. While not an active-transportation-specific plan, its safety improvements benefit all road users, including people walking and biking.

CVTD First and Last Mile Study (2022)

This study identifies improvements that make it safer and more convenient to walk, bike, or use micromobility to reach CVTD bus stops and the Intermodal Transit Center, with recommendations organized by jurisdiction across the transit service area.

Municipal Plans

Municipalities across Cache County have varying levels of adopted active transportation guidance. Some have well-developed active transportation plans while others have no guidance at all. This gap means that design expectations and facility standards vary considerably from one community to the next. This guidebook is intended to address those gaps by establishing a consistent, countywide standard that reflects current best practices and can be applied across the full range of community contexts.

This section reviews adopted plans across the county's 19 municipalities. The planning team first identified Active transportation plans. Where none existed, other plans were reviewed for active transportation guidance, including transportation plans, parks and recreation plans, and general plans.

Table 2 summarized the results, organized by population size.

Key:

Full Plans	Includes both off-street trails and on-street bike facilities
Partial Plans	Includes only off-street trails, no mention of on-street bike facilities
No Plans	Does not mention trails or on-street bike facilities

Table 2: Municipal Plans with AT Components

Jurisdiction	Population (2026)*	Plan Name and Link	Year
Logan	56,477	Logan Bicycle and Pedestrian Master Plan	2015
Smithfield	15,466	Smithfield General Plan	2026
North Logan	11,777	North Logan Active Transportation Master Plan	2022
Hyrum	11,518	Hyrum General Plan (Chapter 8 Parks and Recreation)	2023
Providence	9,814	Providence Parks, Trails, and Recreation Master Plan	2021

Nibley	9,280	Nibley City Active Transportation Plan	2024
Hyde Park	5,904	Hyde Park Trails Master Plan	2022
Wellsville	4,343	Wellsville Trails and Active Transportation Plan	2023
Richmond	3,164	Richmond Trails Master Plan	2023
Millville	2545	Millville General Plan (Attachment C Parks and Trails)	2016
River Heights	2,266	River Heights Transportation Master Plan	2015
Lewiston	1,945	None	-
Mendon	1,324	Mendon General Plan (pg 39 - Trails)	2020
Paradise	1,073	None	-
Newton	849	None	-
Clarkston	750	None	-
Trenton	552	None	-
Amalga	531	None	-
Cornish	290	None	-

* US Census population estimates via World Population Review.

Full Plans

Six municipalities have full active transportation plans: Logan, north Logan, Providence, Nibley, Hyde Park, and Wellsville. With the exception of Smithfield and Hyrum, these are the county's six most populous cities, suggesting plan development has generally tracked population size and staff capacity.

All of these plans include some form of **off-street trail**, though naming is inconsistent. Logan, Nibley, Providence, and Wellsville each distinguish paved from unpaved facilities, using terms such as shared use path, unpaved trail, paved path, natural surface trail, shared pathway, roadside pathway, and singletrack trail. Hyde Park is the outlier, categorizing its trail network by context — arterial street trail, mountain trail, powerline trail, and Bonneville Shoreline Trail — rather than by surface type.

Bike lanes are proposed in Logan, North Logan, and Nibley, with Logan and Nibley further distinguishing a buffered bike lane, and Logan alone including a protected bike lane. Providence and Wellsville do not use bike lane terminology at all.

Each plan includes a **low-stress, shared-roadway** facility type, but naming again varies. Logan and Nibley both use bicycle boulevard, North Logan uses shared lane, Nibley uses sharrows, Hyde Park uses quiet street, and Logan and Wellsville both use shared roadway.

A handful of facility types have no clear equivalent across these plans. Nibley's **advisory shoulder** and North Logan's **painted shoulder** are each unique to their respective plans, though may describe similar treatments. Providence's **Cache Bikeway** and **Safe Routes to School** are programmatic rather than physical facility types, distinct from the rest of the list. Logan's **downtown pedestrian promenade** is also unique, reflecting a context-specific facility rather than a countywide type.

Partial Plans

Six municipalities have partial plans: Smithfield, Richmond, Millville, River Heights, Mendon, and Hyrum. Smithfield is a notable outlier as the county's second-most populous city.

The depth of guidance varies across cities. Mendon is the weakest by far, with no trail map at all — just a brief description of a walking trail connecting local destinations. Millville and Hyrum fall in the middle, each with a basic trail map. Millville's covers a handful of facility types (multi-use trail, sidewalk trail, equestrian trail), while Hyrum's general plan references recreational trails, including city street trails.

Smithfield, Richmond, and River Heights are the most developed of the five, each mapping trail networks that reach a wide range of destinations across their communities. However, these three seem to lack on-street guidance to inform where a trail is the right tool versus where an on-street facility would be cheaper or better suited to the road.

Richmond, Millville and Hyrum share a smaller gap worth noting: both include an on-street "bike route" category without defining the actual facility type. On-street facility guidance is a consistent missing piece.

No Plans

Seven municipalities have no adopted guidance addressing trails or on-street bicycle facilities: Lewiston, Paradise, Newton, Clarkston, Trenton, Amalga, and Cornish. All seven are small municipalities, and their lack of a plan is in line with what would be expected given their smaller population size and limited staff capacity.

Other Guidebooks

This section reviews design guidance and standards from outside Cache County — federal, state, and peer jurisdictions — to identify best practices this guidebook can draw on and gaps it needs to fill.

Table 3: Peer Guidebooks and Standards		
Jurisdiction	**Name and Link**	**Year**
Federal Guidance	FHWA Smalltown and Rural Multimodal Networks	2016

	FHWA Bikeway Selection Guide	2019
	AASHTO Guide for the Development of Bicycle Facilities	2024
State Guidance	Utah Bicycle and Pedestrian Master Plan Design Guide	2022
	UDOT Roadway Design Manual	2021
Peer Jurisdictions	Summit County Active Transportation Plan	2019
	Davis County Active Transportation Plan	2024
	Salt Lake County Bikeway Design Guide	2017

Federal Guidance

The **Small Town and Rural Multimodal Networks** guide (2016) translates national bicycle and pedestrian design standards to a small-town and rural context, including facility types like advisory shoulders that are already appearing in Cache County plans (Nibley) but aren't well documented elsewhere. Given that most of Cache County outside Logan is small-town or rural in character, this guide is one of the more directly applicable sources reviewed and should inform this guidebook's approach to lower-volume roads and constrained rights-of-way.

The **Bikeway Selection Guide** (2019) provides a decision-making framework for matching facility type to roadway context — traffic speed, volume, and available right-of-way. This selection methodology is well established nationally and doesn't need to be re-derived; the guidebook can reference it directly and focus instead on applying it to Cache County's specific road types and contexts.

The **AASHTO Guide for the Development of Bicycle Facilities** (5th ed., 2024) is the national engineering standard for bikeway design. Its fifth edition was substantially overhauled and added a dedicated chapter on rural area bikeways and roadways, along with new chapters on bicycle boulevard planning and design and on choosing among bikeway types. Given the inconsistent facility terminology found across Cache County's municipal plans, this guide is the natural reference point for the standardized facility taxonomy this guidebook will establish.

State Guidance

The **Utah Bicycle and Pedestrian Master Plan Design Guide** is a process guide for municipalities developing their own bicycle and pedestrian master plans, covering goal-setting, inventory methods, public involvement, and project prioritization. It is less a facility design catalog and more a guide to producing a plan document — useful as a reference for consistent statewide planning process, but it does not provide the facility-level design detail this guidebook needs to deliver.

UDOT does not maintain a standalone active transportation design guidebook comparable to the federal sources above. Its relevant guidance is embedded in the **Roadway Design Manual and a Bicycle**

Suitability Map, which sets shoulder-width standards for state routes. Several state routes run through Cache County municipalities, so these standards function less as design guidance to draw from and more as a constraint the guidebook will need to account for on those specific corridors.

Peer Jurisdictions

The **Summit County Active Transportation Plan** (2019) establishes a countywide facility taxonomy — shared use path, sidepath, bike lane, neighborhood byway, advisory shoulder, shared roadway, and grade-separated crossing — applying the AASHTO Guide for the Development of Bicycle Facilities to specific local recommendations. This taxonomy-based approach is a direct model for the facility standardization this guidebook aims to establish for Cache County.

The **Davis County Active Transportation Plan** (2024) takes a different approach entirely. Rather than establishing its own facility standards, it inventories the nine active transportation plans already adopted by its municipalities, identifies 39 routes that cross jurisdictional lines, and prioritizes the top 11 for further development. Concept-level cross-sections and cost estimates were produced only for five priority segments and four priority intersections. This is a coordination and prioritization model rather than a design guidance model.

The **Salt Lake County Bikeway Design Guide** is a standalone facility design catalog, separate from its Active Transportation Implementation Plan. It defines bikeway types in line with NACTO's Urban Bikeway Design Guide, AASHTO, and the MUTCD, functioning as county-level design guidance rather than a project list. Of the three peers reviewed, this is the closest structural match to what this guidebook is intended to produce.

Policy Review

This policy review analyzes the municipal codes, engineering standards, and transportation plans across the 19 incorporated cities and towns in Cache County, Utah (plus Cache County jurisdiction), evaluating how local land use regulations and public works requirements govern active transportation (AT) beyond basic sidewalk requirements.

The evaluation measures municipal performance across five key active transportation categories:

- Complete Streets & Traffic Calming Policies
- Engineering Standards Covering Active Transportation Design
- Active Transportation Connectivity & Bicycle Parking Requirements
- Right-of-Way (ROW) Preservation for Trails and Bikeways
- Active Transportation Integration in Development Review / Approval Processes

Executive Summary & Municipal Categorization

Municipal requirements for active transportation across Cache County vary significantly, ranging from comprehensive land development codes in urban centers to regulatory silence in rural agricultural towns.

- **Tier 1: Comprehensive / Advanced Frameworks** (Logan, Nibley, Hyde Park, Wellsville)

  These jurisdictions have embedded active transportation provisions directly into their zoning, land development codes, or subdivision ordinances. They mandate connectivity, require trail right-of-way dedications, enforce bicycle parking standards, or offer explicit density bonuses for non-motorized infrastructure.

- **Tier 2: Moderate / Emerging Frameworks** (Smithfield, North Logan, Providence)

  These communities reference active transportation goals in site plan reviews, master plans, or roadway cross-sections. However, their municipal codes and public works engineering standards lack detailed, mandatory design specifications for bicycle networks or traffic calming.

- **Tier 3: Baseline / Rural Frameworks** (Hyrum, River Heights, Richmond, Lewiston, Mendon, Millville, Newton, Amalga, Clarkston, Cornish, Paradise, Trenton, Cache County)

  These jurisdictions either rely solely on standard sidewalk requirements, maintain pending/in-progress plans, or lack explicit code language addressing active transportation, bike lanes, trail dedications, or traffic calming policies.

Comparative Matrix of Select Cities: Active Transportation Policy Evaluation

Table 4: Comparative Matrix of Select Cities

Municipality	Complete Streets / Traffic Calming	Eng. Standards Cover AT Design	AT Connectivity & Bike Parking	ROW Preservation for Trails/Bikeways	AT in Development Review Process
Logan City	Explicit policy (LDC 17.29.110) & density bonuses	Minimal; references AASHTO in zoning	Mandatory (LDC 17.30.160); Bike parking Table 17.31.040	River trail preservation (17.24.060.Ae); Easements (17.39.050)	Not explicit
Nibley City	TMP referenced; traffic calming mandated in subdivisions	Minimal; buffered bike lanes in standards	Connectivity in zoning (GP & TMP); Bike parking 21.12.060(F)	Yes (21.12.060(F))	Explicit in Site Plan Review with GP/TMP compliance
Hyde Park City	Minimal reference in TMP	Dedicated trail standards (2022); no bike cross-sections	Connection reqs (12.270.050(E)); Bike parking required	Trail dedications in MXD (12.270.050(E)) & canals (12.30.040(J))	Trail density bonus in subdivision ordinance
Wellsville City	Referenced in adopted ATP	Design standards in ATP; missing in eng. standards	Bike parking (10-38-10); Circulation (11-5-1B9); Trails	Trail easement dedication (10-46-5)	Mandatory trail easement on final plats (11-3-5.A11p)

			(10-36-16)		
Smithfield City	TMP reference only	Min 10 ft trail width; no bike cross-sections	Density bonus incentive for trail/bike connections	Master planned community trail corridors (8ft trail / 16ft ROW)	Minimal; PUD approval requires ped/bike paths
North Logan City	Minimal reference in engineering standards	4' & 5' bike lane dimensions on select cross-sections	No explicit requirement	Minimal policy language	Site Plan Review references active transportation
Providence City	TMP reference only	Listed as element in typical lane configurations	Bike parking required in MXD & Multi-family	Unaddressed in municipal code	Site Plan Review references active transportation
Hyrum City	No	No	No	No	No (TMP in progress)

Analysis by Category

1. Complete Streets & Traffic Calming Policies

- Logan City leads the county with an explicit Complete Streets policy in its Land Development Code (LDC 17.29.110). It supports this policy through land use incentives, offering explicit density bonuses for developments that incorporate complete street designs (LDC 17.34.060.A).
- Nibley City incorporates traffic calming directly into its subdivision ordinance, requiring traffic-calming measures for developments containing arterial and collector streets. It also enforces street geometry designed around lower "street design speeds".
- Hyde Park, Providence, Smithfield, and Wellsville reference complete streets or traffic calming principles within their Transportation Master Plans (TMP) or Active Transportation Plans (ATP), but mostly lack binding enforcement mechanisms within their zoning codes.

2. Engineering Standards Covering Active Transportation Design

- Hyde Park City adopted standalone Construction Standards for Trails in 2022, establishing specific physical build standards for trail facilities.
- Smithfield City codifies a minimum width of 10 feet for multi-use trails within standard roadway construction specifications.
- North Logan City includes minimal dedicated 4-foot and 5-foot bike lane designations in select typical cross-sections within its public works standards.
- Logan City & Wellsville City exhibit a policy-to-engineering gap: while their land development codes and standalone Active Transportation Plans detail high-level facilities, their formal Public Works Design Standards list active transportation elements only as "possible additives" rather than mandatory engineering profiles.

3. Active Transportation Connectivity & Bicycle Parking Requirements

- Logan City enforces internal and inter-development pedestrian and bicycle connectivity (LDC 17.30.160) and mandates off-street bicycle parking ratios for specified commercial, institutional, and multi-family land uses (Table 17.31.040).
- Nibley City requires full non-motorized connectivity compliance with its General Plan and Active Transportation Plan, alongside mandatory bicycle parking standards under Code 21.12.060(F).
- Wellsville City incorporates bicycle parking ratios under Code 10-38-10, mandatory non-motorized circulation rules under 11-5-1B9, and connectivity mandates in Code 10-36-16.
- Providence City & Hyde Park City enforce bicycle parking mandates within Mixed-Use (MXD) zones and commercial developments.
- Smithfield City utilizes an incentive model, granting density bonuses for projects that provide active transportation connections.

4. Right-of-Way (ROW) Preservation for Trails and Bikeways

- Hyde Park City maintains robust right-of-way preservation rules, requiring trail land dedications in MXD zones (12.270.050(E)), mandatory rights-of-way adjacent to irrigation canals for future trail corridors (12.30.040(J)), and trail dedications in master plans (13.60.010(B)).
- Smithfield City requires Master Planned Communities to set aside a minimum 16-foot dedicated corridor containing an 8-foot wide paved trail.
- Logan City protects riparian active transportation corridors along the Logan River and Little Logan River (LDC 17.24.060.Ae) and permits mandatory trail easement dedications during development (17.39.050).
- Wellsville City authorizes municipal authorities to require land owners to dedicate trail easements under Code 10-46-5.
- Nibley City preserves trail right-of-way through dedicated connectivity rules under Code 21.12.060(F).

5. Active Transportation in Development Review & Approval Processes

- Wellsville City embeds active transportation directly into final subdivision engineering review by explicitly requiring all trail easements to be delineated on final recorded plats (Code 11-3-5.A11p).
- Nibley City, Providence City, and North Logan City explicitly include active transportation evaluation within their formal Site Plan Review processes, requiring applicants to demonstrate compliance with General Plans and Active Transportation Master Plans.

- Hyde Park City incorporates active transportation into subdivision approvals by offering trail density bonuses in the land use process.
- Smithfield City requires Planned Unit Development (PUD) applicants to present dedicated pedestrian and bicycle pathway layouts prior to plan approval.

Detailed Policy Profiles by Municipality

Logan City

- City Code: Logan Land Development Code (Title 17)
- Engineering Standards: Public Works Design Standards
- Master Plans: Transportation Master Plan | Bicycle & Pedestrian Master Plan
- Policy Review: Logan possesses the most detailed regulatory code in Cache County. Zoning Code 17.29.110 establishes an explicit Complete Streets framework, backed by density incentives under 17.34.060.A. Active transportation connectivity is required between all developments (17.30.160), and off-street bike parking is mandated for commercial and residential developments (Table 17.31.040). Right-of-way preservation is enforced along river corridors (17.24.060.Ae). However, Public Works Engineering standards list bike lanes primarily as optional additions rather than standard roadway cross-sections.

Nibley City

- City Code: Nibley City Code
- Engineering Standards: Engineering Design Standards & Details
- Master Plans: Transportation Master Plan | Active Transportation Plan (2025)
- Policy Review: Nibley integrates planning and code enforcement effectively. Traffic calming is required in subdivision developments along arterials and collectors. Engineering standards mandate compliance with the TMP and include buffered bike lanes. Code 21.12.060(F) mandates bicycle parking, connectivity, and trail ROW preservation. Active transportation is explicitly reviewed during site plan approvals.

Hyde Park City

- City Code: Hyde Park Municipal Code
- Engineering Standards: Construction Standards Preface
- Master Plans: Transportation Master Plan | Trail Master Plan
- Policy Review: Hyde Park combines trail design standards with land use incentives. It adopted standalone trail construction standards in 2022. Zoning Code 12.270.050(E) requires non-motorized connections and bicycle parking, while Code 12.30.040(J) mandates right-of-way preservation for future trails running adjacent to irrigation canals. The subdivision ordinance includes a trail density bonus during review.

Wellsville City

- City Code: Wellsville Municipal Code

- Engineering Standards: Public Works Standards
- Master Plans: Trails and Transportation Plan
- Policy Review: Wellsville enforces trail integration through subdivision controls. Code 10-38-10 mandates bicycle parking, Code 11-5-1B9 requires non-motorized circulation, and Code 10-36-16 enforces trail connectivity. Code 10-46-5 grants authority to require trail easement dedications, and Code 11-3-5.A11p explicitly requires trail easements to be shown on final subdivision plats.

Smithfield City

- City Code: Smithfield Municipal Code
- Engineering Standards: Roadway Construction Standards
- Master Plans: Transportation Master Plan Attachment
- Policy Review: Smithfield sets standard trail specifications, requiring a minimum 10-foot trail width in engineering standards and a minimum 16-foot ROW (8-foot paved trail) in Master Planned Communities. Density bonuses are offered for bike/trail connectivity, and PUD development reviews require pedestrian/bicycle path layouts.

North Logan City

- City Code: North Logan Municipal Code
- Engineering Standards: Engineering & GIS Portal
- Master Plans: Roads & Transportation Master Plan
- Policy Review: North Logan references active transportation in its site plan review process and includes 4-foot and 5-foot bike lanes on select roadway cross-sections. However, it lacks binding connectivity and right-of-way preservation policies within its municipal code.

Providence City

- City Code: Providence Municipal Code
- Engineering Standards: Public Works Standards
- Master Plans: Transportation Master Plan | Active Transportation StoryMap Plan
- Policy Review: Providence requires bicycle parking in Mixed-Use (MXD) and multi-family developments and includes active transportation in site plan review. Engineering cross-sections list non-motorized facilities as elements, but zoning lacks enforceable complete streets or trail dedication language.

Rural Towns & County Jurisdiction

- Amalga, Clarkston, Cornish, Lewiston, Mendon, Millville, Newton, Paradise, Richmond, River Heights, Trenton, and Cache County:
    - Amalga Town Code | Clarkston Town Code | Cornish Land Use Ordinance
    - Lewiston City Code | Mendon City Code | Millville City Code

CHAPTER 3: FACILITY ANALYSIS

AT Design Principles

Facility Types

Table 5 shows total existing and proposed mileage by facility type, providing a picture of the county's current facility inventory alongside the facility types prioritized for future development. Proposed facility types were drawn from the Regional Transportation Plan's improvements list and categorized according to the facility types established in this guidebook.

Table 5: Inventory of AT Facilities by Type		
Facility Type	**Existing (miles)**	**Proposed (miles)***
Bicycle Boulevard (Neighborhood Byway)	39.33	4.58
Painted Shoulder (Advisory Shoulder)	87.57	0
Bike Lane	8.86	19.73
Buffered Bike Lane	4.51	14.30
Protected Bike lane	0	0
Cycle Track (Two-way Protected Bike Lane)	2.23	0
Paved Multi-Use Path (Trail)	35.37	275.16
Unpaved Multi-Use Path	26.46	33.59
Total:	**204.33**	**347.32**

*Shows new facilities and facility improvements based on the CMPO Regional Transportation Plan (2023).

Bicycle Boulevard (Neighborhood Byway)

Bicycle boulevards are low-volume streets marked and signed to prioritize bicycle travel while remaining open to vehicles. This facility type is concentrated in the central portion of the County, with the majority located in Logan and additional segments in Hyde Park, North Logan, River Heights, Providence, Millville, and Nibley.

Painted Shoulder (Advisory Shoulder)



Painted shoulders are striped roadway edges that provide space for bicyclists alongside vehicle travel lanes. Advisory shoulders are a related treatment used on narrow, two-way roads without a centerline, where motorists share the center space and merge into the shoulder to pass oncoming traffic. The two are grouped together here because both provide a marked, edge-of-roadway space for bicyclists at similar low cost.

This is the most extensive facility type in the County by mileage, present in nearly every municipality except Clarkston, Trenton, Cornish, and Amalga. The most notable segments run along Highway 89 from Wellsville north to Highway 91, and along the eastern portion of Highway 89 from Logan through Logan Canyon toward Bear Lake.

Bike Lane



Bike lanes are striped, on-street lanes reserved for bicycle travel. This facility type is currently limited within the County, occurring primarily along the south edge of Logan, in River Heights, in Providence, and along a small segment in North Logan.


Buffered Bike Lane

Buffered bike lanes are bike lanes with an added painted buffer separating bicyclists from vehicle traffic. This facility type is even more limited than the standard bike lane, with a single segment in Nibley, a small segment in Hyde Park, and three small segments in Logan.

Protected Bike Lane

Protected bike lanes use a physical barrier, such as a curb or bollards, to separate bicyclists from vehicle traffic. There are currently no existing protected bike lanes within the County.

Cycle Track (Two-Way Protected bike lane)



Cycle tracks are two-way, physically separated bikeways typically located on one side of the street. This facility type is also very limited within the County, with only two existing segments: one in Logan along 500 North between Main Street and 700 East, and a newly constructed segment in Nibley along 1200 West between 3200 South and 2200 South.

Paved Multi-Use Path (Trail)



Paved multi-use paths are off-street, paved facilities shared by bicyclists and pedestrians. This is the third-largest facility type by mileage, concentrated primarily in the central region of the County. Logan and North Logan contain the highest mileage, while Providence, Nibley, Hyde Park, Smithfield, Amalga, Mendon, and Wellsville include smaller segments.

Unpaved Multi-Use Path (Trail)

Unpaved multi-use paths are off-street, natural-surface facilities shared by bicyclists and pedestrians. This facility type is concentrated along the base of the Bear River Mountains, east of the central and southern municipalities, with segments in Hyrum, Millville, Providence, Logan, and North Logan.

Inventory of Active Transportation Facilities

The existing facilities dataset combines the Utah Geospatial Resource Center's (UGRC) Roadways, Trails and Pathways datasets with data provided by Cache County from its Regional Transportation Plan. This combined dataset was published as an interactive web map for the Steering Committee to review and comment on. The proposed facilities dataset was drawn from Cache County's preliminary draft project list for its upcoming 2027 Regional Transportation Plan.

Table 4 shows total mileage of existing and proposed bicycle facilities by jurisdiction, providing a picture of how facilities are distributed across the county's municipalities. Proposed mileage includes both new facilities and improvements to existing infrastructure pulled from the Regional Transportation Plan’s improvement list.

Improvements were categorized based on the list's description field, converted as follows:

Bike Lane

- "Bike Lane"
- “Bike Lanes”
- "Bike Lane and Road Widening"
- "Bike Lane Striping and roadway improvements"
- "Resurfacing roadway to include bike lane"
- "Resurfacing roadway to include bike lanes"
- "Widening and resurfacing roadway to include bike lanes"

Buffered Bike Lane

- "Buffered Bike Lane"
- "Buffered Bike Lane and Road Widening"
- "Buffered Bike Lanes on Road"
- "Resurfacing and restriping roadway for buffered bike lanes"
- "Widening and resurfacing roadway to include buffered bike lanes"

Cycle track, protected with barrier

- None mapped, no matching descriptions found in source data

Marked/Signed Shared Roadway

- "Bike Lanes and Sharrows demarcating CacheBikeway West"
- "Designated Shared Roadway bike/auto w/ sidewalk"
- "Marked on Street Bike Route"
- "Shared roadway"
- "Shared Roadway - Sharrows"
- "Sharrow Addition"

Natural Surface Trail

- "Dirt Trail"
- "Gravel Trail below Powerlines"
- "Hiking, Biking, Jogging Trail - Natural Surface"
- "Natural Surface Trail"
- "Single Track Dirt Bike Trail"
- "Unpaved Mixed-use Canal Trail"

Shoulder Bikeway

- None mapped, no matching descriptions found in source data

Trail or Pathway

- "8' Multi-Use Path"
- "A linear Park with a trail along the water feature"
- "Addition of 10' pathway on north side of roadway"
- "Paved Trail"
- "Paved trail along edge of pathway"
- "Paved Trail along roadway"
- "Paved Trail Underpass"

- "Canal Alignment to SR30"
- "Hiking, Biking, Jogging - Paved Path"
- "Hiking, Biking, Jogging Trail - Paved Surface"
- "Improved Canal Pathway Access"
- "Paved Pathway"
- "Piped canal and public trail"
- "Seperated Mixed use Trail"
- "Seperated Mixed use trail with bike lanes"
- "Seperated Paved Path"
- "Trail"
- "Wide Sidewalk"


Table 6: Inventory of AT Facilities by Jurisdiction


Jurisdiction	Existing (miles)	Proposed (miles)*
Logan	50.45	41.53
Smithfield	9.22	11.18
North Logan	26.50	23.01
Hyrum	2.21	13.07
Providence	13.92	14.99-
Nibley	15.79	15.16
Hyde Park	8.71	9.27
Wellsville	8.92	18.57
Richmond	1.91	2.57
Millville	3.68	4.72
River Heights	0.29	6.54
Lewiston	0.59	4.41
Mendon	1.41	4
Paradise	0.05	1.19
Newton	0.59	1.55
Clarkston	0	0.45
Trenton	0	0
Amalga	0.35	2.97
Cornish	0	0

Unincorporated	59.74	172.14
Total:	**204.33**	**347.32**


*Shows new facilities and facility improvements based on the CMPO Regional Transportation Plan (2023).


Northern Region





Proposed Northern Facilities
Cornish
Lewiston
Clarkston
Trenton
Richmond
Newton
Amalga
Smithfield
Hyde Park
North Logan
Logan
River Heights
Providence
Mendon
0
1.25
2.5
5 Miles
Facility Type
Paved Multi-Use Trail
Bike Lane
Buffered Bike Lane
Bicycle Boulevard
Unpaved Trail


Central Region




Proposed Central Facilities
Smithfield
Hyde Park
North Logan
Logan
River Heights
Providence
Millville
Nibley
Hyrum
Wellsville
Mendon
0 0.75 1.5 3 Miles
Facility Type
Paved Multi-Use Trail
Bike Lane
Buffered Bike Lane
Bicycle Boulevard
Unpaved Trail

Southern Region





Regionally Significant Routes

Successes and Challenges

CHAPTER 4: DESIGN STANDARDS

Other Design Guidebooks

Mixed Traffic Facilities

Neighborhood Byway

Traffic Calming and Speed Management

Visually Separated Facilities

Bike Lane

Buffered Bike Lane

Physically Separated Facilities

Sidewalk

One-Way Protected Bike Lane

Two-Way Protected Bike Lane

Shared Use Path

CHAPTER 5: MODEL ORDINANCES & POLICY TOOLS