

The Cartographer Framework

INSTALLATION

Application Installation Guide


Step-By-Step Guide for Application Installation

Installation Steps

How to Configure Testing Coverage

Step 1


Double Click Installer.exe



The screenshot shows a Windows application window titled "Cartographer — POC Install Tool". The window has a light orange header bar with the text "THE CARTOGRAPHER" and a navigation menu with links: "Packages", "Credentials", "Identity", "Manifest", "Roles", "CLI", and "Launch". Below the header, the text "POC Install Tool [DEV MODE]" is visible. The main content area is a light orange box with a white border. It contains a "Welcome to Cartographer" section with a message: "Please enter the license key delivered with your purchase. The installer contacts the Cartographer Authority to confirm your license before installing anything locally." Below this message are three input fields: "Point of Contact name:" with a placeholder "e.g. Jane Smith", "Group / Organization name:" with a placeholder "e.g. Acme Corp", and "License key:" with a placeholder "lic_...". At the bottom of the form is a brown button labeled "Continue →".

Step 2

Enter Name, Organization, and License Key into the appropriate fields



The screenshot shows a web application window titled "Cartographer — POC Install Tool". The header area is orange and contains the text "THE CARTOGRAPHER" and "POC Install Tool [DEV MODE]". A navigation bar on the right lists several options: Packages (selected), Credentials, Identity, Manifest, Roles, CU, and Launch. The main content area is a light orange box with the heading "Welcome to Cartographer". Below the heading is a paragraph: "Please enter the license key delivered with your purchase. The installer contacts the Cartographer Authority to confirm your license before installing anything locally." There are three input fields: "Point of Contact name:" with the value "James Tourtellotte", "Group / Organization name:" with the value "10ycorp", and "License key:" with the value "lic_2314432kjxhdfgjkds343". At the bottom of the form is a brown button labeled "Continue →".

Cartographer — POC Install Tool

THE CARTOGRAPHER

POC Install Tool [DEV MODE]

● Packages ○ Credentials ○ Identity ○ Manifest ○ Roles ○ CU ○ Launch

Welcome to Cartographer

Please enter the license key delivered with your purchase.
The installer contacts the Cartographer Authority to confirm
your license before installing anything locally.

Point of Contact name:


Group / Organization name:

License key:

Continue →


Step 3

Install Dependency Packages for OS, AWS CLI V2, and Terraform



Step 4

Initialize IAM creation. Enter Name, AWS Access Key, AWS Secret Access Key, and AWS Region into the appropriate fields



The screenshot shows a web application window titled "Cartographer — POC Install Tool". The main header is "THE CARTOGRAPHER" with a sub-header "POC Install Tool [DEV MODE]". A navigation bar at the top right contains links: "✓ Packages", "● Credentials" (active), "○ Identity", "○ Manifest", "○ Roles", "○ CLI", and "○ Launch".

The main content area is titled "AWS IAM Role Credentials" and includes the following text: "Enter the temporary IAM role keys for this deployment. These are used locally only – they are never sent to a browser or over HTTP."

The form contains the following fields:

- "Your name (Point of Contact):" with the value "James Tourtellotte".
- "AWS Access Key ID:" with the value "AKIAgdfjskj8425rh2oi93NotRealKey".
- "AWS Secret Access Key:" with a masked value ".....".
- "AWS Region:" with the value "us-east-1".

At the bottom left is a "Validate Credentials" button. To its right, a note states: "Credentials are verified with AWS STS before any infrastructure is created."

Step 5

Validate Credentials, Click Continue

Cartographer — POC Install Tool

THE CARTOGRAPHER

POC Install Tool [DEV MODE]

✓ Packages ● Credentials ○ Identity ○ Manifest ○ Roles ○ CLI ○ Launch

AWS IAM Role Credentials

Enter the temporary IAM role keys for this deployment.
These are used locally only — they are never sent to a browser or over HTTP.

Your name (Point of Contact):

AWS Access Key ID:

AWS Secret Access Key:

AWS Region:


✓ [DEV] Validated — Account: 123456789012

✓ Validated — Continue

Credentials are verified with AWS STS before any infrastructure is created.

Step 6

Declare Group Members and Group by entering information into Organization, SES From-Address, and VPN Operator Email List




The screenshot shows a web browser window titled "Cartographer — POC Install Tool". The page has a header with "THE CARTOGRAPHER" and a progress bar with steps: Packages, Credentials, Identity (active), Manifest, Roles, CLI, and Launch. Below the header, the page is titled "POC Install Tool [DEV MODE]". The main content area is titled "Group Configuration" and contains the following sections:

- Group Configuration**
Define the workgroup for this deployment.
- Organization / Group Name:**
A text input field containing "10ycorp".
This becomes your org prefix (lowercase, hyphenated) used in all AWS resource names and S3 bucket paths.
Prefix: 10ycorp
- SES From-Address:**
Email address used to send client.ovpn files to operators. Must be verified in Amazon SES (Console → SES → Verified identities). Leave blank to skip email-send; .ovpn files will still be uploaded to S3.
A text input field containing "founder@cartographer-framework.com".
- VPN Operator Email List:**
One client.ovpn will be generated per email and uploaded to S3. Operators download their .ovpn from the POC, connect to VPN, then run setup.py -- enrollment happens automatically.
A text input field containing "alice@10y.com, bob@10y.com, jim@10y.com".
Comma-separated. Leave blank to skip VPN client generation.

At the bottom of the form, there are two buttons: "Back" and "Next Step".


Step 7

Declare IAM Roles for Builder and Installer Machines



Step 8

Allow Cartographer Command-Line-Interface Tool to install



Step 9

See Installation Completion Page, close or begin provisioning group

