

Mortality and causes of death from death notification 2012

Study Documentation

January 23, 2017

Metadata Production

| | |
|-----------------|------------------|
| Production Date | January 21, 2012 |
|-----------------|------------------|

Table of Contents

| | |
|--|-------------------|
| Overview..... | 4 |
| Files Description..... | 5 |
| COD2012..... | 5 |
| Variables Group(s)..... | 6 |
| Causes of death 2012..... | 6 |
| Variables Description..... | 8 |
| COD2012..... | 9 |

Mortality and causes of death from death notification 2012

Overview

| | |
|----------------|-------------------|
| Identification | CausesOfDeath2012 |
|----------------|-------------------|

Countries

Files Description

Dataset contains 1 file(s)

| COD2012 | |
|---------------|--------|
| # Cases | 494877 |
| # Variable(s) | 47 |

Variables Group(s)

Dataset contains 1 group(s)

| Group Causes of death 2012 | | | | | | | |
|----------------------------|-------------------|---|----------|--------------|--------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 1 | Serial_No | Unique sequence number | discrete | numeric-11.2 | 494877 | 0 | - |
| 2 | DeathType | Type of death | discrete | numeric-8.2 | 494877 | 0 | - |
| 3 | DeathYear | Year of death | discrete | numeric-8.2 | 494877 | 0 | - |
| 4 | DeathMonth | Month of death | discrete | numeric-8.2 | 494877 | 0 | - |
| 5 | DeathDay | Day of death | discrete | numeric-8.2 | 494877 | 0 | - |
| 6 | BirthYear | Year of birth | discrete | numeric-8.2 | 494877 | 0 | - |
| 7 | BirthMonth | Month of birth | discrete | numeric-8.2 | 494877 | 0 | - |
| 8 | BirthDay | Day of birth | discrete | numeric-8.2 | 494877 | 0 | - |
| 9 | AgeYear | Age in completed years | discrete | numeric-8.2 | 494877 | 0 | - |
| 10 | RegistrationYear | Year of death registration | discrete | numeric-8.2 | 494877 | 0 | - |
| 11 | RegistrationMonth | Month of death registration | discrete | numeric-8.2 | 494877 | 0 | - |
| 12 | RegistrationDay | Day of death registration | discrete | numeric-8.2 | 494877 | 0 | - |
| 13 | Sex | Sex of deceased | discrete | numeric-8.2 | 494877 | 0 | - |
| 14 | MStatus | Marital status of deceased | discrete | numeric-8.2 | 494877 | 0 | - |
| 15 | Relationship | Relationship of informant to deceased | discrete | numeric-8.2 | 494877 | 0 | - |
| 16 | NextKinSmoker | Next of kin a smoker | discrete | numeric-8.2 | 494877 | 0 | - |
| 17 | EduCode | Education of deceased | discrete | numeric-8.2 | 494877 | 0 | - |
| 18 | SubOccupation | Occupation of deceased | discrete | numeric-8.2 | 494877 | 0 | - |
| 19 | OccupationGrp | Groups of occupation of deceased | discrete | numeric-8.2 | 494877 | 0 | - |
| 20 | Industry | Industry of deceased | discrete | numeric-8.2 | 494877 | 0 | - |
| 21 | Smoker | Smoking status of deceased | discrete | numeric-8.2 | 494877 | 0 | - |
| 22 | Pregnancy | Pregnant status of deceased | discrete | numeric-8.2 | 494877 | 0 | - |
| 23 | Citizenship | Citizenship of deceased | discrete | numeric-8.2 | 494877 | 0 | - |
| 24 | BirthProv | Province of birth of the deceased | discrete | numeric-8.2 | 494877 | 0 | - |
| 25 | DeathProv | Province of death occurrence | discrete | numeric-8.2 | 494877 | 0 | - |
| 26 | ResProv | Province of usual residence of the deceased | discrete | numeric-8.2 | 494877 | 0 | - |
| 27 | ResCountry | Country of usual residence of deceased | discrete | numeric-8.2 | 494877 | 0 | - |
| 28 | Ascertainment | Ascertainment of the cause of death | discrete | numeric-8.2 | 494877 | 0 | - |
| 29 | DeathInst | Place of death | discrete | numeric-8.2 | 494877 | 0 | - |
| 30 | CauseA | Immediate cause of death | discrete | character-3 | 494877 | 0 | - |
| 31 | InjuryA | Injury codes for the immediate cause of death | discrete | character-3 | 494877 | 0 | - |

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|----|------------------|--|----------|-------------|--------|---------|----------|
| 32 | CauseB | Second condition leading to death | discrete | character-3 | 494877 | 0 | - |
| 33 | InjuryB | Injury codes for the second condition leading to death | discrete | character-3 | 494877 | 0 | - |
| 34 | CauseC | Third condition leading to death | discrete | character-3 | 494877 | 0 | - |
| 35 | InjuryC | Injury codes for the third condition leading to death | discrete | character-3 | 494877 | 0 | - |
| 36 | CauseD | Fourth condition leading to death | discrete | character-3 | 494877 | 0 | - |
| 37 | InjuryD | Injury codes for the fourth condition leading to death | discrete | character-3 | 494877 | 0 | - |
| 38 | OtherCause | Other conditions leading to death | discrete | character-3 | 494877 | 0 | - |
| 39 | OtherInjury | Injury codes for other conditions leading to death | discrete | character-3 | 494877 | 0 | - |
| 40 | Part2_CauseA | First cause provided on part 2 of the death notification form | discrete | character-3 | 494877 | 0 | - |
| 41 | Part2_InjuryA | Injury codes for first cause on part 2 | discrete | character-3 | 494877 | 0 | - |
| 42 | Part2_CauseB | Second cause provided on part 2 of the death notification form | discrete | character-3 | 494877 | 0 | - |
| 43 | Part2_InjuryB | Injury codes for second cause on part 2 | discrete | character-3 | 494877 | 0 | - |
| 44 | Underlyingcause | Underlying cause of death | discrete | character-3 | 494877 | 0 | - |
| 45 | Underlying_Broad | Broad groups of the underlying causes of death | discrete | character-7 | 494877 | 0 | - |
| 46 | Underlying_Main | Main groups of the underlying causes of death | discrete | character-7 | 494877 | 0 | - |
| 47 | NaturalUnnatural | Natural/non-natural underlying causes of death | discrete | character-8 | 494877 | 0 | - |

Variables Description

Dataset contains 47 variable(s)

File : COD2012

Serial_No: Unique sequence number

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 20090000001-20090591543] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable is derived from pasted label automatically created to provide a unique identifier for each death notification form. |

DeathType: Type of death

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | Individual death is a death that occurred any time after a live birth had taken place. Stillborn is the intra-uterine death of a foetus of at least 26 weeks of gestation that showed no sign of life after complete birth. |

| Value | Label | Cases | Percentage |
|-------|------------------|--------|------------|
| 1 | Individual death | 480476 | 97.1% |
| 2 | Stillborn | 14401 | 2.9% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DeathYear: Year of death

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 2009-2012] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable refers to the year in which the death occurred. |

| Value | Label | Cases | Percentage |
|-------|-------|--------|------------|
| 2012 | 2012 | 494877 | 100.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DeathMonth: Month of death

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the month in which the death occurred. |

| Value | Label | Cases | Percentage |
|-------|-----------|-------|------------|
| 1 | January | 40926 | 8.3% |
| 2 | February | 37942 | 7.7% |
| 3 | March | 39471 | 8.0% |
| 4 | April | 39955 | 8.1% |
| 5 | May | 41529 | 8.4% |
| 6 | June | 44068 | 8.9% |
| 7 | July | 46857 | 9.5% |
| 8 | August | 46689 | 9.4% |
| 9 | September | 40036 | 8.1% |
| 10 | October | 39136 | 7.9% |
| 11 | November | 37938 | 7.7% |
| 12 | December | 40330 | 8.1% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DeathDay: Day of death

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |

File : COD2012

DeathDay: Day of death

Notes This variable provides information on the day in which the death occurred.

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 1 | 1 | 16757 | 3.4% |
| 2 | 2 | 16733 | 3.4% |
| 3 | 3 | 16941 | 3.4% |
| 4 | 4 | 16913 | 3.4% |
| 5 | 5 | 16569 | 3.3% |
| 6 | 6 | 16555 | 3.3% |
| 7 | 7 | 16322 | 3.3% |
| 8 | 8 | 16634 | 3.4% |
| 9 | 9 | 16548 | 3.3% |
| 10 | 10 | 16744 | 3.4% |
| 11 | 11 | 15999 | 3.2% |
| 12 | 12 | 17775 | 3.6% |
| 13 | 13 | 16190 | 3.3% |
| 14 | 14 | 15802 | 3.2% |
| 15 | 15 | 16134 | 3.3% |
| 16 | 16 | 16185 | 3.3% |
| 17 | 17 | 16157 | 3.3% |
| 18 | 18 | 15752 | 3.2% |
| 19 | 19 | 15846 | 3.2% |
| 20 | 20 | 16093 | 3.3% |
| 21 | 21 | 16005 | 3.2% |
| 22 | 22 | 15974 | 3.2% |
| 23 | 23 | 15854 | 3.2% |
| 24 | 24 | 15679 | 3.2% |
| 25 | 25 | 15957 | 3.2% |
| 26 | 26 | 15421 | 3.1% |
| 27 | 27 | 15772 | 3.2% |
| 28 | 28 | 15454 | 3.1% |
| 29 | 29 | 15934 | 3.2% |
| 30 | 30 | 15033 | 3.0% |
| 31 | 31 | 9145 | 1.8% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BirthYear: Year of birth

Information [Type= discrete] [Format=numeric] [Range= 1-9999] [Missing=*]

Statistics [NW/ W] [Valid=494877 /-] [Invalid=0 /-]

Notes This variable refers to the year in which the deceased was born.

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 1890 | 1890 | 1 | 0.0% |
| 1896 | 1896 | 1 | 0.0% |
| 1898 | 1898 | 1 | 0.0% |
| 1899 | 1899 | 6 | 0.0% |

File : COD2012

BirthYear: Year of birth

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 1900 | 1900 | 23 | 0.0% |
| 1901 | 1901 | 31 | 0.0% |
| 1902 | 1902 | 19 | 0.0% |
| 1903 | 1903 | 11 | 0.0% |
| 1904 | 1904 | 33 | 0.0% |
| 1905 | 1905 | 14 | 0.0% |
| 1906 | 1906 | 35 | 0.0% |
| 1907 | 1907 | 27 | 0.0% |
| 1908 | 1908 | 32 | 0.0% |
| 1909 | 1909 | 79 | 0.0% |
| 1910 | 1910 | 217 | 0.0% |
| 1911 | 1911 | 139 | 0.0% |
| 1912 | 1912 | 447 | 0.1% |
| 1913 | 1913 | 288 | 0.1% |
| 1914 | 1914 | 910 | 0.2% |
| 1915 | 1915 | 544 | 0.1% |
| 1916 | 1916 | 756 | 0.2% |
| 1917 | 1917 | 823 | 0.2% |
| 1918 | 1918 | 2353 | 0.5% |
| 1919 | 1919 | 1658 | 0.3% |
| 1920 | 1920 | 2953 | 0.6% |
| 1921 | 1921 | 2205 | 0.4% |
| 1922 | 1922 | 2448 | 0.5% |
| 1923 | 1923 | 2500 | 0.5% |
| 1924 | 1924 | 3319 | 0.7% |
| 1925 | 1925 | 3605 | 0.7% |
| 1926 | 1926 | 3808 | 0.8% |
| 1927 | 1927 | 4003 | 0.8% |
| 1928 | 1928 | 4816 | 1.0% |
| 1929 | 1929 | 5305 | 1.1% |
| 1930 | 1930 | 6983 | 1.4% |
| 1931 | 1931 | 4082 | 0.8% |
| 1932 | 1932 | 5510 | 1.1% |
| 1933 | 1933 | 5308 | 1.1% |
| 1934 | 1934 | 5457 | 1.1% |
| 1935 | 1935 | 5177 | 1.0% |
| 1936 | 1936 | 6271 | 1.3% |
| 1937 | 1937 | 5580 | 1.1% |
| 1938 | 1938 | 6244 | 1.3% |
| 1939 | 1939 | 6206 | 1.3% |
| 1940 | 1940 | 7782 | 1.6% |
| 1941 | 1941 | 5195 | 1.0% |
| 1942 | 1942 | 6889 | 1.4% |

File : COD2012

BirthYear: Year of birth

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------------|
| 1943 | 1943 | 5797 | <div></div> 1.2% |
| 1944 | 1944 | 5577 | <div></div> 1.1% |
| 1945 | 1945 | 5929 | <div></div> 1.2% |
| 1946 | 1946 | 6137 | <div></div> 1.2% |
| 1947 | 1947 | 6573 | <div></div> 1.3% |
| 1948 | 1948 | 6738 | <div></div> 1.4% |
| 1949 | 1949 | 6770 | <div></div> 1.4% |
| 1950 | 1950 | 7425 | <div></div> 1.5% |
| 1951 | 1951 | 5702 | <div></div> 1.2% |
| 1952 | 1952 | 7482 | <div></div> 1.5% |
| 1953 | 1953 | 6550 | <div></div> 1.3% |
| 1954 | 1954 | 6514 | <div></div> 1.3% |
| 1955 | 1955 | 6163 | <div></div> 1.2% |
| 1956 | 1956 | 6577 | <div></div> 1.3% |
| 1957 | 1957 | 6487 | <div></div> 1.3% |
| 1958 | 1958 | 7150 | <div></div> 1.4% |
| 1959 | 1959 | 6282 | <div></div> 1.3% |
| 1960 | 1960 | 6872 | <div></div> 1.4% |
| 1961 | 1961 | 5684 | <div></div> 1.1% |
| 1962 | 1962 | 6874 | <div></div> 1.4% |
| 1963 | 1963 | 6933 | <div></div> 1.4% |
| 1964 | 1964 | 6469 | <div></div> 1.3% |
| 1965 | 1965 | 6383 | <div></div> 1.3% |
| 1966 | 1966 | 6109 | <div></div> 1.2% |
| 1967 | 1967 | 5783 | <div></div> 1.2% |
| 1968 | 1968 | 7021 | <div></div> 1.4% |
| 1969 | 1969 | 6349 | <div></div> 1.3% |
| 1970 | 1970 | 7226 | <div></div> 1.5% |
| 1971 | 1971 | 5742 | <div></div> 1.2% |
| 1972 | 1972 | 7637 | <div></div> 1.5% |
| 1973 | 1973 | 6904 | <div></div> 1.4% |
| 1974 | 1974 | 7193 | <div></div> 1.5% |
| 1975 | 1975 | 7294 | <div></div> 1.5% |
| 1976 | 1976 | 6985 | <div></div> 1.4% |
| 1977 | 1977 | 7012 | <div></div> 1.4% |
| 1978 | 1978 | 6597 | <div></div> 1.3% |
| 1979 | 1979 | 7050 | <div></div> 1.4% |
| 1980 | 1980 | 6865 | <div></div> 1.4% |
| 1981 | 1981 | 5994 | <div></div> 1.2% |
| 1982 | 1982 | 7052 | <div></div> 1.4% |
| 1983 | 1983 | 6356 | <div></div> 1.3% |
| 1984 | 1984 | 5752 | <div></div> 1.2% |
| 1985 | 1985 | 5425 | <div></div> 1.1% |

File : COD2012

BirthYear: Year of birth

| Value | Label | Cases | Percentage |
|-------|-------------|-------|------------|
| 1986 | 1986 | 4996 | 1.0% |
| 1987 | 1987 | 4240 | 0.9% |
| 1988 | 1988 | 3884 | 0.8% |
| 1989 | 1989 | 3270 | 0.7% |
| 1990 | 1990 | 2987 | 0.6% |
| 1991 | 1991 | 2410 | 0.5% |
| 1992 | 1992 | 2223 | 0.4% |
| 1993 | 1993 | 1779 | 0.4% |
| 1994 | 1994 | 1568 | 0.3% |
| 1995 | 1995 | 1272 | 0.3% |
| 1996 | 1996 | 1131 | 0.2% |
| 1997 | 1997 | 1014 | 0.2% |
| 1998 | 1998 | 862 | 0.2% |
| 1999 | 1999 | 829 | 0.2% |
| 2000 | 2000 | 767 | 0.2% |
| 2001 | 2001 | 761 | 0.2% |
| 2002 | 2002 | 734 | 0.1% |
| 2003 | 2003 | 739 | 0.1% |
| 2004 | 2004 | 889 | 0.2% |
| 2005 | 2005 | 999 | 0.2% |
| 2006 | 2006 | 1157 | 0.2% |
| 2007 | 2007 | 1260 | 0.3% |
| 2008 | 2008 | 1425 | 0.3% |
| 2009 | 2009 | 1852 | 0.4% |
| 2010 | 2010 | 3421 | 0.7% |
| 2011 | 2011 | 9540 | 1.9% |
| 2012 | 2012 | 34162 | 6.9% |
| 9999 | Unspecified | 3198 | 0.6% |


Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BirthMonth: Month of birth

| Information | | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] | |
|--------------------|-----------|---|------------------|
| Statistics [NW/ W] | | [Valid=494877 /-] [Invalid=0 /-] | |
| Notes | | This variable provides information on the month in which the deceased was born. | |
| Value | Label | Cases | Percentage |
| 1 | January | 49081 | <div></div> 9.9% |
| 2 | February | 38899 | <div></div> 7.9% |
| 3 | March | 44647 | <div></div> 9.0% |
| 4 | April | 41261 | <div></div> 8.3% |
| 5 | May | 39542 | <div></div> 8.0% |
| 6 | June | 46518 | <div></div> 9.4% |
| 7 | July | 38463 | <div></div> 7.8% |
| 8 | August | 39523 | <div></div> 8.0% |
| 9 | September | 39792 | <div></div> 8.0% |

File : COD2012

































BirthMonth: Month of birth

| Value | Label | Cases | Percentage |
|-------|-------------|-------|--|
| 10 | October | 38725 |  7.8% |
| 11 | November | 35293 |  7.1% |
| 12 | December | 39935 |  8.1% |
| 99 | Unspecified | 3198 |  0.6% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BirthDay: Day of birth

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the day in which the deceased was born. |

| Value | Label | Cases | Percentage |
|-------|-------------|-------|--|
| 1 | 1 | 26284 |  5.3% |
| 2 | 2 | 19294 |  3.9% |
| 3 | 3 | 18692 |  3.8% |
| 4 | 4 | 18472 |  3.7% |
| 5 | 5 | 18493 |  3.7% |
| 6 | 6 | 18583 |  3.8% |
| 7 | 7 | 16644 |  3.4% |
| 8 | 8 | 15755 |  3.2% |
| 9 | 9 | 14916 |  3.0% |
| 10 | 10 | 22024 |  4.5% |
| 11 | 11 | 16154 |  3.3% |
| 12 | 12 | 19636 |  4.0% |
| 13 | 13 | 14036 |  2.8% |
| 14 | 14 | 15189 |  3.1% |
| 15 | 15 | 18377 |  3.7% |
| 16 | 16 | 17194 |  3.5% |
| 17 | 17 | 14391 |  2.9% |
| 18 | 18 | 13989 |  2.8% |
| 19 | 19 | 12975 |  2.6% |
| 20 | 20 | 16329 |  3.3% |
| 21 | 21 | 13353 |  2.7% |
| 22 | 22 | 13556 |  2.7% |
| 23 | 23 | 13955 |  2.8% |
| 24 | 24 | 14523 |  2.9% |
| 25 | 25 | 16729 |  3.4% |
| 26 | 26 | 13921 |  2.8% |
| 27 | 27 | 13825 |  2.8% |
| 28 | 28 | 15124 |  3.1% |
| 29 | 29 | 11804 |  2.4% |
| 30 | 30 | 11182 |  2.3% |
| 31 | 31 | 6280 |  1.3% |
| 99 | Unspecified | 3198 |  0.6% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : COD2012












































AgeYear: Age in completed years

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable refers to the age of the deceased in completed years at the time of death. |

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 0 | 0 | 40992 | 8.3% |
| 1 | 1 | 5175 | 1.0% |
| 2 | 2 | 2216 | 0.4% |
| 3 | 3 | 1603 | 0.3% |
| 4 | 4 | 1330 | 0.3% |
| 5 | 5 | 1227 | 0.2% |
| 6 | 6 | 1025 | 0.2% |
| 7 | 7 | 956 | 0.2% |
| 8 | 8 | 804 | 0.2% |
| 9 | 9 | 748 | 0.2% |
| 10 | 10 | 762 | 0.2% |
| 11 | 11 | 747 | 0.2% |
| 12 | 12 | 801 | 0.2% |
| 13 | 13 | 830 | 0.2% |
| 14 | 14 | 908 | 0.2% |
| 15 | 15 | 1115 | 0.2% |
| 16 | 16 | 1181 | 0.2% |
| 17 | 17 | 1381 | 0.3% |
| 18 | 18 | 1697 | 0.3% |
| 19 | 19 | 1934 | 0.4% |
| 20 | 20 | 2334 | 0.5% |
| 21 | 21 | 2695 | 0.5% |
| 22 | 22 | 3188 | 0.6% |
| 23 | 23 | 3562 | 0.7% |
| 24 | 24 | 4096 | 0.8% |
| 25 | 25 | 4630 | 0.9% |
| 26 | 26 | 5202 | 1.1% |
| 27 | 27 | 5630 | 1.1% |
| 28 | 28 | 6006 | 1.2% |
| 29 | 29 | 6712 | 1.4% |
| 30 | 30 | 6550 | 1.3% |
| 31 | 31 | 6369 | 1.3% |
| 32 | 32 | 7102 | 1.4% |
| 33 | 33 | 6683 | 1.4% |
| 34 | 34 | 6857 | 1.4% |
| 35 | 35 | 6912 | 1.4% |
| 36 | 36 | 7229 | 1.5% |
| 37 | 37 | 7243 | 1.5% |
| 38 | 38 | 6961 | 1.4% |
| 39 | 39 | 7289 | 1.5% |

File : COD2012

AgeYear: Age in completed years

| Value | Label | Cases | Percentage |
|-------|-------|-------|--|
| 40 | 40 | 6716 |  1.4% |
| 41 | 41 | 6370 |  1.3% |
| 42 | 42 | 6992 |  1.4% |
| 43 | 43 | 6610 |  1.3% |
| 44 | 44 | 6377 |  1.3% |
| 45 | 45 | 5955 |  1.2% |
| 46 | 46 | 6299 |  1.3% |
| 47 | 47 | 6327 |  1.3% |
| 48 | 48 | 6748 |  1.4% |
| 49 | 49 | 6841 |  1.4% |
| 50 | 50 | 6362 |  1.3% |
| 51 | 51 | 6119 |  1.2% |
| 52 | 52 | 6780 |  1.4% |
| 53 | 53 | 6691 |  1.4% |
| 54 | 54 | 6844 |  1.4% |
| 55 | 55 | 6537 |  1.3% |
| 56 | 56 | 6356 |  1.3% |
| 57 | 57 | 6325 |  1.3% |
| 58 | 58 | 6566 |  1.3% |
| 59 | 59 | 6875 |  1.4% |
| 60 | 60 | 6682 |  1.4% |
| 61 | 61 | 6506 |  1.3% |
| 62 | 62 | 7193 |  1.5% |
| 63 | 63 | 6772 |  1.4% |
| 64 | 64 | 6550 |  1.3% |
| 65 | 65 | 6433 |  1.3% |
| 66 | 66 | 6046 |  1.2% |
| 67 | 67 | 5801 |  1.2% |
| 68 | 68 | 5591 |  1.1% |
| 69 | 69 | 6244 |  1.3% |
| 70 | 70 | 6115 |  1.2% |
| 71 | 71 | 6388 |  1.3% |
| 72 | 72 | 7076 |  1.4% |
| 73 | 73 | 6175 |  1.2% |
| 74 | 74 | 5985 |  1.2% |
| 75 | 75 | 5862 |  1.2% |
| 76 | 76 | 5766 |  1.2% |
| 77 | 77 | 5266 |  1.1% |
| 78 | 78 | 5438 |  1.1% |
| 79 | 79 | 5353 |  1.1% |
| 80 | 80 | 4834 |  1.0% |
| 81 | 81 | 5381 |  1.1% |
| 82 | 82 | 6292 |  1.3% |

File : COD2012

AgeYear: Age in completed years

| Value | Label | Cases | Percentage |
|-------|-------------|-------|------------|
| 83 | 83 | 5114 | 1.0% |
| 84 | 84 | 4449 | 0.9% |
| 85 | 85 | 3868 | 0.8% |
| 86 | 86 | 3756 | 0.8% |
| 87 | 87 | 3427 | 0.7% |
| 88 | 88 | 3012 | 0.6% |
| 89 | 89 | 2405 | 0.5% |
| 90 | 90 | 2385 | 0.5% |
| 91 | 91 | 2539 | 0.5% |
| 92 | 92 | 2379 | 0.5% |
| 93 | 93 | 1923 | 0.4% |
| 94 | 94 | 1698 | 0.3% |
| 95 | 95 | 784 | 0.2% |
| 96 | 96 | 646 | 0.1% |
| 97 | 97 | 676 | 0.1% |
| 98 | 98 | 664 | 0.1% |
| 99 | 99 | 317 | 0.1% |
| 100 | 100 | 341 | 0.1% |
| 101 | 101 | 179 | 0.0% |
| 102 | 102 | 152 | 0.0% |
| 103 | 103 | 52 | 0.0% |
| 104 | 104 | 31 | 0.0% |
| 105 | 105 | 27 | 0.0% |
| 106 | 106 | 26 | 0.0% |
| 107 | 107 | 25 | 0.0% |
| 108 | 108 | 22 | 0.0% |
| 109 | 109 | 13 | 0.0% |
| 110 | 110 | 25 | 0.0% |
| 111 | 111 | 23 | 0.0% |
| 112 | 112 | 19 | 0.0% |
| 113 | 113 | 5 | 0.0% |
| 115 | 115 | 1 | 0.0% |
| 121 | 121 | 1 | 0.0% |
| 999 | Unspecified | 2772 | 0.6% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RegistrationYear: Year of death registration

| Information | [Type= discrete] [Format=numeric] [Range= 2009-2014] [Missing=*] | | |
|--------------------|---|--------|------------|
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] | | |
| Notes | This variable refers to the year in which a death was registered. | | |
| Value | Label | Cases | Percentage |
| 2012 | 2012 | 488075 | 98.6% |
| 2013 | 2013 | 6786 | 1.4% |
| 2014 | 2014 | 16 | 0.0% |

File : COD2012

RegistrationYear: Year of death registration

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RegistrationMonth: Month of death registration

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable refers to the month in which the death was registered. |

| Value | Label | Cases | Percentage |
|-------|-----------|-------|------------|
| 1 | January | 41227 | 8.3% |
| 2 | February | 37637 | 7.6% |
| 3 | March | 38110 | 7.7% |
| 4 | April | 39276 | 7.9% |
| 5 | May | 42556 | 8.6% |
| 6 | June | 42160 | 8.5% |
| 7 | July | 48301 | 9.8% |
| 8 | August | 47667 | 9.6% |
| 9 | September | 38515 | 7.8% |
| 10 | October | 42075 | 8.5% |
| 11 | November | 38217 | 7.7% |
| 12 | December | 39136 | 7.9% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.













RegistrationDay: Day of death registration

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-31] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the day in which the death was registered. |

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 1 | 1 | 10784 | 2.2% |
| 2 | 2 | 18192 | 3.7% |
| 3 | 3 | 18624 | 3.8% |
| 4 | 4 | 15796 | 3.2% |
| 5 | 5 | 16931 | 3.4% |
| 6 | 6 | 17841 | 3.6% |
| 7 | 7 | 14964 | 3.0% |
| 8 | 8 | 13289 | 2.7% |
| 9 | 9 | 14546 | 2.9% |
| 10 | 10 | 22140 | 4.5% |
| 11 | 11 | 15584 | 3.1% |
| 12 | 12 | 17731 | 3.6% |
| 13 | 13 | 19221 | 3.9% |
| 14 | 14 | 14703 | 3.0% |
| 15 | 15 | 12958 | 2.6% |
| 16 | 16 | 18166 | 3.7% |
| 17 | 17 | 14859 | 3.0% |
| 18 | 18 | 17330 | 3.5% |
| 19 | 19 | 17524 | 3.5% |

File : COD2012




RegistrationDay: Day of death registration

| Value | Label | Cases | Percentage |
|-------|-------|-------|--|
| 20 | 20 | 18589 |  3.8% |
| 21 | 21 | 13342 |  2.7% |
| 22 | 22 | 13517 |  2.7% |
| 23 | 23 | 18360 |  3.7% |
| 24 | 24 | 14173 |  2.9% |
| 25 | 25 | 15133 |  3.1% |
| 26 | 26 | 15281 |  3.1% |
| 27 | 27 | 19325 |  3.9% |
| 28 | 28 | 15220 |  3.1% |
| 29 | 29 | 12877 |  2.6% |
| 30 | 30 | 17364 |  3.5% |
| 31 | 31 | 10513 |  2.1% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Sex: Sex of deceased








| | |
|--------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the sex of the deceased. |

| Value | Label | Cases | Percentage |
|-------|-------------|--------|---|
| 1 | Male | 257509 |  52.0% |
| 2 | Female | 234504 |  47.4% |
| 9 | Unspecified | 2864 |  0.6% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MStatus: Marital status of deceased

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the marital status of the deceased. |

| Value | Label | Cases | Percentage |
|-------|----------------|--------|---|
| 1 | Never Married | 234816 |  47.4% |
| 2 | Married | 112495 |  22.7% |
| 3 | Widowed | 45971 |  9.3% |
| 4 | Divorced | 8607 |  1.7% |
| 5 | Not applicable | 14401 |  2.9% |
| 8 | Unknown | 894 |  0.2% |
| 9 | Unspecified | 77693 |  15.7% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Relationship: Relationship of informant to deceased

| | |
|--------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the relationship of the informant to the deceased. |

| Value | Label | Cases | Percentage |
|-------|--------|-------|---|
| 1 | Parent | 89811 |  18.1% |

File : COD2012

Relationship: Relationship of informant to deceased

| Value | Label | Cases | Percentage |
|-------|-------------|--------|------------|
| 2 | Spouse | 36575 | 7.4% |
| 3 | Child | 82026 | 16.6% |
| 4 | Other kin | 27948 | 5.6% |
| 5 | Other | 183535 | 37.1% |
| 8 | Unknown | 840 | 0.2% |
| 9 | Unspecified | 74142 | 15.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NextKinSmoker: Next of kin a smoker

| | |
|--------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the smoking status of next of kin of deceased. |

| Value | Label | Cases | Percentage |
|-------|-------------------|--------|------------|
| 1 | Smoking | 12505 | 2.5% |
| 2 | Not smoking | 51744 | 10.5% |
| 3 | Refused to answer | 1570 | 0.3% |
| 8 | Unknown | 105 | 0.0% |
| 9 | Unspecified | 428953 | 86.7% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

EduCode: Education of deceased

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the highest level of education that the deceased completed or achieved. |

| Value | Label | Cases | Percentage |
|-------|------------------------|--------|------------|
| 0 | None | 76344 | 15.4% |
| 1 | Grade R | 2359 | 0.5% |
| 2 | Sub A Gr1 | 3707 | 0.7% |
| 3 | Sub B Gr2 | 5433 | 1.1% |
| 4 | Std 1 Gr3 | 7547 | 1.5% |
| 5 | Std 2 Gr4 | 11949 | 2.4% |
| 6 | Std 3 Gr5 | 10996 | 2.2% |
| 7 | Std 4 Gr6 | 13434 | 2.7% |
| 8 | Std 5 Gr7 | 17111 | 3.5% |
| 9 | Std 6 Gr8 | 21458 | 4.3% |
| 10 | Std 7 Gr9 | 11790 | 2.4% |
| 11 | Std 8 Gr10 Form3 NTC1 | 21219 | 4.3% |
| 12 | Std 9 Gr11 Form4 NTC2 | 13038 | 2.6% |
| 13 | Std 10 Gr12 Form5 NTC3 | 36128 | 7.3% |
| 14 | University / Tech | 8587 | 1.7% |
| 97 | Unknown | 16039 | 3.2% |
| 98 | Not applicable | 14401 | 2.9% |
| 99 | Unspecified | 203337 | 41.1% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : COD2012

SubOccupation: Occupation of deceased

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the sub groups of the usual occupation of the deceased. Usual occupation refers to the type of work done by the deceased most of his or her working life. |

| Value | Label | Cases | Percentage |
|-------|---|--------|------------|
| 8 | Occupations unspecified not elsewhere classified | 313787 | 63.4% |
| 9 | Not Economically active persons | 57506 | 11.6% |
| 11 | Chief executives, senior officials and legislators | 390 | 0.1% |
| 12 | Administrative and commercial managers | 305 | 0.1% |
| 13 | Production and specialised services managers | 315 | 0.1% |
| 14 | Hospitality, retail and other services managers | 1006 | 0.2% |
| 21 | Science and engineering professionals | 758 | 0.2% |
| 22 | Health professionals | 1447 | 0.3% |
| 23 | Teaching professionals | 2718 | 0.5% |
| 24 | Business and administration professionals | 1776 | 0.4% |
| 25 | Information and Communication Technology professionals | 65 | 0.0% |
| 26 | Legal, social and cultural professionals | 541 | 0.1% |
| 31 | Science and engineering associate professionals | 720 | 0.1% |
| 32 | Health associate professionals | 281 | 0.1% |
| 33 | Business and administration associate professionals | 897 | 0.2% |
| 34 | Legal, social, cultural and related associate professionals | 383 | 0.1% |
| 35 | Information and communications technicians | 84 | 0.0% |
| 41 | General and keyboard clerks | 2081 | 0.4% |
| 42 | Customer services clerks | 435 | 0.1% |
| 43 | Numerical and material recording clerks | 168 | 0.0% |
| 44 | Other clerical support workers | 75 | 0.0% |
| 51 | Personal services workers | 1345 | 0.3% |
| 52 | Sales workers | 1870 | 0.4% |
| 53 | Personal care workers | 234 | 0.0% |
| 54 | Protective service workers and armed forces occupations | 3892 | 0.8% |
| 61 | Market-orientated skilled agricultural workers | 483 | 0.1% |
| 62 | Market-orientated skilled forestry, fishery and hunting workers | 2006 | 0.4% |
| 63 | Subsistence farmers, fishers, hunters and gatherers | 905 | 0.2% |
| 71 | Building and related trades workers, excluding electricians | 2839 | 0.6% |
| 72 | Metal, machinery and related trades workers | 2151 | 0.4% |
| 73 | Handicraft and printing workers | 212 | 0.0% |
| 74 | Electrical and electronic trades workers | 838 | 0.2% |
| 75 | Food processing, wood working, garment and other craft and related trades workers | 619 | 0.1% |
| 81 | Stationary plant and machine operators | 3364 | 0.7% |
| 82 | Assemblers | 21 | 0.0% |
| 83 | Drivers and mobile plant operators | 4581 | 0.9% |
| 91 | Cleaners and helpers | 9282 | 1.9% |
| 92 | Agricultural, forestry and fishery labourers | 1854 | 0.4% |

File : COD2012

SubOccupation: Occupation of deceased

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| 93 | Labourers in mining, construction, manufacturing and transport | 1381 | 0.3% |
| 94 | Food preparation assistants | 24 | 0.0% |
| 95 | Street and related sales and service workers | 151 | 0.0% |
| 96 | Refuse workers and other elementary workers | 10954 | 2.2% |
| 98 | Not Applicable | 60124 | 12.1% |
| 99 | Underground Economy and related activities | 9 | 0.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OccupationGrp: Groups of occupation of deceased

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the usual occupation of the deceased. Usual occupation refers to the type of work done by the deceased most of his or her working life. |

| Value | Label | Cases | Percentage |
|-------|--|--------|------------|
| 0 | Armed forces, occupations unspecified and not elsewhere classified, and not economically active persons. | 371293 | 75.0% |
| 1 | Legislators, senior officials and managers | 2016 | 0.4% |
| 2 | Professionals | 7305 | 1.5% |
| 3 | Technicians and Associate professionals | 2365 | 0.5% |
| 4 | Clerks | 2759 | 0.6% |
| 5 | Service workers, shop and market sales workers | 7341 | 1.5% |
| 6 | Skilled agricultural and fishery workers | 3394 | 0.7% |
| 7 | Craft and related trade workers. | 6659 | 1.3% |
| 8 | Plant and machine operators and assemblers | 7966 | 1.6% |
| 9 | Elementary occupations | 23655 | 4.8% |
| 99 | Not applicable | 60124 | 12.1% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Industry: Industry of deceased

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 0-998] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the type of business or industry where the deceased worked most of his or her working life. |

| Value | Label | Cases | Percentage |
|-------|---|--------|------------|
| 10 | Private households with employed persons | 11334 | 2.3% |
| 20 | Exterritorial organisations | 25 | 0.0% |
| 30 | Representatives of foreign governments | 8 | 0.0% |
| 60 | Not economically active | 57604 | 11.6% |
| 70 | Unemployed people, people seeking work, e.c.t. | 55691 | 11.3% |
| 80 | Unspecified activities | 241686 | 48.8% |
| 90 | Other activities not adequately defined | 19954 | 4.0% |
| 111 | Growing of crops; market gardening; horticulture | 691 | 0.1% |
| 112 | Farming of animals | 66 | 0.0% |
| 113 | Growing of crops combined with farming of animals (mixed farming) | 7221 | 1.5% |

File : COD2012

Industry: Industry of deceased

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| 114 | Agricultural and animal husbandry services, except veterinary activities | 56 | 0.0% |
| 115 | Hunting; trapping and game propagation, including related services | 10 | 0.0% |
| 116 | Production of organic fertilizer | 6 | 0.0% |
| 121 | Forestry and related services | 30 | 0.0% |
| 122 | Logging and related services | 4 | 0.0% |
| 131 | Ocean and coastal fishing | 27 | 0.0% |
| 132 | Fish hatcheries and fish farms | 16 | 0.0% |
| 210 | Mining of Coal and Lignite | 258 | 0.1% |
| 221 | Extraction of crude petroleum and natural gas; Service activities incidental to oil and gas extraction, excluding surveying | 2 | 0.0% |
| 230 | Mining of gold and uranium ore | 6 | 0.0% |
| 241 | Mining of iron ore | 3 | 0.0% |
| 242 | Mining of non-ferrous metal ores, except gold and uranium | 8 | 0.0% |
| 251 | Stone quarrying, clay and sand-pits | 3 | 0.0% |
| 252 | Mining of diamonds (including alluvial diamonds) | 4 | 0.0% |
| 253 | Mining and quarrying n.e.c. | 4669 | 0.9% |
| 290 | Services activities incidental to mining of minerals | 4 | 0.0% |
| 301 | Production, processing and preserving of meat, fish, fruit, vegetables, oils and fats | 250 | 0.1% |
| 302 | Manufacture of dairy products | 25 | 0.0% |
| 303 | Manufacture of grain mill products, starches and starch products and prepared animal feeds | 20 | 0.0% |
| 304 | Manufacture of other food products | 44 | 0.0% |
| 305 | Manufacture of beverages | 24 | 0.0% |
| 306 | Manufacture of tobacco products | 3 | 0.0% |
| 311 | Spinning, weaving and finishing of textiles | 97 | 0.0% |
| 312 | Manufacture of other textiles | 34 | 0.0% |
| 313 | Manufacture of knitted and crocheted fabrics and articles | 24 | 0.0% |
| 314 | Manufacture of wearing apparel, except fur apparel | 94 | 0.0% |
| 315 | Dressing and dyeing of fur; manufacture of articles of fur | 3 | 0.0% |
| 316 | Tanning and dressing of leather; manufacture of luggage, handbags, saddlery and harness | 13 | 0.0% |
| 317 | Manufacture of footwear | 8 | 0.0% |
| 321 | Sawmilling and planing of wood | 9 | 0.0% |
| 322 | Manufacture of products of wood, cork, straw and plaiting materials | 16 | 0.0% |
| 323 | Manufacture of paper and paper products | 11 | 0.0% |
| 324 | Publishing | 8 | 0.0% |
| 325 | Printing and service activities related to printing | 33 | 0.0% |
| 331 | Manufacture of coke oven products | 3 | 0.0% |
| 332 | Petroleum refineries/synthesisers | 9 | 0.0% |
| 333 | Processing of nuclear fuel | 2 | 0.0% |
| 334 | Manufacture of basic chemicals | 11 | 0.0% |
| 335 | Manufacture of other chemical products | 8 | 0.0% |
| 337 | Manufacture of rubber products | 10 | 0.0% |

File : COD2012

Industry: Industry of deceased

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| 338 | Manufacture of plastic products | 5 | 0.0% |
| 341 | Manufacture of glass and glass products | 12 | 0.0% |
| 342 | Manufacture of non-metallic mineral products n.e.c. | 15 | 0.0% |
| 351 | Manufacture of basic iron and steel | 139 | 0.0% |
| 352 | Manufacture of basic precious and non-ferrous metals | 15 | 0.0% |
| 353 | Casting of metals | 25 | 0.0% |
| 354 | Manufacture of structural metal products, tanks, reservoirs and steam generators | 4 | 0.0% |
| 355 | Manufacture of other fabricated metal products; metalwork service activities | 8 | 0.0% |
| 356 | Manufacture of general purpose machinery | 2 | 0.0% |
| 357 | Manufacture of special purpose machinery | 4 | 0.0% |
| 358 | Manufacture of household appliances n.e.c. | 2 | 0.0% |
| 359 | Manufacture of office, accounting and computing machinery | 6 | 0.0% |
| 361 | Manufacture of electric motors, generators and transformers | 3 | 0.0% |
| 362 | Manufacture of electricity distribution and control apparatus | 2 | 0.0% |
| 365 | Manufacture of electric lamps and lighting equipment | 2 | 0.0% |
| 366 | Manufacture of other electrical equipment n.e.c. | 1 | 0.0% |
| 371 | Manufacture of electronic valves and tubes and other electric components | 1 | 0.0% |
| 372 | Manufacture of television and radio transmitters and apparatus for line telephony and line telegraphy | 1 | 0.0% |
| 374 | Manufacture of medical appliances and instruments and appliances for measuring, checking, testing, navigating and other purposes, except optical instruments | 2 | 0.0% |
| 381 | Manufacture of motor vehicles | 40 | 0.0% |
| 382 | Manufacture of bodies (coachwork) for motor vehicles; manufacture of trailers and semi-trailers | 1 | 0.0% |
| 383 | Manufacture of parts and accessories for motor vehicles and their engines | 3 | 0.0% |
| 384 | Building and repairing of ships and boats | 1 | 0.0% |
| 387 | Manufacture of transport equipment n.e.c. | 1 | 0.0% |
| 391 | Manufacture of furniture | 13 | 0.0% |
| 392 | Manufacture n.e.c. | 3035 | 0.6% |
| 395 | Recycling n.e.c. | 9 | 0.0% |
| 411 | Production, collection and distribution of electricity | 1345 | 0.3% |
| 412 | Manufacture of gas; distribution of gaseous fuels through mains | 6 | 0.0% |
| 413 | Steam and hot water supply | 3 | 0.0% |
| 420 | Collection, purification and distribution of water | 5 | 0.0% |
| 501 | Site preparation | 266 | 0.1% |
| 502 | Building of complete constructions or parts thereof; civil engineering | 4634 | 0.9% |
| 503 | Building installation | 42 | 0.0% |
| 504 | Building completion | 304 | 0.1% |
| 505 | Renting of construction or demolition equipment with operators | 1 | 0.0% |
| 611 | Wholesale trade on a fee or contract basis | 470 | 0.1% |

File : COD2012

Industry: Industry of deceased

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| 612 | Wholesale trade in agricultural raw materials, livestock, food, beverages and tobacco | 34 | 0.0% |
| 613 | Wholesale trade in household goods | 18 | 0.0% |
| 614 | Wholesale trade in non-agricultural intermediate products, waste and scrap | 9 | 0.0% |
| 615 | Wholesale trade in machinery, equipment and supplies | 2 | 0.0% |
| 619 | Other wholesale trade | 8 | 0.0% |
| 621 | Non-specialised retail trade in stores | 65 | 0.0% |
| 622 | Retail trade in food, beverages and tobacco in specialised stores | 409 | 0.1% |
| 623 | Other retail trade in new goods in specialised stores | 4195 | 0.8% |
| 624 | Retail trade in second-hand goods in stores | 5 | 0.0% |
| 625 | Retail trade not in stores | 34 | 0.0% |
| 626 | Repair of personal and household goods | 3 | 0.0% |
| 631 | Sale of motor vehicles | 117 | 0.0% |
| 632 | Maintenance and repair of motor vehicles | 287 | 0.1% |
| 633 | Sale of motor vehicle parts and accessories | 77 | 0.0% |
| 634 | Sale, maintenance and repair of motor cycles and related parts and | 12 | 0.0% |
| 635 | Retail sale of automotive fuel | 218 | 0.0% |
| 641 | Hotels, camping sites and other provision of short-stay accommodation | 233 | 0.0% |
| 642 | Restaurants, bars and canteens | 215 | 0.0% |
| 711 | Railway transport | 652 | 0.1% |
| 712 | Other land transport | 3209 | 0.6% |
| 713 | Transport via pipelines | 28 | 0.0% |
| 721 | Sea and coastal water transport | 22 | 0.0% |
| 730 | Air transport | 38 | 0.0% |
| 741 | Supporting and auxiliary transport activities; activities of travel agencies | 25 | 0.0% |
| 751 | Postal and related courier activities | 131 | 0.0% |
| 752 | Telecommunications | 64 | 0.0% |
| 811 | Monetary intermediation | 407 | 0.1% |
| 819 | Other financial intermediation n.e.c. | 17 | 0.0% |
| 821 | Insurance and pension funding, except compulsory social security | 66 | 0.0% |
| 831 | Activities auxiliary to financial intermediation, except insurance and pension funding | 15 | 0.0% |
| 832 | Activities auxiliary to insurance and pension funding | 13 | 0.0% |
| 841 | Real estate activities with own or leased property | 34 | 0.0% |
| 842 | Real estate activities on a fee or contract basis | 7 | 0.0% |
| 851 | Renting of transport equipment | 2 | 0.0% |
| 853 | Renting of personal and household goods n.e.c. | 1 | 0.0% |
| 861 | Hardware consultancy | 1 | 0.0% |
| 865 | Maintenance and repair of office, accounting and computing machinery | 3 | 0.0% |
| 871 | Research and experimental development of natural sciences and engineering | 2 | 0.0% |

File : COD2012

Industry: Industry of deceased

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| 881 | Legal, accounting, bookkeeping and auditing activities; tax consultancy; market research and public opinion research; business and management consultancy | 137 | 0.0% |
| 882 | Architectural, engineering and other technical activities | 23 | 0.0% |
| 883 | Advertising | 12 | 0.0% |
| 889 | Business activities n.e.c. | 1689 | 0.3% |
| 911 | Central government activities | 3083 | 0.6% |
| 912 | Regional services council activities | 246 | 0.0% |
| 913 | Local authority activities | 227 | 0.0% |
| 920 | Educational services | 2895 | 0.6% |
| 931 | Human health activities | 1723 | 0.3% |
| 932 | Veterinary activities | 16 | 0.0% |
| 933 | Social work activities | 37 | 0.0% |
| 940 | Sewage and refuse disposal, sanitation and similar activities | 47 | 0.0% |
| 951 | Activities of business, employers' and professional organisations | 3 | 0.0% |
| 952 | Activities of trade unions | 4 | 0.0% |
| 959 | Activities of other membership organisations | 136 | 0.0% |
| 961 | Motion picture, radio, television and other entertainment activities | 52 | 0.0% |
| 962 | News agency activities | 17 | 0.0% |
| 963 | Library, archives, museums and other cultural activities | 26 | 0.0% |
| 964 | Sporting and other recreational activities | 15 | 0.0% |
| 990 | Other service activities | 3114 | 0.6% |
| 998 | Not Applicable | 60124 | 12.1% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Smoker: Smoking status of deceased

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the smoking status of the deceased five years before death. A smoker is defined as someone who smoked any form of tobacco on most days (an average of more than six months a year, or four or more days a week), five years ago. If smoking started less than five years before death, the answer is No. If smoking started more than five years before death, but for less than six months, then the answer is No. |

| Value | Label | Cases | Percentage |
|-------|----------------|--------|------------|
| 1 | Yes | 74160 | 15.0% |
| 2 | No | 167317 | 33.8% |
| 3 | Do not know | 79811 | 16.1% |
| 4 | Not applicable | 5163 | 1.0% |
| 8 | Unknown | 284 | 0.1% |
| 9 | Unspecified | 168142 | 34.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Pregnancy: Pregnant status of deceased

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on whether or not females of reproductive age (10-55) were pregnant 42 days prior to death. |

File : COD2012

Pregnancy: Pregnant status of deceased

| Value | Label | Cases | Percentage |
|-------|----------------|--------|------------|
| 1 | Yes | 1305 | 0.3% |
| 2 | No | 21870 | 4.4% |
| 3 | Not applicable | 393585 | 79.5% |
| 8 | Unknown | 1177 | 0.2% |
| 9 | Unspecified | 76940 | 15.5% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Citizenship: Citizenship of deceased

| | |
|--------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the place citizenship of the deceased. |

| Value | Label | Cases | Percentage |
|-------|--------------|--------|------------|
| 1 | South Africa | 473210 | 95.6% |
| 2 | Zimbabwe | 3731 | 0.8% |
| 3 | Swaziland | 313 | 0.1% |
| 4 | Botswana | 132 | 0.0% |
| 5 | Lesotho | 1250 | 0.3% |
| 6 | Mozambique | 1913 | 0.4% |
| 7 | Namibia | 37 | 0.0% |
| 8 | Mauritius | 10 | 0.0% |
| 9 | Angola | 67 | 0.0% |
| 10 | Zambia | 67 | 0.0% |
| 11 | Malawi | 474 | 0.1% |
| 12 | Tanzania | 40 | 0.0% |
| 13 | Madagascar | 5 | 0.0% |
| 14 | DRC | 96 | 0.0% |
| 15 | Other | 1686 | 0.3% |
| 97 | Unknown | 482 | 0.1% |
| 99 | Unspecified | 11364 | 2.3% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.






BirthProv: Province of birth of the deceased

| | |
|--------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the province of birth of the deceased based on the 2011 municipal boundaries. It was derived from the place code of birth. |

| Value | Label | Cases | Percentage |
|-------|---------------|-------|------------|
| 1 | Western Cape | 27147 | 5.5% |
| 2 | Eastern Cape | 69541 | 14.1% |
| 3 | Northern Cape | 13591 | 2.7% |
| 4 | Free State | 34389 | 6.9% |
| 5 | KwaZulu-Natal | 85283 | 17.2% |
| 6 | North West | 31871 | 6.4% |
| 7 | Gauteng | 50675 | 10.2% |

File : COD2012













BirthProv: Province of birth of the deceased

| Value | Label | Cases | Percentage |
|-------|----------------------|-------|---|
| 8 | Mpumalanga | 33978 |  6.9% |
| 9 | Limpopo | 49939 |  10.1% |
| 97 | Unknown | 17688 |  3.6% |
| 98 | Outside South Africa | 14245 |  2.9% |
| 99 | Unspecified | 66530 |  13.4% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DeathProv: Province of death occurrence












| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the province of birth of the deceased based on the 2011 municipal boundaries. It was derived from the place code of death. |

| Value | Label | Cases | Percentage |
|-------|----------------------|--------|---|
| 1 | Western Cape | 47609 |  9.6% |
| 2 | Eastern Cape | 66200 |  13.4% |
| 3 | Northern Cape | 14379 |  2.9% |
| 4 | Free State | 36219 |  7.3% |
| 5 | KwaZulu-Natal | 100185 |  20.2% |
| 6 | North West | 37030 |  7.5% |
| 7 | Gauteng | 102011 |  20.6% |
| 8 | Mpumalanga | 37401 |  7.6% |
| 9 | Limpopo | 50397 |  10.2% |
| 97 | Unknown | 2251 |  0.5% |
| 98 | Outside South Africa | 700 |  0.1% |
| 99 | Unspecified | 495 |  0.1% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ResProv: Province of usual residence of the deceased

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the province of usual residence of the deceased based on the 2011 municipal boundaries. It was derived from the place code of usual residence. |

| Value | Label | Cases | Percentage |
|-------|----------------------|-------|---|
| 1 | Western Cape | 45469 |  9.2% |
| 2 | Eastern Cape | 64362 |  13.0% |
| 3 | Northern Cape | 14133 |  2.9% |
| 4 | Free State | 35518 |  7.2% |
| 5 | KwaZulu-Natal | 98406 |  19.9% |
| 6 | North West | 36238 |  7.3% |
| 7 | Gauteng | 96872 |  19.6% |
| 8 | Mpumalanga | 38378 |  7.8% |
| 9 | Limpopo | 48491 |  9.8% |
| 97 | Unknown | 1060 |  0.2% |
| 98 | Outside South Africa | 1131 |  0.2% |

File : COD2012

ResProv: Province of usual residence of the deceased

| Value | Label | Cases | Percentage |
|-------|-------------|-------|------------|
| 99 | Unspecified | 14819 | 3.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ResCountry: Country of usual residence of deceased

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the country of usual residence of the deceased. |

| Value | Label | Cases | Percentage |
|-------|--------------|--------|------------|
| 1 | South Africa | 479731 | 96.9% |
| 2 | Zimbabwe | 88 | 0.0% |
| 3 | Swaziland | 16 | 0.0% |
| 4 | Botswana | 6 | 0.0% |
| 5 | Lesotho | 65 | 0.0% |
| 6 | Mozambique | 44 | 0.0% |
| 7 | Namibia | 6 | 0.0% |
| 8 | Mauritius | 1 | 0.0% |
| 9 | Angola | 10 | 0.0% |
| 10 | Zambia | 1 | 0.0% |
| 11 | Malawi | 5 | 0.0% |
| 12 | Tanzania | 1 | 0.0% |
| 14 | DRC | 1 | 0.0% |
| 15 | Other | 38 | 0.0% |
| 97 | Unknown | 97 | 0.0% |
| 99 | Unspecified | 14767 | 3.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Ascertainment: Ascertainment of the cause of death

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the method used to ascertain the cause of death |

| Value | Label | Cases | Percentage |
|-------|---|--------|------------|
| 1 | Autopsy | 41860 | 8.5% |
| 2 | Post mortem examination | 103390 | 20.9% |
| 3 | Opinion of attending medical practitioner | 101452 | 20.5% |
| 4 | Opinion of attending medical practitioner on duty | 22027 | 4.5% |
| 5 | Opinion of registered professional nurse | 51533 | 10.4% |
| 6 | Interview of family member | 19890 | 4.0% |
| 7 | Other | 7195 | 1.5% |
| 8 | Autopsy results may be available later | 166 | 0.0% |
| 9 | Autopsy not performed | 3903 | 0.8% |
| 98 | Unknown | 4089 | 0.8% |
| 99 | Unspecified | 139372 | 28.2% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : COD2012

DeathInst: Place of death

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the place or institution at which the person died. |

| Value | Label | Cases | Percentage |
|-------|------------------------------|--------|------------|
| 1 | Hospital | 214763 | 43.4% |
| 2 | Emergency room / Out patient | 8229 | 1.7% |
| 3 | Dead on arrival | 9446 | 1.9% |
| 4 | Nursing home | 9747 | 2.0% |
| 5 | Home | 120053 | 24.3% |
| 6 | Other | 13774 | 2.8% |
| 8 | Unknown | 695 | 0.1% |
| 9 | Unspecified | 118170 | 23.9% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CauseA: Immediate cause of death

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the immediate cause of death. |

Frequency table not shown (2816 Modalities)

InjuryA: Injury codes for the immediate cause of death

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the injury codes for non-natural causes of death. |

| Value | Label | Cases | Percentage |
|-------|---|--------|------------|
| 111 | Natural cause (No injury code) | 451481 | 91.2% |
| S000 | Superficial injury of scalp | 1 | 0.0% |
| S008 | Superficial injury of other parts of head | 1 | 0.0% |
| S009 | Superficial injury of head; part unspecified | 5 | 0.0% |
| S01 | Open wound of head | 5 | 0.0% |
| S010 | Open wound of scalp | 2 | 0.0% |
| S011 | Open wound of eyelid and periocular area | 3 | 0.0% |
| S012 | Open wound of nose | 1 | 0.0% |
| S014 | Open wound of cheek and temporomandibular area | 3 | 0.0% |
| S015 | Open wound of lip and oral cavity | 4 | 0.0% |
| S017 | Multiple open wounds of head | 15 | 0.0% |
| S018 | Open wound of other parts of head | 104 | 0.0% |
| S019 | Open wound of head; part unspecified | 1155 | 0.2% |
| S02 | Fracture of skull and facial bones | 1 | 0.0% |
| S020 | Fracture of vault of skull | 4 | 0.0% |
| S021 | Fracture of base of skull | 20 | 0.0% |
| S026 | Fracture of mandible | 1 | 0.0% |
| S027 | Multiple fractures involving skull and facial bones | 22 | 0.0% |
| S028 | Fractures of other skull and facial bones | 3 | 0.0% |

File : COD2012

InjuryA: Injury codes for the immediate cause of death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| S029 | Fracture of skull and facial bones; part unspecified | 343 | 0.1% |
| S049 | Injury of unspecified cranial nerve | 1 | 0.0% |
| S052 | Ocular laceration and rupture with prolapse or loss of intraocular tissue | 1 | 0.0% |
| S053 | Ocular laceration without prolapse or loss of intraocular tissue | 1 | 0.0% |
| S054 | Penetrating wound of orbit with or without foreign body | 1 | 0.0% |
| S055 | Penetrating wound of eyeball with foreign body | 1 | 0.0% |
| S058 | Other injuries of eye and orbit | 1 | 0.0% |
| S059 | Injury of eye and orbit, unspecified | 5 | 0.0% |
| S06 | Intracranial injury | 9 | 0.0% |
| S060 | Concussion | 8 | 0.0% |
| S061 | Traumatic cerebral oedema | 2 | 0.0% |
| S062 | Diffuse brain injury | 20 | 0.0% |
| S063 | Focal brain injury | 5 | 0.0% |
| S064 | Epidural haemorrhage | 14 | 0.0% |
| S065 | Traumatic subdural haemorrhage | 201 | 0.0% |
| S066 | Traumatic subarachnoid haemorrhage | 21 | 0.0% |
| S068 | Other intracranial injuries | 162 | 0.0% |
| S069 | Intracranial injury; unspecified | 268 | 0.1% |
| S071 | Crushing injury of skull | 21 | 0.0% |
| S078 | Crushing injury of other parts of head | 1 | 0.0% |
| S079 | Crushing injury of head; part unspecified | 7 | 0.0% |
| S088 | Traumatic amputation of other parts of head | 1 | 0.0% |
| S089 | Traumatic amputation of unspecified part of head | 1 | 0.0% |
| S09 | Other and unspecified injuries of head | 39 | 0.0% |
| S090 | Injury of blood vessels of head; not elsewhere classified | 5 | 0.0% |
| S092 | Traumatic rupture of ear drum | 3 | 0.0% |
| S097 | Multiple injuries of head | 31 | 0.0% |
| S098 | Other specified injuries of head | 5 | 0.0% |
| S099 | Unspecified injury of head | 5425 | 1.1% |
| S109 | Superficial injury of neck, part unspecified | 4 | 0.0% |
| S11 | Open wound of neck | 7 | 0.0% |
| S110 | Open wound involving larynx and trachea | 3 | 0.0% |
| S112 | Open wound involving pharynx and cervical oesophagus | 5 | 0.0% |
| S117 | Multiple open wounds of neck | 33 | 0.0% |
| S118 | Open wound of other parts of neck | 23 | 0.0% |
| S119 | Open wound of neck; part unspecified | 708 | 0.1% |
| S12 | Fracture of neck | 1 | 0.0% |
| S121 | Fracture of second cervical vertebra | 1 | 0.0% |
| S122 | Fracture of other specified cervical vertebra | 3 | 0.0% |
| S127 | Multiple fractures of cervical spine | 6 | 0.0% |
| S129 | Fracture of neck; part unspecified | 180 | 0.0% |
| S131 | Dislocation of cervical vertebra | 24 | 0.0% |
| S133 | Multiple dislocations of neck | 1 | 0.0% |

File : COD2012

InjuryA: Injury codes for the immediate cause of death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| S134 | Sprain and strain of cervical spine | 3 | 0.0% |
| S141 | Other and unspecified injuries of cervical spinal cord | 38 | 0.0% |
| S142 | Injury of nerve root of cervical spine | 4 | 0.0% |
| S146 | Injury of other and unspecified nerves of neck | 4 | 0.0% |
| S150 | Injury of carotid artery | 30 | 0.0% |
| S152 | Injury of external jugular vein | 8 | 0.0% |
| S153 | Injury of internal jugular vein | 1 | 0.0% |
| S157 | Injury of multiple blood vessels at neck level | 4 | 0.0% |
| S159 | Injury of unspecified blood vessel at neck level | 2 | 0.0% |
| S179 | Crushing injury of neck, part unspecified | 1 | 0.0% |
| S18 | Traumatic amputation at neck level | 8 | 0.0% |
| S19 | Other and unspecified injuries of neck | 3 | 0.0% |
| S197 | Multiple injuries of neck | 3 | 0.0% |
| S198 | Other specified injuries of neck | 13 | 0.0% |
| S199 | Unspecified injury of neck | 169 | 0.0% |
| S208 | Superficial injury of other and unspecified parts of thorax | 2 | 0.0% |
| S21 | Open wound of thorax | 28 | 0.0% |
| S210 | Open wound of breast | 3 | 0.0% |
| S211 | Open wound of front wall of thorax | 12 | 0.0% |
| S212 | Open wound of back wall of thorax | 85 | 0.0% |
| S217 | Multiple open wounds of thoracic wall | 19 | 0.0% |
| S218 | Open wound of other parts of thorax | 5 | 0.0% |
| S219 | Open wound of thorax; part unspecified | 3109 | 0.6% |
| S220 | Fracture of thoracic vertebra | 1 | 0.0% |
| S221 | Multiple fractures of thoracic spine | 1 | 0.0% |
| S222 | Fracture of sternum | 1 | 0.0% |
| S223 | Fracture of rib | 25 | 0.0% |
| S224 | Multiple fractures of ribs | 9 | 0.0% |
| S225 | Flail chest | 2 | 0.0% |
| S228 | Fracture of other parts of bony thorax | 1 | 0.0% |
| S229 | Fracture of bony thorax; part unspecified | 2 | 0.0% |
| S241 | Other and unspecified injuries of thoracic spinal cord | 1 | 0.0% |
| S246 | Injury of unspecified nerve of thorax | 3 | 0.0% |
| S250 | Injury of thoracic aorta | 60 | 0.0% |
| S251 | Injury of innominate or subclavian artery | 18 | 0.0% |
| S252 | Injury of superior vena cava | 2 | 0.0% |
| S253 | Injury of innominate or subclavian vein | 2 | 0.0% |
| S254 | Injury of pulmonary blood vessels | 9 | 0.0% |
| S257 | Injury of multiple blood vessels of thorax | 1 | 0.0% |
| S258 | Injury of other blood vessels of thorax | 1 | 0.0% |
| S259 | Injury of unspecified blood vessel of thorax | 5 | 0.0% |
| S26 | Injury of heart | 6 | 0.0% |
| S260 | Injury of heart with haemopericardium | 18 | 0.0% |

File : COD2012

InjuryA: Injury codes for the immediate cause of death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| S268 | Other injuries of heart | 36 | 0.0% |
| S269 | Injury of heart; unspecified | 393 | 0.1% |
| S27 | Injury of other and unspecified intrathoracic organs | 2 | 0.0% |
| S270 | Traumatic pneumothorax | 6 | 0.0% |
| S271 | Traumatic haemothorax | 18 | 0.0% |
| S272 | Traumatic haemopneumothorax | 12 | 0.0% |
| S273 | Other injuries of lung | 149 | 0.0% |
| S274 | Injury of bronchus | 1 | 0.0% |
| S275 | Injury of thoracic trachea | 1 | 0.0% |
| S277 | Multiple injuries of intrathoracic organs | 56 | 0.0% |
| S278 | Injury of other specified intrathoracic organs | 3 | 0.0% |
| S279 | Injury of unspecified intrathoracic organ | 10 | 0.0% |
| S280 | Crushed chest | 8 | 0.0% |
| S29 | Other and unspecified injuries of thorax | 5 | 0.0% |
| S290 | Injury of muscle and tendon at thorax level | 1 | 0.0% |
| S297 | Multiple injuries of thorax | 11 | 0.0% |
| S298 | Other specified injuries of thorax | 5 | 0.0% |
| S299 | Unspecified injury of thorax | 448 | 0.1% |
| S300 | Contusion of lower back and pelvis | 1 | 0.0% |
| S309 | Superficial injury of abdomen, lower back and pelvis, part unspecified | 2 | 0.0% |
| S31 | Open wound of abdomen; lower back and pelvis | 2 | 0.0% |
| S310 | Open wound of lower back and pelvis | 16 | 0.0% |
| S311 | Open wound of abdominal wall | 10 | 0.0% |
| S312 | Open wound of penis | 1 | 0.0% |
| S313 | Open wound of scrotum and testes | 1 | 0.0% |
| S314 | Open wound of vagina and vulva | 1 | 0.0% |
| S317 | Multiple open wounds of abdomen; lower back and pelvis | 2 | 0.0% |
| S318 | Open wound of other and unspecified parts of abdomen | 410 | 0.1% |
| S320 | Fracture of lumbar vertebra | 2 | 0.0% |
| S324 | Fracture of acetabulum | 1 | 0.0% |
| S328 | Fracture of other and unspecified parts of lumbar spine and pelvis | 26 | 0.0% |
| S341 | Other injury of lumbar spinal cord | 1 | 0.0% |
| S35 | Injury of blood vessels at abdomen, lower back and pelvis level | 1 | 0.0% |
| S350 | Injury of abdominal aorta | 2 | 0.0% |
| S352 | Injury of coeliac or mesenteric artery | 3 | 0.0% |
| S354 | Injury of renal blood vessels | 1 | 0.0% |
| S355 | Injury of iliac blood vessels | 2 | 0.0% |
| S359 | Injury of unspecified blood vessel at abdomen, lower back and pelvis level | 2 | 0.0% |
| S360 | Injury of spleen | 17 | 0.0% |
| S361 | Injury of liver or gallbladder | 37 | 0.0% |
| S363 | Injury of stomach | 4 | 0.0% |
| S364 | Injury of small intestine | 1 | 0.0% |

File : COD2012

InjuryA: Injury codes for the immediate cause of death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| S365 | Injury of colon | 1 | 0.0% |
| S367 | Injury of multiple intra-abdominal organs | 9 | 0.0% |
| S368 | Injury of other intra-abdominal organs | 5 | 0.0% |
| S369 | Injury of unspecified intra-abdominal organ | 9 | 0.0% |
| S37 | Injury of urinary and pelvic organs | 1 | 0.0% |
| S370 | Injury of kidney | 12 | 0.0% |
| S376 | Injury of uterus | 11 | 0.0% |
| S381 | Crushing injury of other and unspecified parts of abdomen; lower back and pelvis | 1 | 0.0% |
| S39 | Other and unspecified injuries of abdomen, lower back and pelvis | 2 | 0.0% |
| S396 | Injury of intra-abdominal organ(s) with pelvic organ(s) | 2 | 0.0% |
| S397 | Other multiple injuries of abdomen; lower back and pelvis | 2 | 0.0% |
| S398 | Other specified injuries of abdomen; lower back and pelvis | 2 | 0.0% |
| S399 | Unspecified injury of abdomen; lower back and pelvis | 225 | 0.0% |
| S410 | Open wound of shoulder | 21 | 0.0% |
| S411 | Open wound of upper arm | 27 | 0.0% |
| S417 | Multiple open wounds of shoulder and upper arm | 2 | 0.0% |
| S418 | Open wound of other and unspecified parts of shoulder girdle | 6 | 0.0% |
| S420 | Fracture of clavicle | 1 | 0.0% |
| S423 | Fracture of shaft of humerus | 6 | 0.0% |
| S429 | Fracture of shoulder girdle, part unspecified | 1 | 0.0% |
| S430 | Dislocation of shoulder joint | 1 | 0.0% |
| S432 | Dislocation of sternoclavicular joint | 1 | 0.0% |
| S450 | Injury of axillary artery | 1 | 0.0% |
| S451 | Injury of brachial artery | 4 | 0.0% |
| S459 | Injury of unspecified blood vessel at shoulder and upper arm level | 5 | 0.0% |
| S489 | Traumatic amputation of shoulder and upper arm, level unspecified | 1 | 0.0% |
| S498 | Other specified injuries of shoulder and upper arm | 1 | 0.0% |
| S499 | Unspecified injury of shoulder and upper arm | 7 | 0.0% |
| S508 | Other superficial injuries of forearm | 1 | 0.0% |
| S509 | Superficial injury of forearm; unspecified | 2 | 0.0% |
| S510 | Open wound of elbow | 2 | 0.0% |
| S517 | Multiple open wounds of forearm | 1 | 0.0% |
| S519 | Open wound of forearm; part unspecified | 11 | 0.0% |
| S521 | Fracture of upper end of radius | 3 | 0.0% |
| S526 | Fracture of lower end of both ulna and radius | 1 | 0.0% |
| S528 | Fracture of other parts of forearm | 1 | 0.0% |
| S529 | Fracture of forearm, part unspecified | 1 | 0.0% |
| S551 | Injury of radial artery at forearm level | 1 | 0.0% |
| S558 | Injury of other blood vessels at forearm level | 1 | 0.0% |
| S570 | Crushing injury of elbow | 1 | 0.0% |
| S597 | Multiple injuries of forearm | 1 | 0.0% |
| S599 | Unspecified injury of forearm | 4 | 0.0% |
| S617 | Multiple open wounds of wrist and hand | 1 | 0.0% |

File : COD2012

InjuryA: Injury codes for the immediate cause of death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| S619 | Open wound of wrist and hand part; part unspecified | 5 | 0.0% |
| S628 | Fracture of other and unspecified parts of wrist and hand | 1 | 0.0% |
| S699 | Unspecified injury of wrist and hand | 10 | 0.0% |
| S710 | Open wound of hip | 2 | 0.0% |
| S711 | Open wound of thigh | 41 | 0.0% |
| S717 | Multiple open wounds of hip and thigh | 3 | 0.0% |
| S72 | Fracture of femur | 2 | 0.0% |
| S720 | Fracture of neck of femur | 121 | 0.0% |
| S721 | Pertrochanteric fracture | 9 | 0.0% |
| S722 | Subtrochanteric fracture | 1 | 0.0% |
| S727 | Multiple fractures of femur | 1 | 0.0% |
| S729 | Fracture of femur; part unspecified | 92 | 0.0% |
| S741 | Injury of femoral nerve at hip and thigh level | 1 | 0.0% |
| S750 | Injury of femoral artery | 19 | 0.0% |
| S751 | Injury of femoral vein at hip and thigh level | 2 | 0.0% |
| S757 | Injury of multiple blood vessels at hip and thigh level | 1 | 0.0% |
| S759 | Injury of unspecified blood vessel at hip and thigh level | 14 | 0.0% |
| S77 | Crushing injury of hip and thigh | 1 | 0.0% |
| S799 | Unspecified injury of hip and thigh | 11 | 0.0% |
| S810 | Open wound of knee | 1 | 0.0% |
| S817 | Multiple open wounds of lower leg | 3 | 0.0% |
| S818 | Open wound of other parts of lower leg | 4 | 0.0% |
| S819 | Open wound of lower leg; part unspecified | 26 | 0.0% |
| S820 | Fracture of patella | 2 | 0.0% |
| S822 | Fracture of shaft of tibia | 6 | 0.0% |
| S823 | Fracture of lower end of tibia | 1 | 0.0% |
| S828 | Fractures of other parts of lower leg | 2 | 0.0% |
| S829 | Fracture of lower leg; part unspecified | 5 | 0.0% |
| S830 | Dislocation of patella | 1 | 0.0% |
| S850 | Injury of popliteal artery | 1 | 0.0% |
| S898 | Other specified injuries of lower leg | 2 | 0.0% |
| S899 | Unspecified injury of lower leg | 16 | 0.0% |
| S913 | Open wound of other parts of foot | 2 | 0.0% |
| S927 | Multiple fractures of foot | 1 | 0.0% |
| S929 | Fracture of foot, unspecified | 1 | 0.0% |
| S969 | Injury of unspecified muscle and tendon at ankle and foot level | 1 | 0.0% |
| S999 | Unspecified injury of ankle and foot | 2 | 0.0% |
| T002 | Superficial injuries involving multiple regions of upper limb(s) | 1 | 0.0% |
| T003 | Superficial injuries involving multiple regions of lower limb(s) | 2 | 0.0% |
| T006 | Superficial injuries involving multiple regions of upper limb(s) with lower limb(s) | 1 | 0.0% |
| T008 | Superficial injuries involving other combinations of body regions | 32 | 0.0% |
| T009 | Multiple superficial injuries; unspecified | 41 | 0.0% |
| T01 | Open wounds involving multiple body regions | 13 | 0.0% |

File : COD2012

InjuryA: Injury codes for the immediate cause of death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| T010 | Open wounds involving head with neck | 10 | 0.0% |
| T011 | Open wounds involving thorax with abdomen; lower back and pelvis | 27 | 0.0% |
| T012 | Open wounds involving multiple regions of upper limb(s) | 3 | 0.0% |
| T013 | Open wounds involving multiple regions of lower limb(s) | 6 | 0.0% |
| T016 | Open wounds involving multiple regions of upper limb(s) with lower limb(s) | 4 | 0.0% |
| T018 | Open wounds involving other combinations of body regions | 1031 | 0.2% |
| T019 | Multiple open wounds; unspecified | 787 | 0.2% |
| T02 | Fractures involving multiple body regions | 1 | 0.0% |
| T020 | Fractures involving head with neck | 6 | 0.0% |
| T023 | Fractures involving multiple regions of one lower limb | 3 | 0.0% |
| T026 | Fractures involving multiple regions of upper limb(s) with lower limb(s) | 1 | 0.0% |
| T027 | Fractures involving thorax with lower back and pelvis with limb(s) | 1 | 0.0% |
| T028 | Fractures involving other combinations of body regions | 95 | 0.0% |
| T029 | Multiple fractures; unspecified | 57 | 0.0% |
| T041 | Crushing injuries involving thorax with abdomen; lower back and pelvis | 2 | 0.0% |
| T042 | Crushing injuries involving multiple regions of upper limb(s) | 1 | 0.0% |
| T048 | Crushing injuries involving other combinations of body regions | 2 | 0.0% |
| T049 | Multiple crushing injuries; unspecified | 3 | 0.0% |
| T058 | Traumatic amputations involving other combinations of body regions | 3 | 0.0% |
| T059 | Multiple traumatic amputations, unspecified | 2 | 0.0% |
| T06 | Other injuries involving multiple body regions; not elsewhere classified | 11 | 0.0% |
| T060 | Injuries of brain and cranial nerves with injuries of nerves and spinal cord at neck level | 1 | 0.0% |
| T062 | Injuries of nerves involving multiple body regions | 16 | 0.0% |
| T063 | Injuries of blood vessels involving multiple body regions | 12 | 0.0% |
| T064 | Injuries of muscles and tendons involving multiple body regions | 1 | 0.0% |
| T065 | Injuries of intrathoracic organs with intra-abdominal and pelvic organs | 16 | 0.0% |
| T068 | Other specified injuries involving multiple body regions | 1839 | 0.4% |
| T07 | Unspecified multiple injuries | 6192 | 1.3% |
| T08 | Fracture of spine; level unspecified | 16 | 0.0% |
| T09 | Other injuries of spine and trunk, level unspecified | 1 | 0.0% |
| T091 | Open wound of trunk; level unspecified | 2 | 0.0% |
| T092 | Dislocation, sprain and strain of unspecified joint and ligament of trunk | 7 | 0.0% |
| T093 | Injury of spinal cord; level unspecified | 91 | 0.0% |
| T094 | Injury of unspecified nerve; spinal nerve root and plexus of trunk | 7 | 0.0% |
| T098 | Other specified injuries of trunk, level unspecified | 2 | 0.0% |
| T099 | Unspecified injury of trunk; level unspecified | 7 | 0.0% |
| T10 | Fracture of upper limb; level unspecified | 2 | 0.0% |

File : COD2012

InjuryA: Injury codes for the immediate cause of death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| T111 | Open wound of upper limb; level unspecified | 12 | 0.0% |
| T114 | Injury of unspecified blood vessel of upper limb, level unspecified | 1 | 0.0% |
| T118 | Other specified injuries of upper limb, level unspecified | 1 | 0.0% |
| T119 | Unspecified injury of upper limb; level unspecified | 4 | 0.0% |
| T12 | Fracture of lower limb, level unspecified | 2 | 0.0% |
| T131 | Open wound of lower limb; level unspecified | 14 | 0.0% |
| T133 | Injury of unspecified nerve of lower limb, level unspecified | 1 | 0.0% |
| T134 | Injury of unspecified blood vessel of lower limb, level unspecified | 1 | 0.0% |
| T135 | Injury of unspecified muscle and tendon of lower limb, level unspecified | 2 | 0.0% |
| T139 | Unspecified injury of lower limb; level unspecified | 16 | 0.0% |
| T14 | Injury of unspecified body region | 45 | 0.0% |
| T140 | Superficial injury of unspecified body region | 18 | 0.0% |
| T141 | Open wound of unspecified body region | 271 | 0.1% |
| T142 | Fracture of unspecified body region | 12 | 0.0% |
| T143 | Dislocation; sprain and strain of unspecified body region | 2 | 0.0% |
| T144 | Injury of nerve(s) of unspecified body region | 3 | 0.0% |
| T145 | Injury of blood vessel(s) of unspecified body region | 17 | 0.0% |
| T146 | Injury of muscles and tendons of unspecified body region | 4 | 0.0% |
| T147 | Crushing injury and traumatic amputation of unspecified body region | 10 | 0.0% |
| T148 | Other injuries of unspecified body region | 8 | 0.0% |
| T149 | Injury; unspecified | 6078 | 1.2% |
| T17 | Foreign body in respiratory tract | 7 | 0.0% |
| T170 | Foreign body in nasal sinus | 5 | 0.0% |
| T171 | Foreign body in nostril | 2 | 0.0% |
| T172 | Foreign body in pharynx | 4 | 0.0% |
| T174 | Foreign body in trachea | 1 | 0.0% |
| T175 | Foreign body in bronchus | 2 | 0.0% |
| T178 | Foreign body in other and multiple parts of respiratory tract | 1 | 0.0% |
| T179 | Foreign body in respiratory tract; part unspecified | 616 | 0.1% |
| T189 | Foreign body in alimentary tract, part unspecified | 1 | 0.0% |
| T200 | Burn of unspecified degree of head and neck | 1 | 0.0% |
| T207 | Corrosion of third degree of head and neck | 1 | 0.0% |
| T210 | Burn of unspecified degree of trunk | 1 | 0.0% |
| T240 | Burn of unspecified degree of hip and lower limb, except ankle and foot | 1 | 0.0% |
| T242 | Burn of second degree of hip and lower limb, except ankle and foot | 1 | 0.0% |
| T281 | Burn of oesophagus | 1 | 0.0% |
| T290 | Burns of multiple regions; unspecified degree | 1 | 0.0% |
| T30 | Burn and corrosion; body region unspecified | 12 | 0.0% |
| T300 | Burn of unspecified body region; unspecified degree | 1748 | 0.4% |
| T301 | Burn of first degree; body region unspecified | 3 | 0.0% |
| T302 | Burn of second degree; body region unspecified | 13 | 0.0% |

File : COD2012

InjuryA: Injury codes for the immediate cause of death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| T303 | Burn of third degree; body region unspecified | 40 | 0.0% |
| T305 | Corrosion of first degree; body region unspecified | 1 | 0.0% |
| T306 | Corrosion of second degree; body region unspecified | 1 | 0.0% |
| T307 | Corrosion of third degree; body region unspecified | 7 | 0.0% |
| T310 | Burns involving less than 10% of body surface | 2 | 0.0% |
| T311 | Burns involving 10-19% of body surface | 3 | 0.0% |
| T312 | Burns involving 20-29% of body surface | 8 | 0.0% |
| T313 | Burns involving 30-39% of body surface | 15 | 0.0% |
| T314 | Burns involving 40-49% of body surface | 8 | 0.0% |
| T315 | Burns involving 50-59% of body surface | 3 | 0.0% |
| T316 | Burns involving 60-69% of body surface | 8 | 0.0% |
| T317 | Burns involving 70-79% of body surface | 6 | 0.0% |
| T318 | Burns involving 80-89% of body surface | 8 | 0.0% |
| T319 | Burns involving 90% or more of body surface | 77 | 0.0% |
| T320 | Corrosions involving less than 10% of body surface | 2 | 0.0% |
| T360 | Poisoning: Penicillins | 1 | 0.0% |
| T364 | Poisoning: Tetracyclines | 2 | 0.0% |
| T366 | Poisoning: Rifamycins | 1 | 0.0% |
| T371 | Poisoning: Antimycobacterial drugs | 2 | 0.0% |
| T372 | Poisoning: Antimalarials and drugs acting on other blood protozoa | 1 | 0.0% |
| T375 | Poisoning: Antiviral drugs | 7 | 0.0% |
| T383 | Poisoning: Insulin and oral hypoglycaemic [antidiabetic] drugs | 4 | 0.0% |
| T391 | Poisoning: 4-Aminophenol derivatives | 6 | 0.0% |
| T393 | Poisoning: Other nonsteroidal anti-inflammatory drugs [NSAID] | 1 | 0.0% |
| T400 | Poisoning: Opium | 1 | 0.0% |
| T402 | Poisoning: Other opioids | 2 | 0.0% |
| T412 | Poisoning: Other and unspecified general anaesthetics | 4 | 0.0% |
| T413 | Poisoning: Local anaesthetics | 6 | 0.0% |
| T414 | Poisoning: Anaesthetic; unspecified | 12 | 0.0% |
| T420 | Poisoning: Hydantoin derivatives | 1 | 0.0% |
| T421 | Poisoning: Iminostilbenes | 1 | 0.0% |
| T424 | Poisoning: Benzodiazepines | 4 | 0.0% |
| T426 | Poisoning: Other antiepileptic and sedative-hypnotic drugs | 2 | 0.0% |
| T427 | Poisoning: Antiepileptic and sedative-hypnotic drugs; unspecified | 1 | 0.0% |
| T430 | Poisoning: Tricyclic and tetracyclic antidepressants | 3 | 0.0% |
| T433 | Poisoning: Phenothiazine antipsychotics and neuroleptics | 1 | 0.0% |
| T434 | Poisoning: Butyrophenone and thioxanthene neuroleptics | 3 | 0.0% |
| T435 | Poisoning: Other and unspecified antipsychotics and neuroleptics | 3 | 0.0% |
| T439 | Poisoning: Psychotropic drug, unspecified | 1 | 0.0% |
| T443 | Poisoning: Other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, not elsewhere classified | 1 | 0.0% |
| T445 | Poisoning: Predominantly beta-adrenoreceptor agonists; not elsewhere classified | 1 | 0.0% |

File : COD2012

InjuryA: Injury codes for the immediate cause of death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| T45 | Poisoning by primarily systemic and haematological agents, not elsewhere classified | 1 | 0.0% |
| T451 | Poisoning: Antineoplastic and immunosuppressive drugs | 6 | 0.0% |
| T454 | Poisoning: Iron and its compounds | 1 | 0.0% |
| T455 | Poisoning: Anticoagulants | 64 | 0.0% |
| T458 | Poisoning: Other primarily systemic and haematological agents | 1 | 0.0% |
| T460 | Poisoning: Cardiac-stimulant glycosides and drugs of similar action | 1 | 0.0% |
| T463 | Poisoning: Coronary vasodilators, not elsewhere classified | 1 | 0.0% |
| T465 | Poisoning: Other antihypertensive drugs; not elsewhere classified | 2 | 0.0% |
| T471 | Poisoning: Other antacids and anti-gastric-secretion drugs | 3 | 0.0% |
| T472 | Poisoning: Stimulant laxatives | 1 | 0.0% |
| T473 | Poisoning: Saline and osmotic laxatives | 7 | 0.0% |
| T474 | Poisoning: Other laxatives | 6 | 0.0% |
| T477 | Poisoning: Emetics | 1 | 0.0% |
| T478 | Poisoning: Other agents primarily affecting the gastrointestinal system | 5 | 0.0% |
| T484 | Poisoning: Expectorants | 1 | 0.0% |
| T486 | Poisoning: Antiasthmatics; not elsewhere classified | 8 | 0.0% |
| T487 | Poisoning: Other and unspecified agents primarily acting on the respiratory system | 2 | 0.0% |
| T492 | Poisoning: Local astringents and local detergents | 1 | 0.0% |
| T50 | Poisoning by diuretics and other and unspecified drugs, medicaments and biological substances | 1 | 0.0% |
| T509 | Poisoning: Other and unspecified drugs; medicaments and biological substances | 126 | 0.0% |
| T51 | Toxic effect of alcohol | 1 | 0.0% |
| T510 | Toxic effect: Ethanol | 1 | 0.0% |
| T511 | Toxic effect: Methanol | 1 | 0.0% |
| T519 | Toxic effect: Alcohol; unspecified | 21 | 0.0% |
| T520 | Toxic effect: Petroleum products | 13 | 0.0% |
| T521 | Toxic effect: Benzene | 2 | 0.0% |
| T529 | Toxic effect: Organic solvent, unspecified | 2 | 0.0% |
| T540 | Toxic effect: Phenol and phenol homologues | 1 | 0.0% |
| T541 | Toxic effect: Other corrosive organic compounds | 1 | 0.0% |
| T542 | Toxic effect: Corrosive acids and acid-like substances | 13 | 0.0% |
| T543 | Toxic effect: Corrosive alkalis and alkali-like substances | 1 | 0.0% |
| T549 | Toxic effect: Corrosive substance; unspecified | 9 | 0.0% |
| T561 | Toxic effect: Mercury and its compounds | 1 | 0.0% |
| T568 | Toxic effect: Other metals | 3 | 0.0% |
| T571 | Toxic effect: Phosphorus and its compounds | 1 | 0.0% |
| T58 | Toxic effect of carbon monoxide | 175 | 0.0% |
| T590 | Toxic effect: Nitrogen oxides | 1 | 0.0% |
| T594 | Toxic effect: Chlorine gas | 1 | 0.0% |
| T597 | Toxic effect: Carbon dioxide | 8 | 0.0% |
| T598 | Toxic effect: Other specified gases; fumes and vapours | 38 | 0.0% |

File : COD2012

InjuryA: Injury codes for the immediate cause of death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| T599 | Toxic effect: Gases; fumes and vapours; unspecified | 29 | 0.0% |
| T60 | Toxic effect of pesticides | 4 | 0.0% |
| T600 | Toxic effect: Organophosphate and carbamate insecticides | 128 | 0.0% |
| T601 | Toxic effect: Halogenated insecticides | 1 | 0.0% |
| T603 | Toxic effect: Herbicides and fungicides | 2 | 0.0% |
| T604 | Toxic effect: Rodenticides | 8 | 0.0% |
| T609 | Toxic effect: Pesticide; unspecified | 14 | 0.0% |
| T62 | Toxic effect of other noxious substances eaten as food | 1 | 0.0% |
| T620 | Toxic effect: Ingested mushrooms | 3 | 0.0% |
| T622 | Toxic effect: Other ingested (parts of) plant(s) | 131 | 0.0% |
| T629 | Toxic effect: Noxious substance eaten as food; unspecified | 14 | 0.0% |
| T63 | Toxic effect of contact with venomous animals | 1 | 0.0% |
| T630 | Toxic effect: Snake venom | 31 | 0.0% |
| T633 | Toxic effect: Venom of spider | 1 | 0.0% |
| T634 | Toxic effect: Venom of other arthropods | 15 | 0.0% |
| T639 | Toxic effect: Toxic effect of contact with unspecified venomous animal | 2 | 0.0% |
| T64 | Toxic effect of aflatoxin and other mycotoxin food contaminants | 1 | 0.0% |
| T65 | Toxic effect of other and unspecified substances | 11 | 0.0% |
| T650 | Toxic effect: Cyanides | 1 | 0.0% |
| T652 | Toxic effect: Tobacco and nicotine | 2 | 0.0% |
| T658 | Toxic effect: Toxic effect of other specified substances | 101 | 0.0% |
| T659 | Toxic effect: Toxic effect of unspecified substance | 496 | 0.1% |
| T66 | Unspecified effects of radiation | 1 | 0.0% |
| T67 | Effects of heat and light | 6 | 0.0% |
| T670 | Heatstroke and sunstroke | 5 | 0.0% |
| T675 | Heat exhaustion; unspecified | 1 | 0.0% |
| T68 | Hypothermia | 91 | 0.0% |
| T69 | Other effects of reduced temperature | 1 | 0.0% |
| T698 | Other specified effects of reduced temperature | 3 | 0.0% |
| T699 | Effect of reduced temperature; unspecified | 41 | 0.0% |
| T70 | Effects of air pressure and water pressure | 5 | 0.0% |
| T701 | Sinus barotrauma | 1 | 0.0% |
| T703 | Caisson disease [decompression sickness] | 1 | 0.0% |
| T709 | Effect of air pressure and water pressure, unspecified | 1 | 0.0% |
| T71 | Asphyxiation | 4460 | 0.9% |
| T73 | Effects of other deprivation | 1 | 0.0% |
| T730 | Effects of hunger | 6 | 0.0% |
| T731 | Effects of thirst | 1 | 0.0% |
| T74 | Maltreatment syndromes | 2 | 0.0% |
| T740 | Neglect or abandonment | 10 | 0.0% |
| T742 | Sexual abuse | 10 | 0.0% |
| T75 | Effects of other external causes | 107 | 0.0% |
| T750 | Effects of lightning | 158 | 0.0% |

File : COD2012

InjuryA: Injury codes for the immediate cause of death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| T751 | Drowning and nonfatal submersion | 1510 | 0.3% |
| T754 | Effects of electric current | 292 | 0.1% |
| T758 | Other specified effects of external causes | 15 | 0.0% |
| T78 | Adverse effects; not elsewhere classified | 2 | 0.0% |
| T782 | Anaphylactic shock; unspecified | 24 | 0.0% |
| T783 | Angioneurotic oedema | 12 | 0.0% |
| T784 | Allergy; unspecified | 12 | 0.0% |
| T788 | Other adverse effects; not elsewhere classified | 3 | 0.0% |
| T79 | Certain early complications of trauma, not elsewhere classified | 3 | 0.0% |
| T790 | Air embolism (traumatic) | 2 | 0.0% |
| T791 | Fat embolism (traumatic) | 12 | 0.0% |
| T795 | Traumatic anuria | 1 | 0.0% |
| T798 | Other early complications of trauma | 1 | 0.0% |
| T809 | Unspecified complication following infusion, transfusion and therapeutic injection | 1 | 0.0% |
| T81 | Complications of procedures, not elsewhere classified | 2 | 0.0% |
| T810 | Haemorrhage and haematoma complicating a procedure; not elsewhere classified | 1 | 0.0% |
| T812 | Accidental puncture and laceration during a procedure, not elsewhere classified | 1 | 0.0% |
| T814 | Infection following a procedure; not elsewhere classified | 5 | 0.0% |
| T816 | Acute reaction to foreign substance accidentally left during a procedure | 1 | 0.0% |
| T818 | Other complications of procedures; not elsewhere classified | 72 | 0.0% |
| T819 | Unspecified complication of procedure | 95 | 0.0% |
| T820 | Mechanical complication of heart valve prosthesis | 1 | 0.0% |
| T822 | Mechanical complication of coronary artery bypass and valve grafts | 5 | 0.0% |
| T823 | Mechanical complication of other vascular grafts | 1 | 0.0% |
| T825 | Mechanical complication of other cardiac and vascular devices and implants | 1 | 0.0% |
| T827 | Infection and inflammatory reaction due to other cardiac and vascular devices, implants and grafts | 3 | 0.0% |
| T828 | Other complications of cardiac and vascular prosthetic devices; implants and grafts | 7 | 0.0% |
| T829 | Unspecified complication of cardiac and vascular prosthetic device; implant and graft | 12 | 0.0% |
| T832 | Mechanical complication of graft of urinary organ | 1 | 0.0% |
| T838 | Other complications of genitourinary prosthetic devices, implants and grafts | 2 | 0.0% |
| T844 | Mechanical complication of other internal orthopaedic devices, implants and grafts | 1 | 0.0% |
| T849 | Unspecified complication of internal orthopaedic prosthetic device, implant and graft | 2 | 0.0% |
| T85 | Complications of other internal prosthetic devices, implants and grafts | 1 | 0.0% |
| T850 | Mechanical complication of ventricular intracranial (communicating) shunt | 1 | 0.0% |

File : COD2012

InjuryA: Injury codes for the immediate cause of death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| T857 | Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts | 1 | 0.0% |
| T858 | Other complications of internal prosthetic devices; implants and grafts; not elsewhere classified | 1 | 0.0% |
| T859 | Unspecified complication of internal prosthetic device; implant and graft | 7 | 0.0% |
| T860 | Bone-marrow transplant rejection | 1 | 0.0% |
| T861 | Kidney transplant failure and rejection | 2 | 0.0% |
| T862 | Heart transplant failure and rejection | 1 | 0.0% |
| T869 | Failure and rejection of unspecified transplanted organ and tissue | 1 | 0.0% |
| T874 | Infection of amputation stump | 2 | 0.0% |
| T876 | Other and unspecified complications of amputation stump | 32 | 0.0% |
| T88 | Other complications of surgical and medical care, not elsewhere classified | 1 | 0.0% |
| T882 | Shock due to anaesthesia | 1 | 0.0% |
| T885 | Other complications of anaesthesia | 1 | 0.0% |
| T888 | Other specified complications of surgical and medical care; not elsewhere classified | 14 | 0.0% |
| T889 | Complication of surgical and medical care; unspecified | 11 | 0.0% |
| T905 | Sequelae of intracranial injury | 1 | 0.0% |
| T909 | Sequelae of unspecified injury of head | 1 | 0.0% |
| T918 | Sequelae of other specified injuries of neck and trunk | 1 | 0.0% |
| T941 | Sequelae of injuries; not specified by body region | 4 | 0.0% |
| T950 | Sequelae of burn, corrosion and frostbite of head and neck | 1 | 0.0% |
| T983 | Sequelae of complications of surgical and medical care; not elsewhere classified | 4 | 0.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CauseB: Second condition leading to death

| | |
|---|--|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the second condition leading to death. |
| Frequency table not shown (3289 Modalities) | |

InjuryB: Injury codes for the second condition leading to death

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the injury codes for non-natural causes of death. |

| Value | Label | Cases | Percentage |
|-------|---|--------|------------|
| 111 | Natural cause (No injury code) | 203434 | 41.1% |
| 888 | Second condition leading to death not mentioned | 287409 | 58.1% |
| S014 | Open wound of cheek and temporomandibular area | 1 | 0.0% |
| S015 | Open wound of lip and oral cavity | 1 | 0.0% |
| S018 | Open wound of other parts of head | 2 | 0.0% |
| S019 | Open wound of head; part unspecified | 13 | 0.0% |
| S02 | Fracture of skull and facial bones | 1 | 0.0% |

File : COD2012

InjuryB: Injury codes for the second condition leading to death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| S024 | Fracture of malar and maxillary bones | 1 | 0.0% |
| S026 | Fracture of mandible | 2 | 0.0% |
| S027 | Multiple fractures involving skull and facial bones | 3 | 0.0% |
| S029 | Fracture of skull and facial bones; part unspecified | 14 | 0.0% |
| S059 | Injury of eye and orbit, unspecified | 1 | 0.0% |
| S060 | Concussion | 1 | 0.0% |
| S062 | Diffuse brain injury | 4 | 0.0% |
| S064 | Epidural haemorrhage | 2 | 0.0% |
| S065 | Traumatic subdural haemorrhage | 9 | 0.0% |
| S066 | Traumatic subarachnoid haemorrhage | 1 | 0.0% |
| S068 | Other intracranial injuries | 11 | 0.0% |
| S069 | Intracranial injury; unspecified | 29 | 0.0% |
| S089 | Traumatic amputation of unspecified part of head | 1 | 0.0% |
| S090 | Injury of blood vessels of head, not elsewhere classified | 1 | 0.0% |
| S099 | Unspecified injury of head | 285 | 0.1% |
| S109 | Superficial injury of neck, part unspecified | 1 | 0.0% |
| S119 | Open wound of neck; part unspecified | 19 | 0.0% |
| S120 | Fracture of first cervical vertebra | 3 | 0.0% |
| S121 | Fracture of second cervical vertebra | 2 | 0.0% |
| S129 | Fracture of neck; part unspecified | 13 | 0.0% |
| S131 | Dislocation of cervical vertebra | 1 | 0.0% |
| S141 | Other and unspecified injuries of cervical spinal cord | 5 | 0.0% |
| S142 | Injury of nerve root of cervical spine | 1 | 0.0% |
| S18 | Traumatic amputation at neck level | 2 | 0.0% |
| S199 | Unspecified injury of neck | 3 | 0.0% |
| S202 | Contusion of thorax | 1 | 0.0% |
| S212 | Open wound of back wall of thorax | 1 | 0.0% |
| S219 | Open wound of thorax; part unspecified | 47 | 0.0% |
| S220 | Fracture of thoracic vertebra | 1 | 0.0% |
| S223 | Fracture of rib | 9 | 0.0% |
| S224 | Multiple fractures of ribs | 2 | 0.0% |
| S225 | Flail chest | 3 | 0.0% |
| S228 | Fracture of other parts of bony thorax | 1 | 0.0% |
| S235 | Sprain and strain of other and unspecified parts of thorax | 1 | 0.0% |
| S250 | Injury of thoracic aorta | 2 | 0.0% |
| S254 | Injury of pulmonary blood vessels | 1 | 0.0% |
| S258 | Injury of other blood vessels of thorax | 1 | 0.0% |
| S259 | Injury of unspecified blood vessel of thorax | 1 | 0.0% |
| S260 | Injury of heart with haemopericardium | 1 | 0.0% |
| S269 | Injury of heart, unspecified | 13 | 0.0% |
| S270 | Traumatic pneumothorax | 1 | 0.0% |
| S271 | Traumatic haemothorax | 3 | 0.0% |
| S272 | Traumatic haemopneumothorax | 3 | 0.0% |

File : COD2012

InjuryB: Injury codes for the second condition leading to death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| S273 | Other injuries of lung | 9 | 0.0% |
| S277 | Multiple injuries of intrathoracic organs | 1 | 0.0% |
| S279 | Injury of unspecified intrathoracic organ | 2 | 0.0% |
| S280 | Crushed chest | 1 | 0.0% |
| S298 | Other specified injuries of thorax | 1 | 0.0% |
| S299 | Unspecified injury of thorax | 15 | 0.0% |
| S309 | Superficial injury of abdomen, lower back and pelvis, part unspecified | 1 | 0.0% |
| S310 | Open wound of lower back and pelvis | 2 | 0.0% |
| S311 | Open wound of abdominal wall | 1 | 0.0% |
| S318 | Open wound of other and unspecified parts of abdomen | 24 | 0.0% |
| S320 | Fracture of lumbar vertebra | 1 | 0.0% |
| S324 | Fracture of acetabulum | 5 | 0.0% |
| S325 | Fracture of pubis | 2 | 0.0% |
| S328 | Fracture of other and unspecified parts of lumbar spine and pelvis | 22 | 0.0% |
| S351 | Injury of inferior vena cava | 1 | 0.0% |
| S361 | Injury of liver or gallbladder | 6 | 0.0% |
| S364 | Injury of small intestine | 1 | 0.0% |
| S369 | Injury of unspecified intra-abdominal organ | 1 | 0.0% |
| S370 | Injury of kidney | 16 | 0.0% |
| S372 | Injury of bladder | 1 | 0.0% |
| S376 | Injury of uterus | 2 | 0.0% |
| S379 | Injury of unspecified pelvic organ | 2 | 0.0% |
| S39 | Other and unspecified injuries of abdomen, lower back and pelvis | 1 | 0.0% |
| S399 | Unspecified injury of abdomen, lower back and pelvis | 24 | 0.0% |
| S420 | Fracture of clavicle | 1 | 0.0% |
| S422 | Fracture of upper end of humerus | 1 | 0.0% |
| S423 | Fracture of shaft of humerus | 17 | 0.0% |
| S424 | Fracture of lower end of humerus | 4 | 0.0% |
| S428 | Fracture of other parts of shoulder and upper arm | 2 | 0.0% |
| S429 | Fracture of shoulder girdle, part unspecified | 3 | 0.0% |
| S430 | Dislocation of shoulder joint | 1 | 0.0% |
| S432 | Dislocation of sternoclavicular joint | 1 | 0.0% |
| S509 | Superficial injury of forearm, unspecified | 1 | 0.0% |
| S520 | Fracture of upper end of ulna | 2 | 0.0% |
| S522 | Fracture of shaft of ulna | 1 | 0.0% |
| S528 | Fracture of other parts of forearm | 1 | 0.0% |
| S570 | Crushing injury of elbow | 1 | 0.0% |
| S599 | Unspecified injury of forearm | 1 | 0.0% |
| S649 | Injury of unspecified nerve at wrist and hand level | 1 | 0.0% |
| S699 | Unspecified injury of wrist and hand | 3 | 0.0% |
| S711 | Open wound of thigh | 1 | 0.0% |
| S717 | Multiple open wounds of hip and thigh | 1 | 0.0% |
| S718 | Open wound of other and unspecified parts of pelvic girdle | 1 | 0.0% |

File : COD2012

InjuryB: Injury codes for the second condition leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| S72 | Fracture of femur | 2 | 0.0% |
| S720 | Fracture of neck of femur | 281 | 0.1% |
| S721 | Pertrochanteric fracture | 22 | 0.0% |
| S723 | Fracture of shaft of femur | 1 | 0.0% |
| S724 | Fracture of lower end of femur | 2 | 0.0% |
| S727 | Multiple fractures of femur | 1 | 0.0% |
| S728 | Fractures of other parts of femur | 1 | 0.0% |
| S729 | Fracture of femur; part unspecified | 186 | 0.0% |
| S730 | Dislocation of hip | 1 | 0.0% |
| S750 | Injury of femoral artery | 1 | 0.0% |
| S781 | Traumatic amputation at level between hip and knee | 1 | 0.0% |
| S79 | Other and specified injuries of hip and thigh | 1 | 0.0% |
| S799 | Unspecified injury of hip and thigh | 6 | 0.0% |
| S818 | Open wound of other parts of lower leg | 1 | 0.0% |
| S819 | Open wound of lower leg; part unspecified | 1 | 0.0% |
| S82 | Fracture of lower leg, including ankle | 1 | 0.0% |
| S820 | Fracture of patella | 2 | 0.0% |
| S822 | Fracture of shaft of tibia | 6 | 0.0% |
| S823 | Fracture of lower end of tibia | 1 | 0.0% |
| S826 | Fracture of lateral malleolus | 1 | 0.0% |
| S827 | Multiple fractures of lower leg | 4 | 0.0% |
| S828 | Fractures of other parts of lower leg | 9 | 0.0% |
| S829 | Fracture of lower leg; part unspecified | 6 | 0.0% |
| S858 | Injury of other blood vessels at lower leg level | 1 | 0.0% |
| S889 | Traumatic amputation of lower leg, level unspecified | 2 | 0.0% |
| S899 | Unspecified injury of lower leg | 7 | 0.0% |
| S913 | Open wound of other parts of foot | 1 | 0.0% |
| S920 | Fracture of calcaneus | 1 | 0.0% |
| S929 | Fracture of foot, unspecified | 1 | 0.0% |
| T008 | Superficial injuries involving other combinations of body regions | 1 | 0.0% |
| T01 | Open wounds involving multiple body regions | 1 | 0.0% |
| T018 | Open wounds involving other combinations of body regions | 15 | 0.0% |
| T019 | Multiple open wounds; unspecified | 10 | 0.0% |
| T020 | Fractures involving head with neck | 1 | 0.0% |
| T028 | Fractures involving other combinations of body regions | 4 | 0.0% |
| T029 | Multiple fractures; unspecified | 12 | 0.0% |
| T040 | Crushing injuries involving head with neck | 1 | 0.0% |
| T059 | Multiple traumatic amputations, unspecified | 1 | 0.0% |
| T068 | Other specified injuries involving multiple body regions | 43 | 0.0% |
| T07 | Unspecified multiple injuries | 65 | 0.0% |
| T08 | Fracture of spine; level unspecified | 13 | 0.0% |
| T093 | Injury of spinal cord; level unspecified | 20 | 0.0% |
| T095 | Injury of unspecified muscle and tendon of trunk | 1 | 0.0% |

File : COD2012

InjuryB: Injury codes for the second condition leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| T110 | Superficial injury of upper limb, level unspecified | 1 | 0.0% |
| T12 | Fracture of lower limb; level unspecified | 1 | 0.0% |
| T131 | Open wound of lower limb, level unspecified | 1 | 0.0% |
| T139 | Unspecified injury of lower limb; level unspecified | 3 | 0.0% |
| T14 | Injury of unspecified body region | 2 | 0.0% |
| T140 | Superficial injury of unspecified body region | 2 | 0.0% |
| T141 | Open wound of unspecified body region | 24 | 0.0% |
| T142 | Fracture of unspecified body region | 4 | 0.0% |
| T145 | Injury of blood vessel(s) of unspecified body region | 1 | 0.0% |
| T146 | Injury of muscles and tendons of unspecified body region | 1 | 0.0% |
| T149 | Injury; unspecified | 124 | 0.0% |
| T17 | Foreign body in respiratory tract | 1 | 0.0% |
| T170 | Foreign body in nasal sinus | 2 | 0.0% |
| T174 | Foreign body in trachea | 3 | 0.0% |
| T175 | Foreign body in bronchus | 1 | 0.0% |
| T178 | Foreign body in other and multiple parts of respiratory tract | 2 | 0.0% |
| T179 | Foreign body in respiratory tract; part unspecified | 177 | 0.0% |
| T189 | Foreign body in alimentary tract, part unspecified | 1 | 0.0% |
| T199 | Foreign body in genitourinary tract, part unspecified | 1 | 0.0% |
| T230 | Burn of unspecified degree of wrist and hand | 1 | 0.0% |
| T240 | Burn of unspecified degree of hip and lower limb, except ankle and foot | 4 | 0.0% |
| T250 | Burn of unspecified degree of ankle and foot | 1 | 0.0% |
| T290 | Burns of multiple regions, unspecified degree | 2 | 0.0% |
| T30 | Burn and corrosion, body region unspecified | 1 | 0.0% |
| T300 | Burn of unspecified body region; unspecified degree | 263 | 0.1% |
| T302 | Burn of second degree; body region unspecified | 3 | 0.0% |
| T303 | Burn of third degree; body region unspecified | 5 | 0.0% |
| T304 | Corrosion of unspecified body region, unspecified degree | 1 | 0.0% |
| T306 | Corrosion of second degree, body region unspecified | 1 | 0.0% |
| T311 | Burns involving 10-19% of body surface | 1 | 0.0% |
| T312 | Burns involving 20-29% of body surface | 4 | 0.0% |
| T313 | Burns involving 30-39% of body surface | 3 | 0.0% |
| T314 | Burns involving 40-49% of body surface | 1 | 0.0% |
| T315 | Burns involving 50-59% of body surface | 2 | 0.0% |
| T317 | Burns involving 70-79% of body surface | 2 | 0.0% |
| T319 | Burns involving 90% or more of body surface | 3 | 0.0% |
| T360 | Poisoning: Penicillins | 5 | 0.0% |
| T366 | Poisoning: Rifamycins | 5 | 0.0% |
| T368 | Poisoning: Other systemic antibiotics | 1 | 0.0% |
| T369 | Poisoning: Systemic antibiotic, unspecified | 1 | 0.0% |
| T370 | Poisoning: Sulfonamides | 2 | 0.0% |
| T371 | Poisoning: Antimycobacterial drugs | 1 | 0.0% |
| T375 | Poisoning: Antiviral drugs | 71 | 0.0% |

File : COD2012

InjuryB: Injury codes for the second condition leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| T378 | Poisoning: Other specified systemic anti-infectives and antiparasitics | 1 | 0.0% |
| T383 | Poisoning: Insulin and oral hypoglycaemic [antidiabetic] drugs | 6 | 0.0% |
| T387 | Poisoning: Androgens and anabolic congeners | 1 | 0.0% |
| T390 | Poisoning: Salicylates | 1 | 0.0% |
| T391 | Poisoning: 4-Aminophenol derivatives | 1 | 0.0% |
| T393 | Poisoning: Other nonsteroidal anti-inflammatory drugs [NSAID] | 8 | 0.0% |
| T401 | Poisoning: Heroin | 5 | 0.0% |
| T402 | Poisoning: Other opioids | 3 | 0.0% |
| T406 | Poisoning: Other and unspecified narcotics | 2 | 0.0% |
| T407 | Poisoning: Cannabis (derivatives) | 2 | 0.0% |
| T408 | Poisoning: Lysergide [LSD] | 1 | 0.0% |
| T412 | Poisoning: Other and unspecified general anaesthetics | 1 | 0.0% |
| T413 | Poisoning: Local anaesthetics | 3 | 0.0% |
| T414 | Poisoning: Anaesthetic; unspecified | 3 | 0.0% |
| T420 | Poisoning: Hydantoin derivatives | 2 | 0.0% |
| T427 | Poisoning: Antiepileptic and sedative-hypnotic drugs, unspecified | 2 | 0.0% |
| T43 | Poisoning by psychotropic drugs, not elsewhere classified | 1 | 0.0% |
| T430 | Poisoning: Tricyclic and tetracyclic antidepressants | 3 | 0.0% |
| T432 | Poisoning: Other and unspecified antidepressants | 1 | 0.0% |
| T433 | Poisoning: Phenothiazine antipsychotics and neuroleptics | 1 | 0.0% |
| T434 | Poisoning: Butyrophenone and thioxanthene neuroleptics | 1 | 0.0% |
| T435 | Poisoning: Other and unspecified antipsychotics and neuroleptics | 2 | 0.0% |
| T442 | Poisoning: Ganglionic blocking drugs; not elsewhere classified | 1 | 0.0% |
| T45 | Poisoning by primarily systemic and haematological agents, not elsewhere classified | 1 | 0.0% |
| T451 | Poisoning: Antineoplastic and immunosuppressive drugs | 8 | 0.0% |
| T453 | Poisoning: Enzymes, not elsewhere classified | 1 | 0.0% |
| T454 | Poisoning: Iron and its compounds | 1 | 0.0% |
| T455 | Poisoning: Anticoagulants | 91 | 0.0% |
| T459 | Poisoning: Primarily systemic and haematological agent, unspecified | 1 | 0.0% |
| T460 | Poisoning: Cardiac-stimulant glycosides and drugs of similar action | 2 | 0.0% |
| T465 | Poisoning: Other antihypertensive drugs, not elsewhere classified | 1 | 0.0% |
| T472 | Poisoning: Stimulant laxatives | 2 | 0.0% |
| T473 | Poisoning: Saline and osmotic laxatives | 1 | 0.0% |
| T474 | Poisoning: Other laxatives | 6 | 0.0% |
| T477 | Poisoning: Emetics | 1 | 0.0% |
| T478 | Poisoning: Other agents primarily affecting the gastrointestinal system | 5 | 0.0% |
| T486 | Poisoning: Antiasthmatics; not elsewhere classified | 2 | 0.0% |
| T50 | Poisoning by diuretics and other and unspecified drugs, medicaments and biological substances | 1 | 0.0% |
| T508 | Poisoning: Diagnostic agents | 1 | 0.0% |

File : COD2012

InjuryB: Injury codes for the second condition leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| T509 | Poisoning: Other and unspecified drugs; medicaments and biological substances | 58 | 0.0% |
| T510 | Toxic effect: Ethanol | 8 | 0.0% |
| T511 | Toxic effect: Methanol | 2 | 0.0% |
| T519 | Toxic effect: Alcohol; unspecified | 17 | 0.0% |
| T520 | Toxic effect: Petroleum products | 10 | 0.0% |
| T528 | Toxic effect: Other organic solvents | 2 | 0.0% |
| T542 | Toxic effect: Corrosive acids and acid-like substances | 5 | 0.0% |
| T549 | Toxic effect: Corrosive substance; unspecified | 1 | 0.0% |
| T568 | Toxic effect: Other metals | 3 | 0.0% |
| T578 | Toxic effect: Other specified inorganic substances | 1 | 0.0% |
| T58 | Toxic effect of carbon monoxide | 17 | 0.0% |
| T59 | Toxic effect of other gases, fumes and vapours | 1 | 0.0% |
| T597 | Toxic effect: Carbon dioxide | 2 | 0.0% |
| T598 | Toxic effect: Other specified gases, fumes and vapours | 14 | 0.0% |
| T599 | Toxic effect: Gases, fumes and vapours, unspecified | 1 | 0.0% |
| T600 | Toxic effect: Organophosphate and carbamate insecticides | 23 | 0.0% |
| T608 | Toxic effect: Other pesticides | 1 | 0.0% |
| T62 | Toxic effect of other noxious substances eaten as food | 4 | 0.0% |
| T620 | Toxic effect: Ingested mushrooms | 1 | 0.0% |
| T622 | Toxic effect: Other ingested (parts of) plant(s) | 176 | 0.0% |
| T629 | Toxic effect: Noxious substance eaten as food; unspecified | 2 | 0.0% |
| T630 | Toxic effect: Snake venom | 4 | 0.0% |
| T633 | Toxic effect: Venom of spider | 2 | 0.0% |
| T638 | Toxic effect: Toxic effect of contact with other venomous animals | 1 | 0.0% |
| T65 | Toxic effect of other and unspecified substances | 2 | 0.0% |
| T650 | Toxic effect: Cyanides | 1 | 0.0% |
| T653 | Toxic effect: Nitroderivatives and aminoderivatives of benzene and its homologues | 1 | 0.0% |
| T656 | Toxic effect: Paints and dyes, not elsewhere classified | 2 | 0.0% |
| T658 | Toxic effect: Toxic effect of other specified substances | 152 | 0.0% |
| T659 | Toxic effect: Toxic effect of unspecified substance | 94 | 0.0% |
| T675 | Heat exhaustion, unspecified | 1 | 0.0% |
| T68 | Hypothermia | 19 | 0.0% |
| T699 | Effect of reduced temperature; unspecified | 4 | 0.0% |
| T71 | Asphyxiation | 89 | 0.0% |
| T73 | Effects of other deprivation | 1 | 0.0% |
| T730 | Effects of hunger | 8 | 0.0% |
| T740 | Neglect or abandonment | 21 | 0.0% |
| T741 | Physical abuse | 1 | 0.0% |
| T742 | Sexual abuse | 22 | 0.0% |
| T750 | Effects of lightning | 8 | 0.0% |
| T751 | Drowning and nonfatal submersion | 28 | 0.0% |
| T754 | Effects of electric current | 12 | 0.0% |

File : COD2012

InjuryB: Injury codes for the second condition leading to death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| T758 | Other specified effects of external causes | 3 | 0.0% |
| T782 | Anaphylactic shock; unspecified | 15 | 0.0% |
| T783 | Angioneurotic oedema | 3 | 0.0% |
| T784 | Allergy; unspecified | 7 | 0.0% |
| T79 | Certain early complications of trauma, not elsewhere classified | 1 | 0.0% |
| T791 | Fat embolism (traumatic) | 10 | 0.0% |
| T793 | Post-traumatic wound infection, not elsewhere classified | 3 | 0.0% |
| T794 | Traumatic shock | 1 | 0.0% |
| T809 | Unspecified complication following infusion; transfusion and therapeutic injection | 5 | 0.0% |
| T810 | Haemorrhage and haematoma complicating a procedure; not elsewhere classified | 6 | 0.0% |
| T811 | Shock during or resulting from a procedure, not elsewhere classified | 1 | 0.0% |
| T813 | Disruption of operation wound; not elsewhere classified | 1 | 0.0% |
| T814 | Infection following a procedure; not elsewhere classified | 13 | 0.0% |
| T816 | Acute reaction to foreign substance accidentally left during a procedure | 2 | 0.0% |
| T817 | Vascular complications following a procedure; not elsewhere classified | 4 | 0.0% |
| T818 | Other complications of procedures; not elsewhere classified | 165 | 0.0% |
| T819 | Unspecified complication of procedure | 175 | 0.0% |
| T82 | Complications of cardiac and vascular prosthetic devices, implants and grafts | 1 | 0.0% |
| T820 | Mechanical complication of heart valve prosthesis | 3 | 0.0% |
| T821 | Mechanical complication of cardiac electronic device | 2 | 0.0% |
| T822 | Mechanical complication of coronary artery bypass and valve grafts | 10 | 0.0% |
| T823 | Mechanical complication of other vascular grafts | 2 | 0.0% |
| T825 | Mechanical complication of other cardiac and vascular devices and implants | 2 | 0.0% |
| T827 | Infection and inflammatory reaction due to other cardiac and vascular devices; implants and grafts | 1 | 0.0% |
| T828 | Other complications of cardiac and vascular prosthetic devices; implants and grafts | 22 | 0.0% |
| T829 | Unspecified complication of cardiac and vascular prosthetic device; implant and graft | 45 | 0.0% |
| T830 | Mechanical complication of urinary (indwelling) catheter | 1 | 0.0% |
| T832 | Mechanical complication of graft of urinary organ | 2 | 0.0% |
| T835 | Infection and inflammatory reaction due to prosthetic device, implant and graft in urinary system | 2 | 0.0% |
| T838 | Other complications of genitourinary prosthetic devices, implants and grafts | 1 | 0.0% |
| T839 | Unspecified complication of genitourinary prosthetic device, implant and graft | 3 | 0.0% |
| T841 | Mechanical complication of internal fixation device of bones of limb | 2 | 0.0% |
| T844 | Mechanical complication of other internal orthopaedic devices, implants and grafts | 4 | 0.0% |

File : COD2012

InjuryB: Injury codes for the second condition leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| T846 | Infection and inflammatory reaction due to internal fixation device [any site] | 1 | 0.0% |
| T847 | Infection and inflammatory reaction due to other internal orthopaedic prosthetic devices, implants and grafts | 1 | 0.0% |
| T848 | Other complications of internal orthopaedic prosthetic devices; implants and grafts | 4 | 0.0% |
| T849 | Unspecified complication of internal orthopaedic prosthetic device; implant and graft | 10 | 0.0% |
| T850 | Mechanical complication of ventricular intracranial (communicating) shunt | 1 | 0.0% |
| T857 | Infection and inflammatory reaction due to other internal prosthetic devices; implants and grafts | 1 | 0.0% |
| T858 | Other complications of internal prosthetic devices; implants and grafts; not elsewhere classified | 5 | 0.0% |
| T859 | Unspecified complication of internal prosthetic device; implant and graft | 25 | 0.0% |
| T860 | Bone-marrow transplant rejection | 4 | 0.0% |
| T861 | Kidney transplant failure and rejection | 6 | 0.0% |
| T862 | Heart transplant failure and rejection | 3 | 0.0% |
| T868 | Failure and rejection of other transplanted organs and tissues | 2 | 0.0% |
| T869 | Failure and rejection of unspecified transplanted organ and tissue | 11 | 0.0% |
| T87 | Complications peculiar to reattachment and amputation | 2 | 0.0% |
| T874 | Infection of amputation stump | 21 | 0.0% |
| T875 | Necrosis of amputation stump | 1 | 0.0% |
| T876 | Other and unspecified complications of amputation stump | 152 | 0.0% |
| T880 | Infection following immunization | 1 | 0.0% |
| T883 | Malignant hyperthermia due to anaesthesia | 1 | 0.0% |
| T887 | Unspecified adverse effect of drug or medicament | 1 | 0.0% |
| T888 | Other specified complications of surgical and medical care; not elsewhere classified | 29 | 0.0% |
| T889 | Complication of surgical and medical care; unspecified | 26 | 0.0% |
| T905 | Sequelae of intracranial injury | 1 | 0.0% |
| T908 | Sequelae of other specified injuries of head | 1 | 0.0% |
| T909 | Sequelae of unspecified injury of head | 2 | 0.0% |
| T912 | Sequelae of other fracture of thorax and pelvis | 1 | 0.0% |
| T918 | Sequelae of other specified injuries of neck and trunk | 1 | 0.0% |
| T931 | Sequelae of fracture of femur | 1 | 0.0% |
| T941 | Sequelae of injuries; not specified by body region | 6 | 0.0% |
| T982 | Sequelae of certain early complications of trauma | 1 | 0.0% |
| T983 | Sequelae of complications of surgical and medical care; not elsewhere classified | 9 | 0.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CauseC: Third condition leading to death

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 -/] [Invalid=0 -/] |
| Notes | This variable provides information on the third condition leading to death. |

File : COD2012

CauseC: Third condition leading to death

Frequency table not shown (2659 Modalities)

InjuryC: Injury codes for the third condition leading to death

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the injury codes for non-natural causes of death. |

| Value | Label | Cases | Percentage |
|-------|--|--------|------------|
| 111 | Natural cause (No injury code) | 78675 | 15.9% |
| 888 | Third condition leading to death not mentioned | 414363 | 83.7% |
| S010 | Open wound of scalp | 1 | 0.0% |
| S018 | Open wound of other parts of head | 2 | 0.0% |
| S019 | Open wound of head, part unspecified | 3 | 0.0% |
| S020 | Fracture of vault of skull | 1 | 0.0% |
| S026 | Fracture of mandible | 2 | 0.0% |
| S029 | Fracture of skull and facial bones; part unspecified | 5 | 0.0% |
| S061 | Traumatic cerebral oedema | 1 | 0.0% |
| S062 | Diffuse brain injury | 1 | 0.0% |
| S065 | Traumatic subdural haemorrhage | 1 | 0.0% |
| S067 | Intracranial injury with prolonged coma | 1 | 0.0% |
| S068 | Other intracranial injuries | 1 | 0.0% |
| S069 | Intracranial injury; unspecified | 9 | 0.0% |
| S099 | Unspecified injury of head | 64 | 0.0% |
| S120 | Fracture of first cervical vertebra | 1 | 0.0% |
| S127 | Multiple fractures of cervical spine | 1 | 0.0% |
| S129 | Fracture of neck; part unspecified | 4 | 0.0% |
| S141 | Other and unspecified injuries of cervical spinal cord | 2 | 0.0% |
| S199 | Unspecified injury of neck | 5 | 0.0% |
| S212 | Open wound of back wall of thorax | 1 | 0.0% |
| S219 | Open wound of thorax; part unspecified | 5 | 0.0% |
| S220 | Fracture of thoracic vertebra | 2 | 0.0% |
| S223 | Fracture of rib | 5 | 0.0% |
| S224 | Multiple fractures of ribs | 1 | 0.0% |
| S229 | Fracture of bony thorax, part unspecified | 1 | 0.0% |
| S269 | Injury of heart; unspecified | 1 | 0.0% |
| S270 | Traumatic pneumothorax | 1 | 0.0% |
| S271 | Traumatic haemothorax | 1 | 0.0% |
| S272 | Traumatic haemopneumothorax | 1 | 0.0% |
| S279 | Injury of unspecified intrathoracic organ | 3 | 0.0% |
| S299 | Unspecified injury of thorax | 1 | 0.0% |
| S311 | Open wound of abdominal wall | 1 | 0.0% |
| S318 | Open wound of other and unspecified parts of abdomen | 10 | 0.0% |
| S320 | Fracture of lumbar vertebra | 2 | 0.0% |
| S324 | Fracture of acetabulum | 1 | 0.0% |
| S328 | Fracture of other and unspecified parts of lumbar spine and pelvis | 8 | 0.0% |

File : COD2012

InjuryC: Injury codes for the third condition leading to death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| S360 | Injury of spleen | 1 | 0.0% |
| S361 | Injury of liver or gallbladder | 1 | 0.0% |
| S366 | Injury of rectum | 1 | 0.0% |
| S369 | Injury of unspecified intra-abdominal organ | 2 | 0.0% |
| S370 | Injury of kidney | 4 | 0.0% |
| S372 | Injury of bladder | 1 | 0.0% |
| S376 | Injury of uterus | 1 | 0.0% |
| S379 | Injury of unspecified pelvic organ | 1 | 0.0% |
| S399 | Unspecified injury of abdomen; lower back and pelvis | 2 | 0.0% |
| S42 | Fracture of shoulder and upper arm | 1 | 0.0% |
| S422 | Fracture of upper end of humerus | 1 | 0.0% |
| S423 | Fracture of shaft of humerus | 13 | 0.0% |
| S424 | Fracture of lower end of humerus | 1 | 0.0% |
| S429 | Fracture of shoulder girdle, part unspecified | 2 | 0.0% |
| S430 | Dislocation of shoulder joint | 2 | 0.0% |
| S499 | Unspecified injury of shoulder and upper arm | 1 | 0.0% |
| S525 | Fracture of lower end of radius | 1 | 0.0% |
| S626 | Fracture of other finger | 1 | 0.0% |
| S72 | Fracture of femur | 3 | 0.0% |
| S720 | Fracture of neck of femur | 133 | 0.0% |
| S721 | Pertrochanteric fracture | 10 | 0.0% |
| S722 | Subtrochanteric fracture | 2 | 0.0% |
| S729 | Fracture of femur; part unspecified | 97 | 0.0% |
| S730 | Dislocation of hip | 1 | 0.0% |
| S799 | Unspecified injury of hip and thigh | 2 | 0.0% |
| S82 | Fracture of lower leg, including ankle | 1 | 0.0% |
| S822 | Fracture of shaft of tibia | 2 | 0.0% |
| S824 | Fracture of fibula alone | 1 | 0.0% |
| S828 | Fractures of other parts of lower leg | 1 | 0.0% |
| S829 | Fracture of lower leg; part unspecified | 2 | 0.0% |
| S898 | Other specified injuries of lower leg | 1 | 0.0% |
| S899 | Unspecified injury of lower leg | 2 | 0.0% |
| S929 | Fracture of foot, unspecified | 3 | 0.0% |
| T018 | Open wounds involving other combinations of body regions | 1 | 0.0% |
| T019 | Multiple open wounds, unspecified | 3 | 0.0% |
| T021 | Fractures involving thorax with lower back and pelvis | 1 | 0.0% |
| T025 | Fractures involving multiple regions of both lower limbs | 1 | 0.0% |
| T028 | Fractures involving other combinations of body regions | 2 | 0.0% |
| T029 | Multiple fractures; unspecified | 2 | 0.0% |
| T068 | Other specified injuries involving multiple body regions | 6 | 0.0% |
| T08 | Fracture of spine; level unspecified | 9 | 0.0% |
| T093 | Injury of spinal cord; level unspecified | 7 | 0.0% |
| T094 | Injury of unspecified nerve, spinal nerve root and plexus of trunk | 1 | 0.0% |

File : COD2012

InjuryC: Injury codes for the third condition leading to death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| T10 | Fracture of upper limb, level unspecified | 1 | 0.0% |
| T118 | Other specified injuries of upper limb, level unspecified | 1 | 0.0% |
| T140 | Superficial injury of unspecified body region | 1 | 0.0% |
| T141 | Open wound of unspecified body region | 7 | 0.0% |
| T142 | Fracture of unspecified body region | 6 | 0.0% |
| T149 | Injury; unspecified | 45 | 0.0% |
| T179 | Foreign body in respiratory tract; part unspecified | 58 | 0.0% |
| T220 | Burn of unspecified degree of shoulder and upper limb, except wrist and hand | 1 | 0.0% |
| T240 | Burn of unspecified degree of hip and lower limb, except ankle and foot | 1 | 0.0% |
| T247 | Corrosion of third degree of hip and lower limb, except ankle and foot | 1 | 0.0% |
| T30 | Burn and corrosion, body region unspecified | 1 | 0.0% |
| T300 | Burn of unspecified body region; unspecified degree | 51 | 0.0% |
| T302 | Burn of second degree, body region unspecified | 1 | 0.0% |
| T303 | Burn of third degree; body region unspecified | 1 | 0.0% |
| T312 | Burns involving 20-29% of body surface | 1 | 0.0% |
| T313 | Burns involving 30-39% of body surface | 1 | 0.0% |
| T314 | Burns involving 40-49% of body surface | 1 | 0.0% |
| T315 | Burns involving 50-59% of body surface | 1 | 0.0% |
| T360 | Poisoning: Penicillins | 1 | 0.0% |
| T361 | Poisoning: Cefalosporins and other beta-lactam antibiotics | 1 | 0.0% |
| T365 | Poisoning: Aminoglycosides | 1 | 0.0% |
| T366 | Poisoning: Rifamycins | 2 | 0.0% |
| T367 | Poisoning: Antifungal antibiotics, systemically used | 1 | 0.0% |
| T37 | Poisoning by other systemic anti-infectives and antiparasitics | 2 | 0.0% |
| T371 | Poisoning: Antimycobacterial drugs | 1 | 0.0% |
| T375 | Poisoning: Antiviral drugs | 136 | 0.0% |
| T379 | Poisoning: Systemic anti-infective and antiparasitic, unspecified | 1 | 0.0% |
| T383 | Poisoning: Insulin and oral hypoglycaemic [antidiabetic] drugs | 3 | 0.0% |
| T387 | Poisoning: Androgens and anabolic congeners | 1 | 0.0% |
| T388 | Poisoning: Other and unspecified hormones and their synthetic substitutes | 1 | 0.0% |
| T390 | Poisoning: Salicylates | 1 | 0.0% |
| T393 | Poisoning: Other nonsteroidal anti-inflammatory drugs [NSAID] | 7 | 0.0% |
| T40 | Poisoning by narcotics and psychodysleptics [hallucinogens] | 1 | 0.0% |
| T405 | Poisoning: Cocaine | 1 | 0.0% |
| T407 | Poisoning: Cannabis (derivatives) | 3 | 0.0% |
| T413 | Poisoning: Local anaesthetics | 1 | 0.0% |
| T414 | Poisoning: Anaesthetic; unspecified | 2 | 0.0% |
| T420 | Poisoning: Hydantoin derivatives | 2 | 0.0% |
| T428 | Poisoning: Antiparkinsonism drugs and other central muscle-tone depressants | 1 | 0.0% |
| T434 | Poisoning: Butyrophenone and thioxanthene neuroleptics | 1 | 0.0% |

File : COD2012

InjuryC: Injury codes for the third condition leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| T451 | Poisoning: Antineoplastic and immunosuppressive drugs | 10 | 0.0% |
| T453 | Poisoning: Enzymes, not elsewhere classified | 1 | 0.0% |
| T455 | Poisoning: Anticoagulants | 52 | 0.0% |
| T458 | Poisoning: Other primarily systemic and haematological agents | 1 | 0.0% |
| T472 | Poisoning: Stimulant laxatives | 2 | 0.0% |
| T474 | Poisoning: Other laxatives | 5 | 0.0% |
| T477 | Poisoning: Emetics | 4 | 0.0% |
| T478 | Poisoning: Other agents primarily affecting the gastrointestinal system | 1 | 0.0% |
| T492 | Poisoning: Local astringents and local detergents | 1 | 0.0% |
| T502 | Poisoning: Carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics | 1 | 0.0% |
| T508 | Poisoning: Diagnostic agents | 1 | 0.0% |
| T509 | Poisoning: Other and unspecified drugs; medicaments and biological substances | 26 | 0.0% |
| T510 | Toxic effect: Ethanol | 5 | 0.0% |
| T519 | Toxic effect: Alcohol; unspecified | 2 | 0.0% |
| T542 | Toxic effect: Corrosive acids and acid-like substances | 2 | 0.0% |
| T549 | Toxic effect: Corrosive substance, unspecified | 3 | 0.0% |
| T568 | Toxic effect: Other metals | 3 | 0.0% |
| T592 | Toxic effect: Formaldehyde | 1 | 0.0% |
| T597 | Toxic effect: Carbon dioxide | 1 | 0.0% |
| T600 | Toxic effect: Organophosphate and carbamate insecticides | 2 | 0.0% |
| T603 | Toxic effect: Herbicides and fungicides | 1 | 0.0% |
| T622 | Toxic effect: Other ingested (parts of) plant(s) | 91 | 0.0% |
| T628 | Toxic effect: Other specified noxious substances eaten as food | 1 | 0.0% |
| T629 | Toxic effect: Noxious substance eaten as food; unspecified | 1 | 0.0% |
| T630 | Toxic effect: Snake venom | 2 | 0.0% |
| T634 | Toxic effect: Venom of other arthropods | 1 | 0.0% |
| T650 | Toxic effect: Cyanides | 2 | 0.0% |
| T658 | Toxic effect: Toxic effect of other specified substances | 89 | 0.0% |
| T659 | Toxic effect: Toxic effect of unspecified substance | 35 | 0.0% |
| T670 | Heatstroke and sunstroke | 1 | 0.0% |
| T679 | Effect of heat and light, unspecified | 1 | 0.0% |
| T68 | Hypothermia | 3 | 0.0% |
| T699 | Effect of reduced temperature; unspecified | 1 | 0.0% |
| T71 | Asphyxiation | 13 | 0.0% |
| T730 | Effects of hunger | 5 | 0.0% |
| T733 | Exhaustion due to excessive exertion | 1 | 0.0% |
| T74 | Maltreatment syndromes | 1 | 0.0% |
| T740 | Neglect or abandonment | 15 | 0.0% |
| T742 | Sexual abuse | 1 | 0.0% |
| T751 | Drowning and nonfatal submersion | 10 | 0.0% |
| T754 | Effects of electric current | 1 | 0.0% |

File : COD2012

InjuryC: Injury codes for the third condition leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| T782 | Anaphylactic shock, unspecified | 3 | 0.0% |
| T783 | Angioneurotic oedema | 2 | 0.0% |
| T784 | Allergy; unspecified | 5 | 0.0% |
| T791 | Fat embolism (traumatic) | 3 | 0.0% |
| T808 | Other complications following infusion, transfusion and therapeutic injection | 1 | 0.0% |
| T809 | Unspecified complication following infusion; transfusion and therapeutic injection | 4 | 0.0% |
| T811 | Shock during or resulting from a procedure, not elsewhere classified | 3 | 0.0% |
| T812 | Accidental puncture and laceration during a procedure, not elsewhere classified | 1 | 0.0% |
| T813 | Disruption of operation wound; not elsewhere classified | 2 | 0.0% |
| T814 | Infection following a procedure; not elsewhere classified | 9 | 0.0% |
| T817 | Vascular complications following a procedure, not elsewhere classified | 2 | 0.0% |
| T818 | Other complications of procedures; not elsewhere classified | 114 | 0.0% |
| T819 | Unspecified complication of procedure | 122 | 0.0% |
| T82 | Complications of cardiac and vascular prosthetic devices, implants and grafts | 1 | 0.0% |
| T820 | Mechanical complication of heart valve prosthesis | 3 | 0.0% |
| T822 | Mechanical complication of coronary artery bypass and valve grafts | 14 | 0.0% |
| T823 | Mechanical complication of other vascular grafts | 3 | 0.0% |
| T825 | Mechanical complication of other cardiac and vascular devices and implants | 2 | 0.0% |
| T826 | Infection and inflammatory reaction due to cardiac valve prosthesis | 1 | 0.0% |
| T827 | Infection and inflammatory reaction due to other cardiac and vascular devices; implants and grafts | 2 | 0.0% |
| T828 | Other complications of cardiac and vascular prosthetic devices; implants and grafts | 12 | 0.0% |
| T829 | Unspecified complication of cardiac and vascular prosthetic device; implant and graft | 54 | 0.0% |
| T83 | Complications of genitourinary prosthetic devices, implants and grafts | 1 | 0.0% |
| T830 | Mechanical complication of urinary (indwelling) catheter | 2 | 0.0% |
| T835 | Infection and inflammatory reaction due to prosthetic device, implant and graft in urinary system | 1 | 0.0% |
| T838 | Other complications of genitourinary prosthetic devices, implants and grafts | 3 | 0.0% |
| T842 | Mechanical complication of internal fixation device of other bones | 1 | 0.0% |
| T847 | Infection and inflammatory reaction due to other internal orthopaedic prosthetic devices, implants and grafts | 2 | 0.0% |
| T848 | Other complications of internal orthopaedic prosthetic devices; implants and grafts | 3 | 0.0% |
| T849 | Unspecified complication of internal orthopaedic prosthetic device; implant and graft | 17 | 0.0% |
| T851 | Mechanical complication of implanted electronic stimulator of nervous system | 1 | 0.0% |
| T856 | Mechanical complication of other specified internal prosthetic devices; implants and grafts | 1 | 0.0% |

File : COD2012

InjuryC: Injury codes for the third condition leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| T858 | Other complications of internal prosthetic devices; implants and grafts; not elsewhere classified | 5 | 0.0% |
| T859 | Unspecified complication of internal prosthetic device; implant and graft | 17 | 0.0% |
| T86 | Failure and rejection of transplanted organs and tissues | 1 | 0.0% |
| T860 | Bone-marrow transplant rejection | 3 | 0.0% |
| T861 | Kidney transplant failure and rejection | 12 | 0.0% |
| T862 | Heart transplant failure and rejection | 3 | 0.0% |
| T869 | Failure and rejection of unspecified transplanted organ and tissue | 8 | 0.0% |
| T87 | Complications peculiar to reattachment and amputation | 5 | 0.0% |
| T874 | Infection of amputation stump | 4 | 0.0% |
| T875 | Necrosis of amputation stump | 2 | 0.0% |
| T876 | Other and unspecified complications of amputation stump | 101 | 0.0% |
| T88 | Other complications of surgical and medical care, not elsewhere classified | 1 | 0.0% |
| T882 | Shock due to anaesthesia | 1 | 0.0% |
| T888 | Other specified complications of surgical and medical care; not elsewhere classified | 14 | 0.0% |
| T889 | Complication of surgical and medical care; unspecified | 9 | 0.0% |
| T905 | Sequelae of intracranial injury | 1 | 0.0% |
| T908 | Sequelae of other specified injuries of head | 1 | 0.0% |
| T909 | Sequelae of unspecified injury of head | 2 | 0.0% |
| T913 | Sequelae of injury of spinal cord | 2 | 0.0% |
| T918 | Sequelae of other specified injuries of neck and trunk | 1 | 0.0% |
| T941 | Sequelae of injuries; not specified by body region | 1 | 0.0% |
| T983 | Sequelae of complications of surgical and medical care; not elsewhere classified | 18 | 0.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CauseD: Fourth condition leading to death

| | |
|--------------------|--|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the fourth condition leading to death. |

Frequency table not shown (1728 Modalities)

InjuryD: Injury codes for the fourth condition leading to death

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the injury codes for non-natural causes of death. |

| Value | Label | Cases | Percentage |
|-------|---|--------|------------|
| 111 | Natural cause (No injury code) | 22454 | 4.5% |
| 888 | Fourth condition leading to death not mentioned | 471710 | 95.3% |
| S064 | Epidural haemorrhage | 1 | 0.0% |
| S068 | Other intracranial injuries | 1 | 0.0% |
| S069 | Intracranial injury; unspecified | 3 | 0.0% |

File : COD2012

InjuryD: Injury codes for the fourth condition leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| S098 | Other specified injuries of head | 1 | 0.0% |
| S099 | Unspecified injury of head | 8 | 0.0% |
| S129 | Fracture of neck; part unspecified | 2 | 0.0% |
| S219 | Open wound of thorax; part unspecified | 1 | 0.0% |
| S223 | Fracture of rib | 3 | 0.0% |
| S279 | Injury of unspecified intrathoracic organ | 1 | 0.0% |
| S299 | Unspecified injury of thorax | 1 | 0.0% |
| S311 | Open wound of abdominal wall | 1 | 0.0% |
| S318 | Open wound of other and unspecified parts of abdomen | 1 | 0.0% |
| S328 | Fracture of other and unspecified parts of lumbar spine and pelvis | 5 | 0.0% |
| S354 | Injury of renal blood vessels | 1 | 0.0% |
| S366 | Injury of rectum | 1 | 0.0% |
| S370 | Injury of kidney | 1 | 0.0% |
| S399 | Unspecified injury of abdomen; lower back and pelvis | 1 | 0.0% |
| S423 | Fracture of shaft of humerus | 4 | 0.0% |
| S424 | Fracture of lower end of humerus | 1 | 0.0% |
| S430 | Dislocation of shoulder joint | 1 | 0.0% |
| S522 | Fracture of shaft of ulna | 1 | 0.0% |
| S598 | Other specified injuries of forearm | 1 | 0.0% |
| S72 | Fracture of femur | 1 | 0.0% |
| S720 | Fracture of neck of femur | 51 | 0.0% |
| S721 | Pertrochanteric fracture | 5 | 0.0% |
| S722 | Subtrochanteric fracture | 2 | 0.0% |
| S724 | Fracture of lower end of femur | 1 | 0.0% |
| S729 | Fracture of femur; part unspecified | 30 | 0.0% |
| S730 | Dislocation of hip | 1 | 0.0% |
| S799 | Unspecified injury of hip and thigh | 1 | 0.0% |
| S822 | Fracture of shaft of tibia | 1 | 0.0% |
| S828 | Fractures of other parts of lower leg | 1 | 0.0% |
| S829 | Fracture of lower leg; part unspecified | 2 | 0.0% |
| T029 | Multiple fractures, unspecified | 2 | 0.0% |
| T07 | Unspecified multiple injuries | 2 | 0.0% |
| T08 | Fracture of spine; level unspecified | 2 | 0.0% |
| T093 | Injury of spinal cord; level unspecified | 1 | 0.0% |
| T111 | Open wound of upper limb, level unspecified | 1 | 0.0% |
| T141 | Open wound of unspecified body region | 4 | 0.0% |
| T149 | Injury; unspecified | 12 | 0.0% |
| T178 | Foreign body in other and multiple parts of respiratory tract | 1 | 0.0% |
| T179 | Foreign body in respiratory tract; part unspecified | 12 | 0.0% |
| T207 | Corrosion of third degree of head and neck | 1 | 0.0% |
| T240 | Burn of unspecified degree of hip and lower limb, except ankle and foot | 1 | 0.0% |
| T300 | Burn of unspecified body region; unspecified degree | 13 | 0.0% |
| T311 | Burns involving 10-19% of body surface | 1 | 0.0% |

File : COD2012

InjuryD: Injury codes for the fourth condition leading to death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| T360 | Poisoning: Penicillins | 2 | 0.0% |
| T368 | Poisoning: Other systemic antibiotics | 1 | 0.0% |
| T37 | Poisoning by other systemic anti-infectives and antiparasitics | 2 | 0.0% |
| T371 | Poisoning: Antimycobacterial drugs | 2 | 0.0% |
| T373 | Poisoning: Other antiprotozoal drugs | 1 | 0.0% |
| T374 | Poisoning: Anthelminthics | 1 | 0.0% |
| T375 | Poisoning: Antiviral drugs | 73 | 0.0% |
| T379 | Poisoning: Systemic anti-infective and antiparasitic, unspecified | 1 | 0.0% |
| T387 | Poisoning: Androgens and anabolic congeners | 1 | 0.0% |
| T390 | Poisoning: Salicylates | 1 | 0.0% |
| T391 | Poisoning: 4-Aminophenol derivatives | 3 | 0.0% |
| T393 | Poisoning: Other nonsteroidal anti-inflammatory drugs [NSAID] | 2 | 0.0% |
| T398 | Poisoning: Other nonopioid analgesics and antipyretics, not elsewhere classified | 1 | 0.0% |
| T401 | Poisoning: Heroin | 1 | 0.0% |
| T407 | Poisoning: Cannabis (derivatives) | 2 | 0.0% |
| T420 | Poisoning: Hydantoin derivatives | 1 | 0.0% |
| T451 | Poisoning: Antineoplastic and immunosuppressive drugs | 3 | 0.0% |
| T455 | Poisoning: Anticoagulants | 24 | 0.0% |
| T460 | Poisoning: Cardiac-stimulant glycosides and drugs of similar action | 3 | 0.0% |
| T474 | Poisoning: Other laxatives | 1 | 0.0% |
| T478 | Poisoning: Other agents primarily affecting the gastrointestinal system | 2 | 0.0% |
| T486 | Poisoning: Antiasthmatics, not elsewhere classified | 1 | 0.0% |
| T509 | Poisoning: Other and unspecified drugs; medicaments and biological substances | 9 | 0.0% |
| T51 | Toxic effect of alcohol | 1 | 0.0% |
| T510 | Toxic effect: Ethanol | 3 | 0.0% |
| T519 | Toxic effect: Alcohol, unspecified | 4 | 0.0% |
| T542 | Toxic effect: Corrosive acids and acid-like substances | 1 | 0.0% |
| T543 | Toxic effect: Corrosive alkalis and alkali-like substances | 1 | 0.0% |
| T549 | Toxic effect: Corrosive substance, unspecified | 1 | 0.0% |
| T597 | Toxic effect: Carbon dioxide | 1 | 0.0% |
| T600 | Toxic effect: Organophosphate and carbamate insecticides | 1 | 0.0% |
| T608 | Toxic effect: Other pesticides | 1 | 0.0% |
| T62 | Toxic effect of other noxious substances eaten as food | 1 | 0.0% |
| T622 | Toxic effect: Other ingested (parts of) plant(s) | 26 | 0.0% |
| T630 | Toxic effect: Snake venom | 1 | 0.0% |
| T652 | Toxic effect: Tobacco and nicotine | 1 | 0.0% |
| T658 | Toxic effect: Toxic effect of other specified substances | 25 | 0.0% |
| T659 | Toxic effect: Toxic effect of unspecified substance | 12 | 0.0% |
| T66 | Unspecified effects of radiation | 1 | 0.0% |
| T68 | Hypothermia | 2 | 0.0% |
| T740 | Neglect or abandonment | 7 | 0.0% |

File : COD2012

InjuryD: Injury codes for the fourth condition leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| T758 | Other specified effects of external causes | 1 | 0.0% |
| T782 | Anaphylactic shock; unspecified | 4 | 0.0% |
| T784 | Allergy; unspecified | 1 | 0.0% |
| T795 | Traumatic anuria | 1 | 0.0% |
| T809 | Unspecified complication following infusion, transfusion and therapeutic injection | 2 | 0.0% |
| T811 | Shock during or resulting from a procedure, not elsewhere classified | 1 | 0.0% |
| T814 | Infection following a procedure; not elsewhere classified | 6 | 0.0% |
| T815 | Foreign body accidentally left in body cavity or operation wound following a procedure | 1 | 0.0% |
| T816 | Acute reaction to foreign substance accidentally left during a procedure | 1 | 0.0% |
| T818 | Other complications of procedures; not elsewhere classified | 43 | 0.0% |
| T819 | Unspecified complication of procedure | 71 | 0.0% |
| T822 | Mechanical complication of coronary artery bypass and valve grafts | 8 | 0.0% |
| T826 | Infection and inflammatory reaction due to cardiac valve prosthesis | 2 | 0.0% |
| T827 | Infection and inflammatory reaction due to other cardiac and vascular devices, implants and grafts | 2 | 0.0% |
| T828 | Other complications of cardiac and vascular prosthetic devices; implants and grafts | 4 | 0.0% |
| T829 | Unspecified complication of cardiac and vascular prosthetic device; implant and graft | 26 | 0.0% |
| T832 | Mechanical complication of graft of urinary organ | 1 | 0.0% |
| T833 | Mechanical complication of intrauterine contraceptive device | 1 | 0.0% |
| T835 | Infection and inflammatory reaction due to prosthetic device, implant and graft in urinary system | 1 | 0.0% |
| T839 | Unspecified complication of genitourinary prosthetic device; implant and graft | 2 | 0.0% |
| T847 | Infection and inflammatory reaction due to other internal orthopaedic prosthetic devices, implants and grafts | 1 | 0.0% |
| T848 | Other complications of internal orthopaedic prosthetic devices, implants and grafts | 1 | 0.0% |
| T850 | Mechanical complication of ventricular intracranial (communicating) shunt | 1 | 0.0% |
| T855 | Mechanical complication of gastrointestinal prosthetic devices, implants and grafts | 1 | 0.0% |
| T857 | Infection and inflammatory reaction due to other internal prosthetic devices; implants and grafts | 2 | 0.0% |
| T858 | Other complications of internal prosthetic devices; implants and grafts; not elsewhere classified | 2 | 0.0% |
| T859 | Unspecified complication of internal prosthetic device; implant and graft | 9 | 0.0% |
| T861 | Kidney transplant failure and rejection | 1 | 0.0% |
| T862 | Heart transplant failure and rejection | 2 | 0.0% |
| T864 | Liver transplant failure and rejection | 1 | 0.0% |
| T869 | Failure and rejection of unspecified transplanted organ and tissue | 6 | 0.0% |
| T874 | Infection of amputation stump | 2 | 0.0% |
| T875 | Necrosis of amputation stump | 1 | 0.0% |

File : COD2012

InjuryD: Injury codes for the fourth condition leading to death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| T876 | Other and unspecified complications of amputation stump | 65 | 0.0% |
| T888 | Other specified complications of surgical and medical care; not elsewhere classified | 4 | 0.0% |
| T889 | Complication of surgical and medical care; unspecified | 7 | 0.0% |
| T909 | Sequelae of unspecified injury of head | 1 | 0.0% |
| T918 | Sequelae of other specified injuries of neck and trunk | 1 | 0.0% |
| T931 | Sequelae of fracture of femur | 1 | 0.0% |
| T941 | Sequelae of injuries; not specified by body region | 1 | 0.0% |
| T983 | Sequelae of complications of surgical and medical care; not elsewhere classified | 6 | 0.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OtherCause: Other conditions leading to death

| | |
|--------------------|--|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on other conditions leading to death. |

| Value | Label | Cases | Percentage |
|-------|---|--------|------------|
| 888 | Other conditions leading to death not mentioned | 489818 | 99.0% |
| A039 | Shigellosis, unspecified | 1 | 0.0% |
| A069 | Amoebiasis, unspecified | 1 | 0.0% |
| A09 | Diarrhoea and gastroenteritis of presumed infectious origin | 59 | 0.0% |
| A16 | Respiratory tuberculosis; not confirmed bacteriologically or histologically | 1 | 0.0% |
| A162 | Tuberculosis of lung; without mention of bacteriological or histological confirmation | 129 | 0.0% |
| A165 | Tuberculous pleurisy; without mention of bacteriological or histological confirmation | 1 | 0.0% |
| A169 | Respiratory tuberculosis unspecified; without mention of bacteriological or histological confirmation | 35 | 0.0% |
| A170 | Tuberculous meningitis | 8 | 0.0% |
| A178 | Other tuberculosis of nervous system | 1 | 0.0% |
| A18 | Tuberculosis of other organs | 1 | 0.0% |
| A180 | Tuberculosis of bones and joints | 1 | 0.0% |
| A182 | Tuberculous peripheral lymphadenopathy | 2 | 0.0% |
| A183 | Tuberculosis of intestines; peritoneum and mesenteric glands | 9 | 0.0% |
| A188 | Tuberculosis of other specified organs | 1 | 0.0% |
| A19 | Miliary tuberculosis | 1 | 0.0% |
| A199 | Miliary tuberculosis; unspecified | 18 | 0.0% |
| A41 | Other septicaemia | 1 | 0.0% |
| A415 | Septicaemia due to other Gram-negative organisms | 1 | 0.0% |
| A419 | Septicaemia; unspecified | 77 | 0.0% |
| A480 | Gas gangrene | 1 | 0.0% |
| A488 | Other specified bacterial diseases | 1 | 0.0% |
| A499 | Bacterial infection, unspecified | 2 | 0.0% |
| A523 | Neurosyphilis; unspecified | 1 | 0.0% |

File : COD2012

OtherCause: Other conditions leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| A539 | Syphilis, unspecified | 2 | 0.0% |
| A600 | Herpesviral infection of genitalia and urogenital tract | 1 | 0.0% |
| A64 | Unspecified sexually transmitted disease | 3 | 0.0% |
| A849 | Tick-borne viral encephalitis, unspecified | 2 | 0.0% |
| A879 | Viral meningitis, unspecified | 1 | 0.0% |
| B009 | Herpesviral infection; unspecified | 3 | 0.0% |
| B029 | Zoster without complication | 4 | 0.0% |
| B07 | Viral warts | 2 | 0.0% |
| B081 | Molluscum contagiosum | 1 | 0.0% |
| B159 | Hepatitis A without hepatic coma | 1 | 0.0% |
| B169 | Acute hepatitis B without delta-agent and without hepatic coma | 8 | 0.0% |
| B24 | Unspecified human immunodeficiency virus [HIV] disease | 293 | 0.1% |
| B259 | Cytomegaloviral disease; unspecified | 1 | 0.0% |
| B33 | Other viral diseases; not elsewhere classified | 6 | 0.0% |
| B333 | Retrovirus infections; not elsewhere classified | 374 | 0.1% |
| B349 | Viral infection; unspecified | 5 | 0.0% |
| B370 | Candidal stomatitis | 10 | 0.0% |
| B378 | Candidiasis of other sites | 14 | 0.0% |
| B379 | Candidiasis; unspecified | 3 | 0.0% |
| B449 | Aspergillosis, unspecified | 1 | 0.0% |
| B451 | Cerebral cryptococcosis | 4 | 0.0% |
| B459 | Cryptococcosis, unspecified | 1 | 0.0% |
| B54 | Unspecified malaria | 2 | 0.0% |
| B59 | Pneumocystosis | 12 | 0.0% |
| B690 | Cysticercosis of central nervous system | 1 | 0.0% |
| B86 | Scabies | 1 | 0.0% |
| B90 | Sequelae of tuberculosis | 2 | 0.0% |
| B909 | Sequelae of respiratory and unspecified tuberculosis | 26 | 0.0% |
| B99 | Other and unspecified infectious diseases | 6 | 0.0% |
| C069 | Malignant neoplasm: Mouth, unspecified | 1 | 0.0% |
| C140 | Malignant neoplasm: Pharynx, unspecified | 1 | 0.0% |
| C159 | Malignant neoplasm: Oesophagus; unspecified | 3 | 0.0% |
| C16 | Malignant neoplasm of stomach | 1 | 0.0% |
| C169 | Malignant neoplasm: Stomach; unspecified | 5 | 0.0% |
| C189 | Malignant neoplasm: Colon; unspecified | 6 | 0.0% |
| C19 | Malignant neoplasm of rectosigmoid junction | 1 | 0.0% |
| C20 | Malignant neoplasm of rectum | 3 | 0.0% |
| C220 | Malignant neoplasm: Liver cell carcinoma | 3 | 0.0% |
| C229 | Malignant neoplasm: Liver; unspecified | 5 | 0.0% |
| C250 | Malignant neoplasm: Head of pancreas | 1 | 0.0% |
| C259 | Malignant neoplasm: Pancreas; unspecified | 4 | 0.0% |
| C260 | Malignant neoplasm: Intestinal tract; part unspecified | 1 | 0.0% |
| C269 | Malignant neoplasm: Ill-defined sites within the digestive system | 1 | 0.0% |

File : COD2012

OtherCause: Other conditions leading to death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| C329 | Malignant neoplasm: Larynx, unspecified | 1 | 0.0% |
| C349 | Malignant neoplasm: Bronchus or lung; unspecified | 9 | 0.0% |
| C412 | Malignant neoplasm: Vertebral column | 1 | 0.0% |
| C439 | Malignant neoplasm: Malignant melanoma of skin; unspecified | 1 | 0.0% |
| C443 | Malignant neoplasm: Skin of other and unspecified parts of face | 1 | 0.0% |
| C449 | Malignant neoplasm: Malignant neoplasm of skin; unspecified | 4 | 0.0% |
| C459 | Mesothelioma, unspecified | 1 | 0.0% |
| C467 | Kaposi's sarcoma of other sites | 1 | 0.0% |
| C468 | Kaposi's sarcoma of multiple organs | 1 | 0.0% |
| C469 | Kaposi's sarcoma; unspecified | 12 | 0.0% |
| C499 | Malignant neoplasm: Connective and soft tissue, unspecified | 1 | 0.0% |
| C509 | Malignant neoplasm: Breast; unspecified | 10 | 0.0% |
| C519 | Malignant neoplasm: Vulva, unspecified | 1 | 0.0% |
| C539 | Malignant neoplasm: Cervix uteri; unspecified | 11 | 0.0% |
| C54 | Malignant neoplasm of corpus uteri | 1 | 0.0% |
| C541 | Malignant neoplasm: Endometrium | 2 | 0.0% |
| C55 | Malignant neoplasm of uterus, part unspecified | 1 | 0.0% |
| C56 | Malignant neoplasm of ovary | 1 | 0.0% |
| C609 | Malignant neoplasm: Penis, unspecified | 1 | 0.0% |
| C61 | Malignant neoplasm of prostate | 25 | 0.0% |
| C64 | Malignant neoplasm of kidney; except renal pelvis | 4 | 0.0% |
| C679 | Malignant neoplasm: Bladder; unspecified | 5 | 0.0% |
| C692 | Malignant neoplasm: Retina | 1 | 0.0% |
| C719 | Malignant neoplasm: Brain, unspecified | 3 | 0.0% |
| C73 | Malignant neoplasm of thyroid gland | 1 | 0.0% |
| C760 | Malignant neoplasm of other and ill-defined sites: Head, face and neck | 1 | 0.0% |
| C780 | Secondary malignant neoplasm of lung | 8 | 0.0% |
| C782 | Secondary malignant neoplasm of pleura | 1 | 0.0% |
| C786 | Secondary malignant neoplasm of retroperitoneum and peritoneum | 1 | 0.0% |
| C787 | Secondary malignant neoplasm of liver | 4 | 0.0% |
| C788 | Secondary malignant neoplasm of other and unspecified digestive organs | 2 | 0.0% |
| C790 | Secondary malignant neoplasm of kidney and renal pelvis | 1 | 0.0% |
| C791 | Secondary malignant neoplasm of bladder and other and unspecified urinary organs | 1 | 0.0% |
| C793 | Secondary malignant neoplasm of brain and cerebral meninges | 4 | 0.0% |
| C795 | Secondary malignant neoplasm of bone and bone marrow | 3 | 0.0% |
| C798 | Secondary malignant neoplasm of other specified sites | 1 | 0.0% |
| C80 | Malignant neoplasm without specification of site | 36 | 0.0% |
| C829 | Follicular non-Hodgkin's lymphoma, unspecified | 1 | 0.0% |
| C859 | Non-Hodgkin's lymphoma; unspecified type | 3 | 0.0% |
| C900 | Multiple myeloma | 3 | 0.0% |
| C919 | Lymphoid leukaemia, unspecified | 1 | 0.0% |

File : COD2012

OtherCause: Other conditions leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| C920 | Acute myeloid leukaemia | 1 | 0.0% |
| C959 | Leukaemia, unspecified | 1 | 0.0% |
| D049 | Carcinoma in situ: Skin, unspecified | 1 | 0.0% |
| D159 | Benign neoplasm: Intrathoracic organ, unspecified | 1 | 0.0% |
| D259 | Leiomyoma of uterus, unspecified | 1 | 0.0% |
| D350 | Benign neoplasm: Adrenal gland | 1 | 0.0% |
| D375 | Neoplasm of uncertain or unknown behaviour: Rectum | 1 | 0.0% |
| D376 | Neoplasm of uncertain or unknown behaviour: Liver, gallbladder and bile ducts | 1 | 0.0% |
| D381 | Neoplasm of uncertain or unknown behaviour: Trachea, bronchus and lung | 1 | 0.0% |
| D400 | Neoplasm of uncertain or unknown behaviour: Prostate | 1 | 0.0% |
| D401 | Neoplasm of uncertain or unknown behaviour: Testis | 1 | 0.0% |
| D429 | Neoplasm of uncertain or unknown behaviour: Meninges, unspecified | 1 | 0.0% |
| D45 | Polycythaemia vera | 1 | 0.0% |
| D469 | Myelodysplastic syndrome; unspecified | 4 | 0.0% |
| D500 | Iron deficiency anaemia secondary to blood loss (chronic) | 2 | 0.0% |
| D508 | Other iron deficiency anaemias | 2 | 0.0% |
| D509 | Iron deficiency anaemia; unspecified | 4 | 0.0% |
| D529 | Folate deficiency anaemia, unspecified | 1 | 0.0% |
| D539 | Nutritional anaemia, unspecified | 1 | 0.0% |
| D589 | Hereditary haemolytic anaemia, unspecified | 1 | 0.0% |
| D598 | Other acquired haemolytic anaemias | 1 | 0.0% |
| D61 | Other aplastic anaemias | 2 | 0.0% |
| D610 | Constitutional aplastic anaemia | 1 | 0.0% |
| D619 | Aplastic anaemia; unspecified | 20 | 0.0% |
| D64 | Other anaemias | 2 | 0.0% |
| D640 | Hereditary sideroblastic anaemia | 1 | 0.0% |
| D648 | Other specified anaemias | 1 | 0.0% |
| D649 | Anaemia; unspecified | 127 | 0.0% |
| D65 | Disseminated intravascular coagulation [defibrination syndrome] | 10 | 0.0% |
| D66 | Hereditary factor VIII deficiency | 1 | 0.0% |
| D689 | Coagulation defect; unspecified | 1 | 0.0% |
| D690 | Allergic purpura | 1 | 0.0% |
| D693 | Idiopathic thrombocytopenic purpura | 1 | 0.0% |
| D694 | Other primary thrombocytopenia | 1 | 0.0% |
| D696 | Thrombocytopenia; unspecified | 12 | 0.0% |
| D70 | Agranulocytosis | 5 | 0.0% |
| D758 | Other specified diseases of blood and blood-forming organs | 1 | 0.0% |
| D759 | Disease of blood and blood-forming organs, unspecified | 1 | 0.0% |
| D821 | Di George's syndrome | 1 | 0.0% |
| D84 | Other immunodeficiencies | 1 | 0.0% |
| D849 | Immunodeficiency; unspecified | 254 | 0.1% |

File : COD2012

OtherCause: Other conditions leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| D869 | Sarcoidosis; unspecified | 1 | 0.0% |
| E03 | Other hypothyroidism | 1 | 0.0% |
| E039 | Hypothyroidism; unspecified | 14 | 0.0% |
| E042 | Nontoxic multinodular goitre | 1 | 0.0% |
| E049 | Nontoxic goitre, unspecified | 1 | 0.0% |
| E059 | Thyrotoxicosis; unspecified | 2 | 0.0% |
| E10 | Insulin-dependent diabetes mellitus | 1 | 0.0% |
| E101 | Insulin-dependent diabetes mellitus: With ketoacidosis | 1 | 0.0% |
| E107 | Insulin-dependent diabetes mellitus: With multiple complications | 1 | 0.0% |
| E109 | Insulin-dependent diabetes mellitus: Without complications | 3 | 0.0% |
| E116 | Non-insulin-dependent diabetes mellitus: With other specified complications | 1 | 0.0% |
| E119 | Non-insulin-dependent diabetes mellitus: Without complications | 30 | 0.0% |
| E14 | Unspecified diabetes mellitus | 4 | 0.0% |
| E140 | Unspecified diabetes mellitus: With coma | 1 | 0.0% |
| E142 | Unspecified diabetes mellitus: With renal complications | 1 | 0.0% |
| E145 | Unspecified diabetes mellitus: With peripheral circulatory complications | 2 | 0.0% |
| E146 | Unspecified diabetes mellitus: With other specified complications | 8 | 0.0% |
| E149 | Unspecified diabetes mellitus: Without complications | 308 | 0.1% |
| E162 | Hypoglycaemia; unspecified | 21 | 0.0% |
| E169 | Disorder of pancreatic internal secretion, unspecified | 1 | 0.0% |
| E209 | Hypoparathyroidism, unspecified | 1 | 0.0% |
| E232 | Diabetes insipidus | 1 | 0.0% |
| E40 | Kwashiorkor | 5 | 0.0% |
| E41 | Nutritional marasmus | 5 | 0.0% |
| E43 | Unspecified severe protein-energy malnutrition | 6 | 0.0% |
| E441 | Mild protein-energy malnutrition | 1 | 0.0% |
| E46 | Unspecified protein-energy malnutrition | 47 | 0.0% |
| E512 | Wernicke's encephalopathy | 1 | 0.0% |
| E531 | Pyridoxine deficiency | 1 | 0.0% |
| E538 | Deficiency of other specified B group vitamins | 1 | 0.0% |
| E550 | Rickets, active | 1 | 0.0% |
| E668 | Other obesity | 7 | 0.0% |
| E669 | Obesity; unspecified | 27 | 0.0% |
| E70 | Disorders of aromatic amino-acid metabolism | 1 | 0.0% |
| E700 | Classical phenylketonuria | 1 | 0.0% |
| E711 | Other disorders of branched-chain amino-acid metabolism | 1 | 0.0% |
| E743 | Other disorders of intestinal carbohydrate absorption | 1 | 0.0% |
| E749 | Disorder of carbohydrate metabolism, unspecified | 1 | 0.0% |
| E778 | Other disorders of glycoprotein metabolism | 1 | 0.0% |
| E78 | Disorders of lipoprotein metabolism and other lipidaemias | 1 | 0.0% |
| E780 | Pure hypercholesterolaemia | 21 | 0.0% |
| E785 | Hyperlipidaemia; unspecified | 9 | 0.0% |

File : COD2012

OtherCause: Other conditions leading to death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| E788 | Other disorders of lipoprotein metabolism | 1 | 0.0% |
| E789 | Disorder of lipoprotein metabolism, unspecified | 2 | 0.0% |
| E790 | Hyperuricaemia without signs of inflammatory arthritis and tophaceous disease | 1 | 0.0% |
| E802 | Other porphyria | 1 | 0.0% |
| E834 | Disorders of magnesium metabolism | 1 | 0.0% |
| E835 | Disorders of calcium metabolism | 1 | 0.0% |
| E86 | Volume depletion | 36 | 0.0% |
| E870 | Hyperosmolality and hypernatraemia | 14 | 0.0% |
| E871 | Hypo-osmolality and hyponatraemia | 6 | 0.0% |
| E872 | Acidosis | 13 | 0.0% |
| E874 | Mixed disorder of acid-base balance | 3 | 0.0% |
| E875 | Hyperkalaemia | 10 | 0.0% |
| E876 | Hypokalaemia | 13 | 0.0% |
| E877 | Fluid overload | 1 | 0.0% |
| E878 | Other disorders of electrolyte and fluid balance; not elsewhere classified | 13 | 0.0% |
| E880 | Disorders of plasma-protein metabolism; not elsewhere classified | 8 | 0.0% |
| E889 | Metabolic disorder, unspecified | 4 | 0.0% |
| F011 | Multi-infarct dementia | 1 | 0.0% |
| F019 | Vascular dementia; unspecified | 3 | 0.0% |
| F03 | Unspecified dementia | 36 | 0.0% |
| F059 | Delirium, unspecified | 2 | 0.0% |
| F101 | Mental and behavioural disorders due to use of alcohol: Harmful use | 16 | 0.0% |
| F102 | Mental and behavioural disorders due to use of alcohol: Dependence syndrome | 6 | 0.0% |
| F17 | Mental and behavioural disorders due to use of tobacco | 1 | 0.0% |
| F171 | Mental and behavioural disorders due to use of tobacco: Harmful use | 22 | 0.0% |
| F172 | Mental and behavioural disorders due to use of tobacco: Dependence syndrome | 9 | 0.0% |
| F177 | Mental and behavioural disorders due to use of tobacco: Residual and late-onset psychotic disorder | 1 | 0.0% |
| F179 | Mental and behavioural disorders due to use of tobacco: Unspecified mental and behavioural disorder | 7 | 0.0% |
| F198 | Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances: Other mental and behavioural disorders | 1 | 0.0% |
| F209 | Schizophrenia; unspecified | 8 | 0.0% |
| F259 | Schizoaffective disorder, unspecified | 1 | 0.0% |
| F29 | Unspecified nonorganic psychosis | 4 | 0.0% |
| F329 | Depressive episode; unspecified | 5 | 0.0% |
| F79 | Unspecified mental retardation | 1 | 0.0% |
| F799 | Unspecified mental retardation: Without mention of impairment of behaviour | 2 | 0.0% |
| F99 | Mental disorder; not otherwise specified | 2 | 0.0% |
| G039 | Meningitis; unspecified | 10 | 0.0% |

File : COD2012

OtherCause: Other conditions leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| G048 | Other encephalitis, myelitis and encephalomyelitis | 1 | 0.0% |
| G049 | Encephalitis; myelitis and encephalomyelitis; unspecified | 6 | 0.0% |
| G062 | Extradural and subdural abscess, unspecified | 1 | 0.0% |
| G08 | Intracranial and intraspinal phlebitis and thrombophlebitis | 1 | 0.0% |
| G09 | Sequelae of inflammatory diseases of central nervous system | 1 | 0.0% |
| G122 | Motor neuron disease | 1 | 0.0% |
| G20 | Parkinson's disease | 25 | 0.0% |
| G309 | Alzheimer's disease; unspecified | 6 | 0.0% |
| G319 | Degenerative disease of nervous system; unspecified | 2 | 0.0% |
| G35 | Multiple sclerosis | 1 | 0.0% |
| G373 | Acute transverse myelitis in demyelinating disease of central nervous system | 1 | 0.0% |
| G401 | Localization-related (focal)(partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures | 1 | 0.0% |
| G409 | Epilepsy; unspecified | 44 | 0.0% |
| G419 | Status epilepticus, unspecified | 2 | 0.0% |
| G459 | Transient cerebral ischaemic attack; unspecified | 3 | 0.0% |
| G473 | Sleep apnoea | 1 | 0.0% |
| G510 | Bell's palsy | 1 | 0.0% |
| G542 | Cervical root disorders, not elsewhere classified | 1 | 0.0% |
| G588 | Other specified mononeuropathies | 1 | 0.0% |
| G628 | Other specified polyneuropathies | 1 | 0.0% |
| G629 | Polyneuropathy; unspecified | 2 | 0.0% |
| G700 | Myasthenia gravis | 2 | 0.0% |
| G728 | Other specified myopathies | 1 | 0.0% |
| G729 | Myopathy; unspecified | 1 | 0.0% |
| G809 | Cerebral palsy; unspecified | 7 | 0.0% |
| G819 | Hemiplegia; unspecified | 16 | 0.0% |
| G822 | Paraplegia; unspecified | 9 | 0.0% |
| G824 | Spastic tetraplegia | 1 | 0.0% |
| G839 | Paralytic syndrome, unspecified | 1 | 0.0% |
| G919 | Hydrocephalus; unspecified | 5 | 0.0% |
| G93 | Other disorders of brain | 1 | 0.0% |
| G931 | Anoxic brain damage, not elsewhere classified | 7 | 0.0% |
| G932 | Benign intracranial hypertension | 3 | 0.0% |
| G934 | Encephalopathy; unspecified | 19 | 0.0% |
| G939 | Disorder of brain; unspecified | 6 | 0.0% |
| G959 | Disease of spinal cord; unspecified | 5 | 0.0% |
| H108 | Other conjunctivitis | 1 | 0.0% |
| H162 | Keratoconjunctivitis | 1 | 0.0% |
| H189 | Disorder of cornea, unspecified | 1 | 0.0% |
| H350 | Background retinopathy and retinal vascular changes | 1 | 0.0% |
| H472 | Optic atrophy | 1 | 0.0% |
| H540 | Blindness, both eyes | 4 | 0.0% |

File : COD2012

OtherCause: Other conditions leading to death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| I050 | Mitral stenosis | 2 | 0.0% |
| I058 | Other mitral valve diseases | 1 | 0.0% |
| I071 | Tricuspid insufficiency | 2 | 0.0% |
| I089 | Multiple valve disease, unspecified | 1 | 0.0% |
| I10 | Essential (primary) hypertension | 308 | 0.1% |
| I110 | Hypertensive heart disease with (congestive) heart failure | 12 | 0.0% |
| I119 | Hypertensive heart disease without (congestive) heart failure | 8 | 0.0% |
| I12 | Hypertensive renal disease | 1 | 0.0% |
| I120 | Hypertensive renal disease with renal failure | 15 | 0.0% |
| I129 | Hypertensive renal disease without renal failure | 1 | 0.0% |
| I130 | Hypertensive heart and renal disease with (congestive) heart failure | 1 | 0.0% |
| I209 | Angina pectoris, unspecified | 2 | 0.0% |
| I219 | Acute myocardial infarction; unspecified | 18 | 0.0% |
| I24 | Other acute ischaemic heart diseases | 2 | 0.0% |
| I251 | Atherosclerotic heart disease | 3 | 0.0% |
| I255 | Ischaemic cardiomyopathy | 3 | 0.0% |
| I259 | Chronic ischaemic heart disease; unspecified | 70 | 0.0% |
| I269 | Pulmonary embolism without mention of acute cor pulmonale | 19 | 0.0% |
| I27 | Other pulmonary heart diseases | 1 | 0.0% |
| I272 | Other secondary pulmonary hypertension | 3 | 0.0% |
| I279 | Pulmonary heart disease; unspecified | 15 | 0.0% |
| I313 | Pericardial effusion (noninflammatory) | 1 | 0.0% |
| I330 | Acute and subacute infective endocarditis | 2 | 0.0% |
| I340 | Mitral (valve) insufficiency | 6 | 0.0% |
| I350 | Aortic (valve) stenosis | 6 | 0.0% |
| I351 | Aortic (valve) insufficiency | 2 | 0.0% |
| I352 | Aortic (valve) stenosis with insufficiency | 1 | 0.0% |
| I359 | Aortic valve disorder; unspecified | 4 | 0.0% |
| I38 | Endocarditis; valve unspecified | 5 | 0.0% |
| I409 | Acute myocarditis, unspecified | 1 | 0.0% |
| I420 | Dilated cardiomyopathy | 12 | 0.0% |
| I429 | Cardiomyopathy; unspecified | 11 | 0.0% |
| I451 | Other and unspecified right bundle-branch block | 1 | 0.0% |
| I459 | Conduction disorder; unspecified | 3 | 0.0% |
| I469 | Cardiac arrest; unspecified | 9 | 0.0% |
| I47 | Paroxysmal tachycardia | 1 | 0.0% |
| I471 | Supraventricular tachycardia | 2 | 0.0% |
| I472 | Ventricular tachycardia | 2 | 0.0% |
| I48 | Atrial fibrillation and flutter | 58 | 0.0% |
| I494 | Other and unspecified premature depolarization | 1 | 0.0% |
| I495 | Sick sinus syndrome | 1 | 0.0% |
| I499 | Cardiac arrhythmia; unspecified | 9 | 0.0% |
| I500 | Congestive heart failure | 23 | 0.0% |

File : COD2012

OtherCause: Other conditions leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| I501 | Left ventricular failure | 1 | 0.0% |
| I509 | Heart failure; unspecified | 18 | 0.0% |
| I510 | Cardiac septal defect, acquired | 2 | 0.0% |
| I512 | Rupture of papillary muscle, not elsewhere classified | 1 | 0.0% |
| I514 | Myocarditis; unspecified | 2 | 0.0% |
| I516 | Cardiovascular disease; unspecified | 1 | 0.0% |
| I517 | Cardiomegaly | 2 | 0.0% |
| I519 | Heart disease; unspecified | 5 | 0.0% |
| I609 | Subarachnoid haemorrhage; unspecified | 3 | 0.0% |
| I619 | Intracerebral haemorrhage; unspecified | 3 | 0.0% |
| I629 | Intracranial haemorrhage (nontraumatic), unspecified | 1 | 0.0% |
| I633 | Cerebral infarction due to thrombosis of cerebral arteries | 1 | 0.0% |
| I639 | Cerebral infarction; unspecified | 10 | 0.0% |
| I64 | Stroke; not specified as haemorrhage or infarction | 101 | 0.0% |
| I672 | Cerebral atherosclerosis | 1 | 0.0% |
| I678 | Other specified cerebrovascular diseases | 1 | 0.0% |
| I69 | Sequelae of cerebrovascular disease | 1 | 0.0% |
| I690 | Sequelae of subarachnoid haemorrhage | 1 | 0.0% |
| I694 | Sequelae of stroke; not specified as haemorrhage or infarction | 10 | 0.0% |
| I698 | Sequelae of other and unspecified cerebrovascular diseases | 2 | 0.0% |
| I700 | Atherosclerosis of aorta | 1 | 0.0% |
| I709 | Generalized and unspecified atherosclerosis | 8 | 0.0% |
| I712 | Thoracic aortic aneurysm, without mention of rupture | 1 | 0.0% |
| I713 | Abdominal aortic aneurysm, ruptured | 1 | 0.0% |
| I714 | Abdominal aortic aneurysm, without mention of rupture | 4 | 0.0% |
| I719 | Aortic aneurysm of unspecified site; without mention of rupture | 4 | 0.0% |
| I723 | Aneurysm of iliac artery | 1 | 0.0% |
| I729 | Aneurysm of unspecified site | 2 | 0.0% |
| I739 | Peripheral vascular disease; unspecified | 25 | 0.0% |
| I749 | Embolism and thrombosis of unspecified artery | 3 | 0.0% |
| I771 | Stricture of artery | 2 | 0.0% |
| I776 | Arteritis, unspecified | 2 | 0.0% |
| I802 | Phlebitis and thrombophlebitis of other deep vessels of lower extremities | 25 | 0.0% |
| I803 | Phlebitis and thrombophlebitis of lower extremities, unspecified | 1 | 0.0% |
| I809 | Phlebitis and thrombophlebitis of unspecified site | 1 | 0.0% |
| I829 | Embolism and thrombosis of unspecified vein | 1 | 0.0% |
| I849 | Unspecified haemorrhoids without complication | 1 | 0.0% |
| I859 | Oesophageal varices without bleeding | 1 | 0.0% |
| I871 | Compression of vein | 1 | 0.0% |
| I891 | Lymphangitis | 1 | 0.0% |
| I95 | Hypotension | 1 | 0.0% |
| I959 | Hypotension; unspecified | 7 | 0.0% |
| I99 | Other and unspecified disorders of circulatory system | 12 | 0.0% |

File : COD2012

OtherCause: Other conditions leading to death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| J069 | Acute upper respiratory infection, unspecified | 1 | 0.0% |
| J111 | Influenza with other respiratory manifestations, virus not identified | 1 | 0.0% |
| J118 | Influenza with other manifestations, virus not identified | 1 | 0.0% |
| J150 | Pneumonia due to Klebsiella pneumoniae | 1 | 0.0% |
| J18 | Pneumonia; organism unspecified | 1 | 0.0% |
| J180 | Bronchopneumonia; unspecified | 11 | 0.0% |
| J181 | Lobar pneumonia; unspecified | 3 | 0.0% |
| J189 | Pneumonia; unspecified | 49 | 0.0% |
| J209 | Acute bronchitis, unspecified | 1 | 0.0% |
| J22 | Unspecified acute lower respiratory infection | 36 | 0.0% |
| J329 | Chronic sinusitis; unspecified | 3 | 0.0% |
| J398 | Other specified diseases of upper respiratory tract | 1 | 0.0% |
| J40 | Bronchitis, not specified as acute or chronic | 1 | 0.0% |
| J41 | Simple and mucopurulent chronic bronchitis | 1 | 0.0% |
| J439 | Emphysema; unspecified | 8 | 0.0% |
| J44 | Other chronic obstructive pulmonary disease | 1 | 0.0% |
| J440 | Chronic obstructive pulmonary disease with acute lower respiratory infection | 1 | 0.0% |
| J448 | Other specified chronic obstructive pulmonary disease | 1 | 0.0% |
| J449 | Chronic obstructive pulmonary disease; unspecified | 83 | 0.0% |
| J459 | Asthma; unspecified | 24 | 0.0% |
| J47 | Bronchiectasis | 13 | 0.0% |
| J64 | Unspecified pneumoconiosis | 2 | 0.0% |
| J690 | Pneumonitis due to food and vomit | 6 | 0.0% |
| J80 | Adult respiratory distress syndrome | 9 | 0.0% |
| J81 | Pulmonary oedema | 9 | 0.0% |
| J841 | Other interstitial pulmonary diseases with fibrosis | 4 | 0.0% |
| J849 | Interstitial pulmonary disease; unspecified | 1 | 0.0% |
| J852 | Abscess of lung without pneumonia | 1 | 0.0% |
| J869 | Pyothorax without fistula | 1 | 0.0% |
| J90 | Pleural effusion; not elsewhere classified | 11 | 0.0% |
| J930 | Spontaneous tension pneumothorax | 1 | 0.0% |
| J939 | Pneumothorax; unspecified | 1 | 0.0% |
| J960 | Acute respiratory failure | 2 | 0.0% |
| J961 | Chronic respiratory failure | 1 | 0.0% |
| J969 | Respiratory failure; unspecified | 12 | 0.0% |
| J980 | Diseases of bronchus; not elsewhere classified | 1 | 0.0% |
| J984 | Other disorders of lung | 9 | 0.0% |
| J988 | Other specified respiratory disorders | 4 | 0.0% |
| K102 | Inflammatory conditions of jaws | 1 | 0.0% |
| K137 | Other and unspecified lesions of oral mucosa | 1 | 0.0% |
| K20 | Oesophagitis | 1 | 0.0% |
| K219 | Gastro-oesophageal reflux disease without oesophagitis | 2 | 0.0% |
| K221 | Ulcer of oesophagus | 1 | 0.0% |

File : COD2012

OtherCause: Other conditions leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| K222 | Oesophageal obstruction | 1 | 0.0% |
| K255 | Gastric ulcer: Chronic or unspecified with perforation | 1 | 0.0% |
| K259 | Gastric ulcer: Unspecified as acute or chronic; without haemorrhage or perforation | 1 | 0.0% |
| K264 | Duodenal ulcer: Chronic or unspecified with haemorrhage | 1 | 0.0% |
| K265 | Duodenal ulcer: Chronic or unspecified with perforation | 1 | 0.0% |
| K267 | Duodenal ulcer: Chronic without haemorrhage or perforation | 1 | 0.0% |
| K269 | Duodenal ulcer: Unspecified as acute or chronic, without haemorrhage or perforation | 2 | 0.0% |
| K274 | Peptic ulcer; site unspecified: Chronic or unspecified with haemorrhage | 3 | 0.0% |
| K275 | Peptic ulcer, site unspecified: Chronic or unspecified with perforation | 1 | 0.0% |
| K279 | Peptic ulcer; site unspecified: Unspecified as acute or chronic; without haemorrhage or perforation | 11 | 0.0% |
| K292 | Alcoholic gastritis | 1 | 0.0% |
| K297 | Gastritis; unspecified | 3 | 0.0% |
| K298 | Duodenitis | 1 | 0.0% |
| K311 | Adult hypertrophic pyloric stenosis | 2 | 0.0% |
| K350 | Acute appendicitis with generalized peritonitis | 1 | 0.0% |
| K403 | Unilateral or unspecified inguinal hernia, with obstruction, without gangrene | 1 | 0.0% |
| K409 | Unilateral or unspecified inguinal hernia; without obstruction or gangrene | 1 | 0.0% |
| K419 | Unilateral or unspecified femoral hernia, without obstruction or gangrene | 1 | 0.0% |
| K429 | Umbilical hernia without obstruction or gangrene | 1 | 0.0% |
| K449 | Diaphragmatic hernia without obstruction or gangrene | 3 | 0.0% |
| K460 | Unspecified abdominal hernia with obstruction, without gangrene | 1 | 0.0% |
| K519 | Ulcerative colitis, unspecified | 1 | 0.0% |
| K529 | Noninfective gastroenteritis and colitis; unspecified | 20 | 0.0% |
| K550 | Acute vascular disorders of intestine | 4 | 0.0% |
| K552 | Angiodysplasia of colon | 1 | 0.0% |
| K559 | Vascular disorder of intestine; unspecified | 1 | 0.0% |
| K560 | Paralytic ileus | 2 | 0.0% |
| K562 | Volvulus | 2 | 0.0% |
| K566 | Other and unspecified intestinal obstruction | 8 | 0.0% |
| K567 | Ileus, unspecified | 2 | 0.0% |
| K579 | Diverticular disease of intestine; part unspecified; without perforation or abscess | 1 | 0.0% |
| K625 | Haemorrhage of anus and rectum | 1 | 0.0% |
| K631 | Perforation of intestine (nontraumatic) | 3 | 0.0% |
| K632 | Fistula of intestine | 1 | 0.0% |
| K66 | Other disorders of peritoneum | 1 | 0.0% |
| K709 | Alcoholic liver disease, unspecified | 2 | 0.0% |
| K71 | Toxic liver disease | 1 | 0.0% |

File : COD2012

OtherCause: Other conditions leading to death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| K711 | Toxic liver disease with hepatic necrosis | 1 | 0.0% |
| K715 | Toxic liver disease with chronic active hepatitis | 1 | 0.0% |
| K716 | Toxic liver disease with hepatitis; not elsewhere classified | 8 | 0.0% |
| K72 | Hepatic failure, not elsewhere classified | 1 | 0.0% |
| K720 | Acute and subacute hepatic failure | 3 | 0.0% |
| K721 | Chronic hepatic failure | 1 | 0.0% |
| K729 | Hepatic failure; unspecified | 23 | 0.0% |
| K746 | Other and unspecified cirrhosis of liver | 4 | 0.0% |
| K754 | Autoimmune hepatitis | 1 | 0.0% |
| K759 | Inflammatory liver disease; unspecified | 15 | 0.0% |
| K761 | Chronic passive congestion of liver | 1 | 0.0% |
| K767 | Hepatorenal syndrome | 3 | 0.0% |
| K768 | Other specified diseases of liver | 4 | 0.0% |
| K769 | Liver disease; unspecified | 6 | 0.0% |
| K819 | Cholecystitis; unspecified | 7 | 0.0% |
| K830 | Cholangitis | 3 | 0.0% |
| K831 | Obstruction of bile duct | 3 | 0.0% |
| K852 | Alcohol-induced acute pancreatitis | 2 | 0.0% |
| K859 | Acute pancreatitis; unspecified | 5 | 0.0% |
| K861 | Other chronic pancreatitis | 1 | 0.0% |
| K909 | Intestinal malabsorption, unspecified | 1 | 0.0% |
| K920 | Haematemesis | 3 | 0.0% |
| K922 | Gastrointestinal haemorrhage; unspecified | 20 | 0.0% |
| L010 | Impetigo [any organism] [any site] | 1 | 0.0% |
| L022 | Cutaneous abscess; furuncle and carbuncle of trunk | 1 | 0.0% |
| L024 | Cutaneous abscess, furuncle and carbuncle of limb | 1 | 0.0% |
| L031 | Cellulitis of other parts of limb | 2 | 0.0% |
| L039 | Cellulitis; unspecified | 4 | 0.0% |
| L049 | Acute lymphadenitis, unspecified | 1 | 0.0% |
| L089 | Local infection of skin and subcutaneous tissue, unspecified | 2 | 0.0% |
| L219 | Seborrhoeic dermatitis, unspecified | 1 | 0.0% |
| L309 | Dermatitis, unspecified | 3 | 0.0% |
| L501 | Idiopathic urticaria | 1 | 0.0% |
| L511 | Bullous erythema multiforme | 1 | 0.0% |
| L89 | Decubitus ulcer | 26 | 0.0% |
| L97 | Ulcer of lower limb; not elsewhere classified | 2 | 0.0% |
| L984 | Chronic ulcer of skin; not elsewhere classified | 3 | 0.0% |
| M009 | Pyogenic arthritis, unspecified | 1 | 0.0% |
| M069 | Rheumatoid arthritis; unspecified | 13 | 0.0% |
| M100 | Idiopathic gout | 1 | 0.0% |
| M109 | Gout; unspecified | 6 | 0.0% |
| M139 | Arthritis; unspecified | 8 | 0.0% |
| M169 | Coxarthrosis, unspecified | 1 | 0.0% |

File : COD2012

OtherCause: Other conditions leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| M179 | Gonarthrosis, unspecified | 1 | 0.0% |
| M189 | Arthrosis of first carpometacarpal joint, unspecified | 1 | 0.0% |
| M19 | Other arthrosis | 1 | 0.0% |
| M199 | Arthrosis; unspecified | 10 | 0.0% |
| M311 | Thrombotic microangiopathy | 1 | 0.0% |
| M319 | Necrotizing vasculopathy; unspecified | 3 | 0.0% |
| M329 | Systemic lupus erythematosus, unspecified | 4 | 0.0% |
| M419 | Scoliosis, unspecified | 3 | 0.0% |
| M480 | Spinal stenosis | 1 | 0.0% |
| M549 | Dorsalgia, unspecified | 1 | 0.0% |
| M609 | Myositis, unspecified | 1 | 0.0% |
| M628 | Other specified disorders of muscle | 1 | 0.0% |
| M729 | Fibroblastic disorder, unspecified | 1 | 0.0% |
| M798 | Other specified soft tissue disorders | 1 | 0.0% |
| M819 | Osteoporosis; unspecified | 4 | 0.0% |
| M844 | Pathological fracture, not elsewhere classified | 2 | 0.0% |
| M869 | Osteomyelitis, unspecified | 2 | 0.0% |
| M889 | Paget's disease of bone, unspecified | 1 | 0.0% |
| N05 | Unspecified nephritic syndrome | 2 | 0.0% |
| N12 | Tubulo-interstitial nephritis, not specified as acute or chronic | 1 | 0.0% |
| N133 | Other and unspecified hydronephrosis | 1 | 0.0% |
| N139 | Obstructive and reflux uropathy, unspecified | 2 | 0.0% |
| N170 | Acute renal failure with tubular necrosis | 2 | 0.0% |
| N179 | Acute renal failure; unspecified | 26 | 0.0% |
| N18 | Chronic renal failure | 1 | 0.0% |
| N180 | End-stage renal disease | 4 | 0.0% |
| N189 | Chronic renal failure; unspecified | 30 | 0.0% |
| N19 | Unspecified renal failure | 147 | 0.0% |
| N28 | Other disorders of kidney and ureter, not elsewhere classified | 1 | 0.0% |
| N289 | Disorder of kidney and ureter; unspecified | 29 | 0.0% |
| N309 | Cystitis; unspecified | 1 | 0.0% |
| N321 | Vesicointestinal fistula | 1 | 0.0% |
| N329 | Bladder disorder, unspecified | 1 | 0.0% |
| N390 | Urinary tract infection; site not specified | 15 | 0.0% |
| N40 | Hyperplasia of prostate | 8 | 0.0% |
| N429 | Disorder of prostate; unspecified | 2 | 0.0% |
| N739 | Female pelvic inflammatory disease; unspecified | 1 | 0.0% |
| N823 | Fistula of vagina to large intestine | 2 | 0.0% |
| N839 | Noninflammatory disorder of ovary, fallopian tube and broad ligament, unspecified | 1 | 0.0% |
| N850 | Endometrial glandular hyperplasia | 1 | 0.0% |
| N950 | Postmenopausal bleeding | 2 | 0.0% |
| O063 | Unspecified abortion: Incomplete, with other and unspecified complications | 1 | 0.0% |

File : COD2012

OtherCause: Other conditions leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| O141 | Severe pre-eclampsia | 1 | 0.0% |
| O16 | Unspecified maternal hypertension | 3 | 0.0% |
| O721 | Other immediate postpartum haemorrhage | 1 | 0.0% |
| O723 | Postpartum coagulation defects | 1 | 0.0% |
| O758 | Other specified complications of labour and delivery | 1 | 0.0% |
| O85 | Puerperal sepsis | 1 | 0.0% |
| O882 | Obstetric blood-clot embolism | 1 | 0.0% |
| O980 | Tuberculosis complicating pregnancy, childbirth and the puerperium | 3 | 0.0% |
| O99 | Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium | 1 | 0.0% |
| O992 | Endocrine, nutritional and metabolic diseases complicating pregnancy, childbirth and the puerperium | 1 | 0.0% |
| O995 | Diseases of the respiratory system complicating pregnancy, childbirth and the puerperium | 1 | 0.0% |
| P000 | Fetus and newborn affected by maternal hypertensive disorders | 9 | 0.0% |
| P002 | Fetus and newborn affected by maternal infectious and parasitic diseases | 2 | 0.0% |
| P004 | Fetus and newborn affected by maternal nutritional disorders | 1 | 0.0% |
| P008 | Fetus and newborn affected by other maternal conditions | 3 | 0.0% |
| P013 | Fetus and newborn affected by polyhydramnios | 1 | 0.0% |
| P021 | Fetus and newborn affected by other forms of placental separation and haemorrhage | 1 | 0.0% |
| P031 | Fetus and newborn affected by other malpresentation, malposition and disproportion during labour and delivery | 2 | 0.0% |
| P034 | Fetus and newborn affected by caesarean delivery | 2 | 0.0% |
| P043 | Fetus and newborn affected by maternal use of alcohol | 1 | 0.0% |
| P07 | Disorders related to short gestation and low birth weight; not elsewhere classified | 1 | 0.0% |
| P070 | Extremely low birth weight | 6 | 0.0% |
| P071 | Other low birth weight | 3 | 0.0% |
| P072 | Extreme immaturity | 4 | 0.0% |
| P073 | Other preterm infants | 17 | 0.0% |
| P109 | Unspecified intracranial laceration and haemorrhage due to birth injury | 1 | 0.0% |
| P219 | Birth asphyxia; unspecified | 5 | 0.0% |
| P220 | Respiratory distress syndrome of newborn | 2 | 0.0% |
| P229 | Respiratory distress of newborn, unspecified | 1 | 0.0% |
| P239 | Congenital pneumonia; unspecified | 2 | 0.0% |
| P249 | Neonatal aspiration syndrome, unspecified | 1 | 0.0% |
| P271 | Bronchopulmonary dysplasia originating in the perinatal period | 1 | 0.0% |
| P280 | Primary atelectasis of newborn | 1 | 0.0% |
| P293 | Persistent fetal circulation | 2 | 0.0% |
| P369 | Bacterial sepsis of newborn; unspecified | 8 | 0.0% |
| P370 | Congenital tuberculosis | 1 | 0.0% |
| P520 | Intraventricular (nontraumatic) haemorrhage, grade 1, of fetus and newborn | 1 | 0.0% |

File : COD2012

OtherCause: Other conditions leading to death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| P523 | Unspecified intraventricular (nontraumatic) haemorrhage of fetus and newborn | 2 | 0.0% |
| P599 | Neonatal jaundice; unspecified | 2 | 0.0% |
| P614 | Other congenital anaemias; not elsewhere classified | 3 | 0.0% |
| P77 | Necrotizing enterocolitis of fetus and newborn | 1 | 0.0% |
| P809 | Hypothermia of newborn, unspecified | 3 | 0.0% |
| P916 | Hypoxic ischaemic encephalopathy of newborn | 1 | 0.0% |
| P95 | Fetal death of unspecified cause | 2 | 0.0% |
| P960 | Congenital renal failure | 1 | 0.0% |
| P968 | Other specified conditions originating in the perinatal period | 1 | 0.0% |
| Q000 | Anencephaly | 1 | 0.0% |
| Q02 | Microcephaly | 1 | 0.0% |
| Q039 | Congenital hydrocephalus; unspecified | 3 | 0.0% |
| Q049 | Congenital malformation of brain, unspecified | 1 | 0.0% |
| Q059 | Spina bifida, unspecified | 1 | 0.0% |
| Q210 | Ventricular septal defect | 2 | 0.0% |
| Q245 | Malformation of coronary vessels | 1 | 0.0% |
| Q249 | Congenital malformation of heart, unspecified | 4 | 0.0% |
| Q25 | Congenital malformations of great arteries | 1 | 0.0% |
| Q250 | Patent ductus arteriosus | 6 | 0.0% |
| Q359 | Cleft palate, unspecified | 5 | 0.0% |
| Q39 | Congenital malformations of oesophagus | 1 | 0.0% |
| Q390 | Atresia of oesophagus without fistula | 1 | 0.0% |
| Q438 | Other specified congenital malformations of intestine | 1 | 0.0% |
| Q447 | Other congenital malformations of liver | 2 | 0.0% |
| Q605 | Renal hypoplasia, unspecified | 1 | 0.0% |
| Q610 | Congenital single renal cyst | 1 | 0.0% |
| Q619 | Cystic kidney disease, unspecified | 1 | 0.0% |
| Q668 | Other congenital deformities of feet | 1 | 0.0% |
| Q675 | Congenital deformity of spine | 1 | 0.0% |
| Q790 | Congenital diaphragmatic hernia | 1 | 0.0% |
| Q850 | Neurofibromatosis (nonmalignant) | 2 | 0.0% |
| Q868 | Other congenital malformation syndromes due to known exogenous causes | 3 | 0.0% |
| Q870 | Congenital malformation syndromes predominantly affecting facial appearance | 1 | 0.0% |
| Q899 | Congenital malformation, unspecified | 3 | 0.0% |
| Q909 | Down's syndrome; unspecified | 6 | 0.0% |
| Q913 | Edwards' syndrome, unspecified | 1 | 0.0% |
| Q917 | Patau's syndrome, unspecified | 1 | 0.0% |
| R02 | Gangrene; not elsewhere classified | 1 | 0.0% |
| R11 | Nausea and vomiting | 1 | 0.0% |
| R62 | Lack of expected normal physiological development | 2 | 0.0% |
| R628 | Other lack of expected normal physiological development | 2 | 0.0% |

File : COD2012

OtherCause: Other conditions leading to death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| R75 | Laboratory evidence of human immunodeficiency virus [HIV] | 1 | 0.0% |
| R831 | Abnormal findings in cerebrospinal fluid: Abnormal level of hormones | 1 | 0.0% |
| U51 | Multidrug-resistant tuberculosis | 3 | 0.0% |
| V892 | Person injured in unspecified motor-vehicle accident; traffic | 1 | 0.0% |
| W34 | Discharge from other and unspecified firearms | 1 | 0.0% |
| W84 | Unspecified threat to breathing | 4 | 0.0% |
| X08 | Exposure to other specified smoke, fire and flames | 1 | 0.0% |
| X09 | Exposure to unspecified smoke, fire and flames | 3 | 0.0% |
| X49 | Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances | 16 | 0.0% |
| X59 | Exposure to unspecified factor | 1 | 0.0% |
| X590 | Exposure to unspecified factor causing fracture | 19 | 0.0% |
| X599 | Exposure to unspecified factor causing other and unspecified injury | 7 | 0.0% |
| X64 | Intentional self-poisoning by and exposure to other and unspecified drugs, medicaments and biological substances | 1 | 0.0% |
| X99 | Assault by sharp object | 1 | 0.0% |
| Y06 | Neglect and abandonment | 1 | 0.0% |
| Y069 | By unspecified person | 2 | 0.0% |
| Y09 | Assault by unspecified means | 1 | 0.0% |
| Y14 | Poisoning by and exposure to other and unspecified drugs, medicaments and biological substances, undetermined intent | 6 | 0.0% |
| Y17 | Poisoning by and exposure to other gases and vapours, undetermined intent | 1 | 0.0% |
| Y19 | Poisoning by and exposure to other and unspecified chemicals and noxious substances; undetermined intent | 1 | 0.0% |
| Y400 | Penicillins | 1 | 0.0% |
| Y415 | Antiviral drugs | 32 | 0.0% |
| Y442 | Anticoagulants | 7 | 0.0% |
| Y453 | Other nonsteroidal anti-inflammatory drugs [NSAID] | 1 | 0.0% |
| Y459 | Analgesic, antipyretic and anti-inflammatory drug, unspecified | 1 | 0.0% |
| Y560 | Local antifungal, anti-infective and anti-inflammatory drugs, not elsewhere classified | 1 | 0.0% |
| Y579 | Drug or medicament; unspecified | 2 | 0.0% |
| Y830 | Surgical operation with transplant of whole organ | 3 | 0.0% |
| Y831 | Surgical operation with implant of artificial internal device | 16 | 0.0% |
| Y832 | Surgical operation with anastomosis; bypass or graft | 7 | 0.0% |
| Y833 | Surgical operation with formation of external stoma | 1 | 0.0% |
| Y834 | Other reconstructive surgery | 3 | 0.0% |
| Y835 | Amputation of limb(s) | 20 | 0.0% |
| Y836 | Removal of other organ (partial) (total) | 3 | 0.0% |
| Y838 | Other surgical procedures | 17 | 0.0% |
| Y839 | Surgical procedure; unspecified | 13 | 0.0% |
| Y842 | Radiological procedure and radiotherapy | 2 | 0.0% |
| Y845 | Insertion of gastric or duodenal sound | 1 | 0.0% |
| Y848 | Other medical procedures | 1 | 0.0% |

File : COD2012

OtherCause: Other conditions leading to death

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| Y86 | Sequelae of other accidents | 1 | 0.0% |
| Y883 | Sequelae of surgical and medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure | 3 | 0.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OtherInjury: Injury codes for other conditions leading to death

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the injury codes for non-natural causes of death. |

| Value | Label | Cases | Percentage |
|-------|---|--------|------------|
| 111 | Natural cause (No injury code) | 4856 | 1.0% |
| 888 | Other conditions leading to death not mentioned | 489818 | 99.0% |
| S069 | Intracranial injury, unspecified | 1 | 0.0% |
| S099 | Unspecified injury of head | 4 | 0.0% |
| S129 | Fracture of neck, part unspecified | 2 | 0.0% |
| S279 | Injury of unspecified intrathoracic organ | 1 | 0.0% |
| S324 | Fracture of acetabulum | 1 | 0.0% |
| S720 | Fracture of neck of femur | 12 | 0.0% |
| S729 | Fracture of femur; part unspecified | 3 | 0.0% |
| S820 | Fracture of patella | 1 | 0.0% |
| S822 | Fracture of shaft of tibia | 1 | 0.0% |
| T068 | Other specified injuries involving multiple body regions | 1 | 0.0% |
| T099 | Unspecified injury of trunk, level unspecified | 1 | 0.0% |
| T149 | Injury; unspecified | 3 | 0.0% |
| T179 | Foreign body in respiratory tract; part unspecified | 4 | 0.0% |
| T240 | Burn of unspecified degree of hip and lower limb, except ankle and foot | 1 | 0.0% |
| T300 | Burn of unspecified body region, unspecified degree | 2 | 0.0% |
| T303 | Burn of third degree, body region unspecified | 1 | 0.0% |
| T360 | Poisoning: Penicillins | 1 | 0.0% |
| T374 | Poisoning: Anthelminthics | 1 | 0.0% |
| T375 | Poisoning: Antiviral drugs | 32 | 0.0% |
| T379 | Poisoning: Systemic anti-infective and antiparasitic, unspecified | 1 | 0.0% |
| T393 | Poisoning: Other nonsteroidal anti-inflammatory drugs [NSAID] | 1 | 0.0% |
| T401 | Poisoning: Heroin | 1 | 0.0% |
| T455 | Poisoning: Anticoagulants | 11 | 0.0% |
| T490 | Poisoning: Local antifungal, anti-infective and anti-inflammatory drugs, not elsewhere classified | 1 | 0.0% |
| T509 | Poisoning: Other and unspecified drugs; medicaments and biological substances | 2 | 0.0% |
| T597 | Toxic effect: Carbon dioxide | 1 | 0.0% |
| T622 | Toxic effect: Other ingested (parts of) plant(s) | 6 | 0.0% |
| T658 | Toxic effect: Toxic effect of other specified substances | 7 | 0.0% |
| T659 | Toxic effect: Toxic effect of unspecified substance | 4 | 0.0% |

File : COD2012

OtherInjury: Injury codes for other conditions leading to death

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| T740 | Neglect or abandonment | 3 | 0.0% |
| T784 | Allergy, unspecified | 1 | 0.0% |
| T814 | Infection following a procedure, not elsewhere classified | 1 | 0.0% |
| T818 | Other complications of procedures; not elsewhere classified | 10 | 0.0% |
| T819 | Unspecified complication of procedure | 27 | 0.0% |
| T825 | Mechanical complication of other cardiac and vascular devices and implants | 1 | 0.0% |
| T828 | Other complications of cardiac and vascular prosthetic devices, implants and grafts | 1 | 0.0% |
| T829 | Unspecified complication of cardiac and vascular prosthetic device; implant and graft | 11 | 0.0% |
| T848 | Other complications of internal orthopaedic prosthetic devices, implants and grafts | 1 | 0.0% |
| T849 | Unspecified complication of internal orthopaedic prosthetic device, implant and graft | 3 | 0.0% |
| T857 | Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts | 1 | 0.0% |
| T859 | Unspecified complication of internal prosthetic device; implant and graft | 2 | 0.0% |
| T861 | Kidney transplant failure and rejection | 1 | 0.0% |
| T862 | Heart transplant failure and rejection | 1 | 0.0% |
| T870 | Complications of reattached (part of) upper extremity | 1 | 0.0% |
| T874 | Infection of amputation stump | 1 | 0.0% |
| T875 | Necrosis of amputation stump | 1 | 0.0% |
| T876 | Other and unspecified complications of amputation stump | 18 | 0.0% |
| T882 | Shock due to anaesthesia | 2 | 0.0% |
| T888 | Other specified complications of surgical and medical care, not elsewhere classified | 3 | 0.0% |
| T889 | Complication of surgical and medical care; unspecified | 1 | 0.0% |
| T909 | Sequelae of unspecified injury of head | 1 | 0.0% |
| T982 | Sequelae of certain early complications of trauma | 1 | 0.0% |
| T983 | Sequelae of complications of surgical and medical care, not elsewhere classified | 2 | 0.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Part2_CauseA: First cause provided on part 2 of the death notification form

| | |
|--------------------|--|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on conditions leading to death provided on the first line of Part 2 of the death notification form. |

| Value | Label | Cases | Percentage |
|-------|---|--------|------------|
| 888 | First cause of death on part 2 not mentioned | 493796 | 99.8% |
| A06 | Amoebiasis | 1 | 0.0% |
| A09 | Diarrhoea and gastroenteritis of presumed infectious origin | 27 | 0.0% |
| A162 | Tuberculosis of lung; without mention of bacteriological or histological confirmation | 35 | 0.0% |

File : COD2012

Part2_CauseA: First cause provided on part 2 of the death notification form

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| A164 | Tuberculosis of larynx, trachea and bronchus, without mention of bacteriological or histological confirmation | 1 | 0.0% |
| A169 | Respiratory tuberculosis unspecified, without mention of bacteriological or histological confirmation | 7 | 0.0% |
| A170 | Tuberculous meningitis | 1 | 0.0% |
| A183 | Tuberculosis of intestines; peritoneum and mesenteric glands | 2 | 0.0% |
| A199 | Miliary tuberculosis; unspecified | 6 | 0.0% |
| A419 | Septicaemia; unspecified | 11 | 0.0% |
| B169 | Acute hepatitis B without delta-agent and without hepatic coma | 2 | 0.0% |
| B24 | Unspecified human immunodeficiency virus [HIV] disease | 92 | 0.0% |
| B333 | Retrovirus infections; not elsewhere classified | 95 | 0.0% |
| B370 | Candidal stomatitis | 1 | 0.0% |
| B379 | Candidiasis, unspecified | 1 | 0.0% |
| B451 | Cerebral cryptococcosis | 1 | 0.0% |
| B59 | Pneumocystosis | 3 | 0.0% |
| B909 | Sequelae of respiratory and unspecified tuberculosis | 14 | 0.0% |
| C169 | Malignant neoplasm: Stomach, unspecified | 1 | 0.0% |
| C189 | Malignant neoplasm: Colon, unspecified | 1 | 0.0% |
| C20 | Malignant neoplasm of rectum | 2 | 0.0% |
| C220 | Malignant neoplasm: Liver cell carcinoma | 2 | 0.0% |
| C229 | Malignant neoplasm: Liver, unspecified | 1 | 0.0% |
| C259 | Malignant neoplasm: Pancreas, unspecified | 2 | 0.0% |
| C329 | Malignant neoplasm: Larynx, unspecified | 1 | 0.0% |
| C349 | Malignant neoplasm: Bronchus or lung; unspecified | 4 | 0.0% |
| C467 | Kaposi's sarcoma of other sites | 1 | 0.0% |
| C469 | Kaposi's sarcoma; unspecified | 5 | 0.0% |
| C509 | Malignant neoplasm: Breast; unspecified | 3 | 0.0% |
| C539 | Malignant neoplasm: Cervix uteri; unspecified | 2 | 0.0% |
| C56 | Malignant neoplasm of ovary | 3 | 0.0% |
| C61 | Malignant neoplasm of prostate | 3 | 0.0% |
| C64 | Malignant neoplasm of kidney, except renal pelvis | 1 | 0.0% |
| C679 | Malignant neoplasm: Bladder; unspecified | 1 | 0.0% |
| C780 | Secondary malignant neoplasm of lung | 2 | 0.0% |
| C787 | Secondary malignant neoplasm of liver | 1 | 0.0% |
| C795 | Secondary malignant neoplasm of bone and bone marrow | 1 | 0.0% |
| C80 | Malignant neoplasm without specification of site | 3 | 0.0% |
| C859 | Non-Hodgkin's lymphoma, unspecified type | 1 | 0.0% |
| C910 | Acute lymphoblastic leukaemia | 1 | 0.0% |
| C921 | Chronic myeloid leukaemia | 1 | 0.0% |
| C929 | Myeloid leukaemia, unspecified | 1 | 0.0% |
| C959 | Leukaemia, unspecified | 1 | 0.0% |
| D19 | Benign neoplasm of mesothelial tissue | 1 | 0.0% |
| D259 | Leiomyoma of uterus; unspecified | 1 | 0.0% |
| D320 | Benign neoplasm: Cerebral meninges | 1 | 0.0% |

File : COD2012

Part2_CauseA: First cause provided on part 2 of the death notification form

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| D329 | Benign neoplasm: Meninges, unspecified | 1 | 0.0% |
| D391 | Neoplasm of uncertain or unknown behaviour: Ovary | 1 | 0.0% |
| D508 | Other iron deficiency anaemias | 1 | 0.0% |
| D619 | Aplastic anaemia, unspecified | 3 | 0.0% |
| D649 | Anaemia; unspecified | 20 | 0.0% |
| D65 | Disseminated intravascular coagulation [defibrination syndrome] | 1 | 0.0% |
| D696 | Thrombocytopenia; unspecified | 4 | 0.0% |
| D758 | Other specified diseases of blood and blood-forming organs | 1 | 0.0% |
| D849 | Immunodeficiency; unspecified | 74 | 0.0% |
| E039 | Hypothyroidism; unspecified | 2 | 0.0% |
| E049 | Nontoxic goitre, unspecified | 1 | 0.0% |
| E060 | Acute thyroiditis | 1 | 0.0% |
| E109 | Insulin-dependent diabetes mellitus: Without complications | 1 | 0.0% |
| E11 | Non-insulin-dependent diabetes mellitus | 1 | 0.0% |
| E119 | Non-insulin-dependent diabetes mellitus: Without complications | 9 | 0.0% |
| E142 | Unspecified diabetes mellitus: With renal complications | 2 | 0.0% |
| E146 | Unspecified diabetes mellitus: With other specified complications | 1 | 0.0% |
| E149 | Unspecified diabetes mellitus: Without complications | 55 | 0.0% |
| E162 | Hypoglycaemia; unspecified | 3 | 0.0% |
| E213 | Hyperparathyroidism, unspecified | 1 | 0.0% |
| E43 | Unspecified severe protein-energy malnutrition | 3 | 0.0% |
| E44 | Protein-energy malnutrition of moderate and mild degree | 1 | 0.0% |
| E441 | Mild protein-energy malnutrition | 1 | 0.0% |
| E46 | Unspecified protein-energy malnutrition | 4 | 0.0% |
| E668 | Other obesity | 2 | 0.0% |
| E669 | Obesity; unspecified | 2 | 0.0% |
| E749 | Disorder of carbohydrate metabolism, unspecified | 1 | 0.0% |
| E771 | Defects in glycoprotein degradation | 1 | 0.0% |
| E780 | Pure hypercholesterolaemia | 2 | 0.0% |
| E785 | Hyperlipidaemia, unspecified | 1 | 0.0% |
| E833 | Disorders of phosphorus metabolism | 1 | 0.0% |
| E86 | Volume depletion | 10 | 0.0% |
| E871 | Hypo-osmolality and hyponatraemia | 1 | 0.0% |
| E872 | Acidosis | 1 | 0.0% |
| E874 | Mixed disorder of acid-base balance | 2 | 0.0% |
| E875 | Hyperkalaemia | 1 | 0.0% |
| E876 | Hypokalaemia | 2 | 0.0% |
| F03 | Unspecified dementia | 9 | 0.0% |
| F101 | Mental and behavioural disorders due to use of alcohol: Harmful use | 3 | 0.0% |
| F102 | Mental and behavioural disorders due to use of alcohol: Dependence syndrome | 1 | 0.0% |
| F171 | Mental and behavioural disorders due to use of tobacco: Harmful use | 5 | 0.0% |

File : COD2012

Part2_CauseA: First cause provided on part 2 of the death notification form

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| F172 | Mental and behavioural disorders due to use of tobacco: Dependence syndrome | 1 | 0.0% |
| F179 | Mental and behavioural disorders due to use of tobacco: Unspecified mental and behavioural disorder | 1 | 0.0% |
| F209 | Schizophrenia; unspecified | 4 | 0.0% |
| F29 | Unspecified nonorganic psychosis | 2 | 0.0% |
| F329 | Depressive episode; unspecified | 1 | 0.0% |
| G009 | Bacterial meningitis, unspecified | 2 | 0.0% |
| G039 | Meningitis; unspecified | 2 | 0.0% |
| G20 | Parkinson's disease | 4 | 0.0% |
| G309 | Alzheimer's disease; unspecified | 9 | 0.0% |
| G319 | Degenerative disease of nervous system, unspecified | 1 | 0.0% |
| G40 | Epilepsy | 1 | 0.0% |
| G407 | Petit mal, unspecified, without grand mal seizures | 1 | 0.0% |
| G409 | Epilepsy; unspecified | 16 | 0.0% |
| G710 | Muscular dystrophy | 1 | 0.0% |
| G809 | Cerebral palsy; unspecified | 5 | 0.0% |
| G931 | Anoxic brain damage, not elsewhere classified | 1 | 0.0% |
| G934 | Encephalopathy, unspecified | 1 | 0.0% |
| G959 | Disease of spinal cord, unspecified | 1 | 0.0% |
| H189 | Disorder of cornea, unspecified | 1 | 0.0% |
| H409 | Glaucoma, unspecified | 1 | 0.0% |
| H500 | Convergent concomitant strabismus | 1 | 0.0% |
| H540 | Blindness, both eyes | 1 | 0.0% |
| I10 | Essential (primary) hypertension | 92 | 0.0% |
| I11 | Hypertensive heart disease | 1 | 0.0% |
| I110 | Hypertensive heart disease with (congestive) heart failure | 6 | 0.0% |
| I120 | Hypertensive renal disease with renal failure | 2 | 0.0% |
| I209 | Angina pectoris; unspecified | 0 | |
| I219 | Acute myocardial infarction; unspecified | 2 | 0.0% |
| I251 | Atherosclerotic heart disease | 3 | 0.0% |
| I255 | Ischaemic cardiomyopathy | 2 | 0.0% |
| I259 | Chronic ischaemic heart disease; unspecified | 7 | 0.0% |
| I269 | Pulmonary embolism without mention of acute cor pulmonale | 2 | 0.0% |
| I272 | Other secondary pulmonary hypertension | 1 | 0.0% |
| I279 | Pulmonary heart disease; unspecified | 4 | 0.0% |
| I350 | Aortic (valve) stenosis | 1 | 0.0% |
| I38 | Endocarditis; valve unspecified | 1 | 0.0% |
| I420 | Dilated cardiomyopathy | 4 | 0.0% |
| I429 | Cardiomyopathy; unspecified | 1 | 0.0% |
| I451 | Other and unspecified right bundle-branch block | 1 | 0.0% |
| I472 | Ventricular tachycardia | 1 | 0.0% |
| I48 | Atrial fibrillation and flutter | 5 | 0.0% |
| I499 | Cardiac arrhythmia, unspecified | 2 | 0.0% |

File : COD2012

Part2_CauseA: First cause provided on part 2 of the death notification form

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| I50 | Heart failure | 1 | 0.0% |
| I500 | Congestive heart failure | 8 | 0.0% |
| I501 | Left ventricular failure | 1 | 0.0% |
| I509 | Heart failure; unspecified | 8 | 0.0% |
| I516 | Cardiovascular disease, unspecified | 1 | 0.0% |
| I517 | Cardiomegaly | 0 | |
| I519 | Heart disease, unspecified | 1 | 0.0% |
| I61 | Intracerebral haemorrhage | 1 | 0.0% |
| I620 | Subdural haemorrhage (acute)(nontraumatic) | 1 | 0.0% |
| I639 | Cerebral infarction, unspecified | 2 | 0.0% |
| I64 | Stroke; not specified as haemorrhage or infarction | 27 | 0.0% |
| I694 | Sequelae of stroke; not specified as haemorrhage or infarction | 1 | 0.0% |
| I739 | Peripheral vascular disease; unspecified | 4 | 0.0% |
| I779 | Disorder of arteries and arterioles, unspecified | 1 | 0.0% |
| I802 | Phlebitis and thrombophlebitis of other deep vessels of lower extremities | 5 | 0.0% |
| I81 | Portal vein thrombosis | 1 | 0.0% |
| I871 | Compression of vein | 1 | 0.0% |
| I99 | Other and unspecified disorders of circulatory system | 5 | 0.0% |
| J159 | Bacterial pneumonia, unspecified | 1 | 0.0% |
| J189 | Pneumonia; unspecified | 18 | 0.0% |
| J22 | Unspecified acute lower respiratory infection | 2 | 0.0% |
| J40 | Bronchitis, not specified as acute or chronic | 1 | 0.0% |
| J439 | Emphysema; unspecified | 1 | 0.0% |
| J440 | Chronic obstructive pulmonary disease with acute lower respiratory infection | 1 | 0.0% |
| J449 | Chronic obstructive pulmonary disease; unspecified | 28 | 0.0% |
| J459 | Asthma; unspecified | 4 | 0.0% |
| J690 | Pneumonitis due to food and vomit | 4 | 0.0% |
| J841 | Other interstitial pulmonary diseases with fibrosis | 1 | 0.0% |
| J90 | Pleural effusion; not elsewhere classified | 5 | 0.0% |
| J939 | Pneumothorax, unspecified | 1 | 0.0% |
| J948 | Other specified pleural conditions | 1 | 0.0% |
| J960 | Acute respiratory failure | 1 | 0.0% |
| J969 | Respiratory failure, unspecified | 3 | 0.0% |
| J984 | Other disorders of lung | 2 | 0.0% |
| K122 | Cellulitis and abscess of mouth | 1 | 0.0% |
| K22 | Other diseases of oesophagus | 1 | 0.0% |
| K269 | Duodenal ulcer: Unspecified as acute or chronic, without haemorrhage or perforation | 1 | 0.0% |
| K279 | Peptic ulcer; site unspecified: Unspecified as acute or chronic; without haemorrhage or perforation | 2 | 0.0% |
| K297 | Gastritis, unspecified | 2 | 0.0% |
| K311 | Adult hypertrophic pyloric stenosis | 1 | 0.0% |
| K460 | Unspecified abdominal hernia with obstruction, without gangrene | 1 | 0.0% |

File : COD2012

Part2_CauseA: First cause provided on part 2 of the death notification form

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| K529 | Noninfective gastroenteritis and colitis; unspecified | 2 | 0.0% |
| K560 | Paralytic ileus | 2 | 0.0% |
| K562 | Volvulus | 1 | 0.0% |
| K566 | Other and unspecified intestinal obstruction | 1 | 0.0% |
| K579 | Diverticular disease of intestine, part unspecified, without perforation or abscess | 1 | 0.0% |
| K639 | Disease of intestine, unspecified | 2 | 0.0% |
| K716 | Toxic liver disease with hepatitis, not elsewhere classified | 1 | 0.0% |
| K729 | Hepatic failure; unspecified | 2 | 0.0% |
| K746 | Other and unspecified cirrhosis of liver | 3 | 0.0% |
| K759 | Inflammatory liver disease, unspecified | 6 | 0.0% |
| K768 | Other specified diseases of liver | 1 | 0.0% |
| K769 | Liver disease, unspecified | 1 | 0.0% |
| K819 | Cholecystitis; unspecified | 1 | 0.0% |
| K831 | Obstruction of bile duct | 2 | 0.0% |
| K920 | Haematemesis | 1 | 0.0% |
| K922 | Gastrointestinal haemorrhage; unspecified | 4 | 0.0% |
| L031 | Cellulitis of other parts of limb | 1 | 0.0% |
| L309 | Dermatitis, unspecified | 1 | 0.0% |
| L89 | Decubitus ulcer | 1 | 0.0% |
| M009 | Pyogenic arthritis, unspecified | 2 | 0.0% |
| M069 | Rheumatoid arthritis, unspecified | 3 | 0.0% |
| M139 | Arthritis, unspecified | 5 | 0.0% |
| M19 | Other arthrosis | 1 | 0.0% |
| M199 | Arthrosis; unspecified | 2 | 0.0% |
| M319 | Necrotizing vasculopathy, unspecified | 1 | 0.0% |
| M329 | Systemic lupus erythematosus, unspecified | 1 | 0.0% |
| M623 | Immobility syndrome (paraplegic) | 1 | 0.0% |
| N039 | Chronic nephritic syndrome: Unspecified | 1 | 0.0% |
| N17 | Acute renal failure | 1 | 0.0% |
| N170 | Acute renal failure with tubular necrosis | 1 | 0.0% |
| N179 | Acute renal failure; unspecified | 10 | 0.0% |
| N189 | Chronic renal failure; unspecified | 9 | 0.0% |
| N19 | Unspecified renal failure | 23 | 0.0% |
| N289 | Disorder of kidney and ureter; unspecified | 8 | 0.0% |
| N390 | Urinary tract infection; site not specified | 2 | 0.0% |
| N40 | Hyperplasia of prostate | 1 | 0.0% |
| N485 | Ulcer of penis | 1 | 0.0% |
| N498 | Inflammatory disorders of other specified male genital organs | 1 | 0.0% |
| N858 | Other specified noninflammatory disorders of uterus | 1 | 0.0% |
| O000 | Abdominal pregnancy | 1 | 0.0% |
| O990 | Anaemia complicating pregnancy, childbirth and the puerperium | 1 | 0.0% |
| O995 | Diseases of the respiratory system complicating pregnancy, childbirth and the puerperium | 1 | 0.0% |

File : COD2012

Part2_CauseA: First cause provided on part 2 of the death notification form

| Value | Label | Cases | Percentage |
|-------|---|-------|------------|
| P070 | Extremely low birth weight | 1 | 0.0% |
| P071 | Other low birth weight | 1 | 0.0% |
| P073 | Other preterm infants | 3 | 0.0% |
| P220 | Respiratory distress syndrome of newborn | 1 | 0.0% |
| P229 | Respiratory distress of newborn, unspecified | 1 | 0.0% |
| P95 | Fetal death of unspecified cause | 1 | 0.0% |
| Q249 | Congenital malformation of heart, unspecified | 1 | 0.0% |
| Q390 | Atresia of oesophagus without fistula | 1 | 0.0% |
| Q411 | Congenital absence, atresia and stenosis of jejunum | 1 | 0.0% |
| Q909 | Down's syndrome; unspecified | 1 | 0.0% |
| Q969 | Turner's syndrome, unspecified | 1 | 0.0% |
| R160 | Hepatomegaly, not elsewhere classified | 1 | 0.0% |
| U51 | Multidrug-resistant tuberculosis | 4 | 0.0% |
| X590 | Exposure to unspecified factor causing fracture | 7 | 0.0% |
| X599 | Exposure to unspecified factor causing other and unspecified injury | 2 | 0.0% |
| Y415 | Antiviral drugs | 1 | 0.0% |
| Y442 | Anticoagulants | 1 | 0.0% |
| Y833 | Surgical operation with formation of external stoma | 1 | 0.0% |
| Y835 | Amputation of limb(s) | 1 | 0.0% |
| Y838 | Other surgical procedures | 1 | 0.0% |
| Y839 | Surgical procedure; unspecified | 4 | 0.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Part2_InjuryA: Injury codes for first cause on part 2

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the injury codes for non-natural causes of death provided on the first line on part 2 of the death notification form. |

| Value | Label | Cases | Percentage |
|-------|--|--------|------------|
| 111 | Natural cause (no injury code) | 1063 | 0.2% |
| 888 | First cause of death on part 2 not mentioned | 493796 | 99.8% |
| S099 | Unspecified injury of head | 1 | 0.0% |
| S423 | Fracture of shaft of humerus | 1 | 0.0% |
| S720 | Fracture of neck of femur | 3 | 0.0% |
| S729 | Fracture of femur; part unspecified | 3 | 0.0% |
| T022 | Fractures involving multiple regions of one upper limb | 1 | 0.0% |
| T375 | Poisoning: Antiviral drugs | 1 | 0.0% |
| T455 | Poisoning: Anticoagulants | 1 | 0.0% |
| T819 | Unspecified complication of procedure | 5 | 0.0% |
| T876 | Other and unspecified complications of amputation stump | 1 | 0.0% |
| T888 | Other specified complications of surgical and medical care, not elsewhere classified | 1 | 0.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : COD2012

Part2_CauseB: Second cause provided on part 2 of the death notification form

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on conditions leading to death provided on the second line of Part 2 of the death notification form. |

| Value | Label | Cases | Percentage |
|-------|--|--------|------------|
| 888 | Second cause of death on part 2 not mentioned | 494859 | 100.0% |
| B24 | Unspecified human immunodeficiency virus [HIV] disease | 1 | 0.0% |
| B370 | Candidal stomatitis | 1 | 0.0% |
| C220 | Malignant neoplasm: Liver cell carcinoma | 1 | 0.0% |
| D849 | Immunodeficiency; unspecified | 2 | 0.0% |
| E149 | Unspecified diabetes mellitus: Without complications | 2 | 0.0% |
| E780 | Pure hypercholesterolaemia | 1 | 0.0% |
| F03 | Unspecified dementia | 1 | 0.0% |
| I10 | Essential (primary) hypertension | 3 | 0.0% |
| I209 | Angina pectoris, unspecified | 1 | 0.0% |
| J449 | Chronic obstructive pulmonary disease; unspecified | 1 | 0.0% |
| K819 | Cholecystitis, unspecified | 1 | 0.0% |
| M069 | Rheumatoid arthritis, unspecified | 1 | 0.0% |
| N19 | Unspecified renal failure | 1 | 0.0% |
| Y839 | Surgical procedure, unspecified | 1 | 0.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Part2_InjuryB: Injury codes for second cause on part 2

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the injury codes for non-natural causes of death provided on the second line on part 2 of the death notification form. |

| Value | Label | Cases | Percentage |
|-------|---|--------|------------|
| 111 | Natural cause (No injury code) | 17 | 0.0% |
| 888 | Second cause of death on part 2 not mentioned | 494859 | 100.0% |
| T819 | Unspecified complication of procedure | 1 | 0.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Underlyingcause: Underlying cause of death

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable provides information on the underlying cause of death. An underlying cause of death is defined as the disease or injury which initiated the train of morbid events leading directly to death, or the circumstances of the accident or violence which produced the fatal injury. |

Frequency table not shown (1310 Modalities)

Underlying_Broad_Grp: Broad groups of the underlying causes of death

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable groups the underlying causes of death into broad groups of death. It is derived from underlying cause of death. |

File : COD2012

Underlying_Broad_Grp: Broad groups of the underlying causes of death

| Value | Label | Cases | Percentage |
|---------|---|-------|------------|
| 8888888 | Stillbirth | 14401 | 2.9% |
| A00-A09 | Intestinal infectious diseases (A00-A09) | 14948 | 3.0% |
| A15-A19 | Tuberculosis (A15-A19) | 47472 | 9.6% |
| A20-A28 | Certain zoonotic bacterial diseases (A20-A28) | 13 | 0.0% |
| A30-A49 | Other bacterial diseases (A30-A49) | 5088 | 1.0% |
| A50-A64 | Infections with a predominantly sexual mode of transmission (A50-A64) | 85 | 0.0% |
| A65-A69 | Other spirochaetal diseases (A65-A69) | 16 | 0.0% |
| A70-A74 | Other diseases caused by chlamydiae (A70-A74) | 5 | 0.0% |
| A75-A79 | Rickettsioses (A75-A79) | 3 | 0.0% |
| A80-A89 | Viral infections of the central nervous system (A80-A89) | 174 | 0.0% |
| A90-A99 | Arthropod-borne viral fevers and viral haemorrhagic fevers (A90-A99) | 35 | 0.0% |
| B00-B09 | Viral infections characterized by skin and mucous membrane lesions (B00-B09) | 252 | 0.1% |
| B15-B19 | Viral hepatitis (B15-B19) | 283 | 0.1% |
| B20-B24 | Human immunodeficiency virus [HIV] disease (B20-B24) | 18663 | 3.8% |
| B25-B34 | Other viral diseases (B25-B34) | 15057 | 3.0% |
| B35-B49 | Mycoses (B35-B49) | 975 | 0.2% |
| B50-B64 | Protozoal diseases (B50-B64) | 2856 | 0.6% |
| B65-B83 | Helminthiasis (B65-B83) | 99 | 0.0% |
| B85-B89 | Pediculosis, acariasis and other infestations (B85-B89) | 1 | 0.0% |
| B90-B94 | Sequelae of infectious and parasitic diseases (B90-B94) | 650 | 0.1% |
| B99 | Other infectious diseases (B99) | 77 | 0.0% |
| C00-C14 | Malignant neoplasms of lip, oral cavity and pharynx (C00-C14) | 1068 | 0.2% |
| C15-C26 | Malignant neoplasms of digestive organs (C15-C26) | 9390 | 1.9% |
| C30-C39 | Malignant neoplasms of respiratory and intrathoracic organs (C30-C39) | 5522 | 1.1% |
| C40-C41 | Malignant neoplasms of bone and articular cartilage (C40-C41) | 127 | 0.0% |
| C43-C44 | Malignant neoplasms of skin (C43-C44) | 549 | 0.1% |
| C45-C49 | Malignant neoplasms of mesothelial and soft tissue (C45-C49) | 1295 | 0.3% |
| C50 | Malignant neoplasms of breast (C50) | 3005 | 0.6% |
| C51-C58 | Malignant neoplasms of female genital organs (C51-C58) | 4295 | 0.9% |
| C60-C63 | Malignant neoplasms of male genital organs (C60-C63) | 2539 | 0.5% |
| C64-C68 | Malignant neoplasms of urinary tract (C64-C68) | 901 | 0.2% |
| C69-C72 | Malignant neoplasms of eye, brain and other parts of central nervous system (C69-C72) | 573 | 0.1% |
| C73-C75 | Malignant neoplasms of thyroid and other endocrine glands (C73-C75) | 174 | 0.0% |
| C76-C80 | Malignant neoplasms of ill-defined, secondary and unspecified sites (C76-C80) | 3481 | 0.7% |
| C81-C96 | Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue (C81-C96) | 2627 | 0.5% |
| C97 | Malignant neoplasms of independent (primary) multiple sites (C97) | 518 | 0.1% |
| D00-D09 | In situ neoplasms (D00-D09) | 29 | 0.0% |
| D10-D36 | Benign neoplasms (D10-D36) | 250 | 0.1% |

File : COD2012

Underlying_Broad_Grp: Broad groups of the underlying causes of death

| Value | Label | Cases | Percentage |
|---------|---|-------|------------|
| D37-D48 | Neoplasms of uncertain or unknown behaviour (D37-D48) | 1124 | 0.2% |
| D50-D53 | Nutritional anaemias (D50-D53) | 65 | 0.0% |
| D55-D59 | Haemolytic anaemias (D55-D59) | 48 | 0.0% |
| D60-D64 | Aplastic and other anaemias (D60-D64) | 2592 | 0.5% |
| D65-D69 | Coagulation defects, purpura and other haemorrhagic conditions (D65-D69) | 383 | 0.1% |
| D70-D77 | Other diseases of blood and blood-forming organs (D70-D77) | 62 | 0.0% |
| D80-D89 | Certain disorders involving the immune mechanism (D80-D89) | 10990 | 2.2% |
| E00-E07 | Disorders of thyroid gland (E00-E07) | 254 | 0.1% |
| E10-E14 | Diabetes mellitus (E10-E14) | 21230 | 4.3% |
| E15-E16 | Other disorders of glucose regulation and pancreatic internal secretion (E15-E16) | 1189 | 0.2% |
| E20-E35 | Disorders of other endocrine glands (E20-E35) | 80 | 0.0% |
| E40-E46 | Malnutrition (E40-E46) | 1845 | 0.4% |
| E50-E64 | Other nutritional deficiencies (E50-E64) | 49 | 0.0% |
| E65-E68 | Obesity and other hyperalimentation (E65-E68) | 317 | 0.1% |
| E70-E90 | Metabolic disorders (E70-E90) | 2870 | 0.6% |
| F00-F09 | Organic, including symptomatic, mental disorders (F00-F09) | 1118 | 0.2% |
| F10-F19 | Mental and behavioural disorders due to psychoactive substance use (F10-F19) | 372 | 0.1% |
| F20-F29 | Schizophrenia, schizotypal and delusional disorders (F20-F29) | 202 | 0.0% |
| F30-F39 | Mood [affective] disorders (F30-F39) | 8 | 0.0% |
| F40-F48 | Neurotic, stress-related and somatoform disorders (F40-F48) | 13 | 0.0% |
| F50-F59 | Behavioural syndromes associated with physiological disturbances and physical factors (F50-F59) | 22 | 0.0% |
| F60-F69 | Disorders of adult personality and behaviour (F60-F69) | 4 | 0.0% |
| F80-F89 | Disorders of psychological development (F80-F89) | 1 | 0.0% |
| F90-F98 | Behavioural and emotional disorders with onset usually occurring in childhood and adolescence (F90-F98) | 1 | 0.0% |
| F99 | Unspecified mental disorder (F99) | 14 | 0.0% |
| G00-G09 | Inflammatory diseases of the central nervous system (G00-G09) | 5362 | 1.1% |
| G10-G13 | Systemic atrophies primarily affecting the central nervous system (G10-G13) | 181 | 0.0% |
| G20-G26 | Extrapyramidal and movement disorders (G20-G26) | 288 | 0.1% |
| G30-G32 | Other degenerative diseases of the nervous system (G30-G32) | 746 | 0.2% |
| G35-G37 | Demyelinating diseases of the central nervous system (G35-G37) | 65 | 0.0% |
| G40-G47 | Episodic and paroxysmal disorders (G40-G47) | 3212 | 0.6% |
| G50-G59 | Nerve, nerve root and plexus disorders (G50-G59) | 25 | 0.0% |
| G60-G64 | Polyneuropathies and other disorders of the peripheral nervous system (G60-G64) | 171 | 0.0% |
| G70-G73 | Diseases of myoneural junction and muscle (G70-G73) | 82 | 0.0% |
| G80-G83 | Cerebral palsy and other paralytic syndromes (G80-G83) | 791 | 0.2% |
| G90-G99 | Other disorders of the nervous system (G90-G99) | 991 | 0.2% |
| H00-H06 | Disorders of eyelid, lacrimal system and orbit (H00-H06) | 1 | 0.0% |
| H10-H13 | Disorders of conjunctiva (H10-H13) | 4 | 0.0% |
| H15-H22 | Disorders of sclera, cornea, iris and ciliary body (H15-H22) | 16 | 0.0% |

File : COD2012

Underlying_Broad_Grp: Broad groups of the underlying causes of death

| Value | Label | Cases | Percentage |
|---------|--|-------|------------|
| H30-H36 | Disorders of choroid and retina (H30-H36) | 2 | 0.0% |
| H40-H42 | Glaucoma (H40-H42) | 3 | 0.0% |
| H43-H45 | Disorders of vitreous body and globe (H43-H45) | 3 | 0.0% |
| H46-H48 | Disorders of optic nerve and visual pathways (H46-H48) | 2 | 0.0% |
| H49-H52 | Disorders of ocular muscles, binocular movement, accommodation and refraction (H49-H52) | 2 | 0.0% |
| H53-H54 | Visual disturbances and blindness (H53-H54) | 7 | 0.0% |
| H65-H75 | Diseases of middle ear and mastoid (H65-H75) | 54 | 0.0% |
| H80-H83 | Diseases of inner ear (H80-H83) | 2 | 0.0% |
| H90-H95 | Other disorders of ear (H90-H95) | 1 | 0.0% |
| I00-I02 | Acute rheumatic fever (I00-I02) | 29 | 0.0% |
| I05-I09 | Chronic rheumatic heart diseases (I05-I09) | 365 | 0.1% |
| I10-I15 | Hypertensive diseases (I10-I15) | 16195 | 3.3% |
| I20-I25 | Ischaemic heart diseases (I20-I25) | 11734 | 2.4% |
| I26-I28 | Pulmonary heart disease and diseases of pulmonary circulation (I26-I28) | 2617 | 0.5% |
| I30-I52 | Other forms of heart disease (I30-I52) | 21612 | 4.4% |
| I60-I69 | Cerebrovascular diseases (I60-I69) | 23994 | 4.8% |
| I70-I79 | Diseases of arteries, arterioles and capillaries (I70-I79) | 1443 | 0.3% |
| I80-I89 | Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified (I80-I89) | 681 | 0.1% |
| I95-I99 | Other and unspecified disorders of the circulatory system (I95-I99) | 147 | 0.0% |
| J00-J06 | Acute upper respiratory infections (J00-J06) | 167 | 0.0% |
| J09-J18 | Influenza and pneumonia (J09-J18) | 26385 | 5.3% |
| J20-J22 | Other acute lower respiratory infections (J20-J22) | 6434 | 1.3% |
| J30-J39 | Other diseases of upper respiratory tract (J30-J39) | 111 | 0.0% |
| J40-J47 | Chronic lower respiratory diseases (J40-J47) | 12228 | 2.5% |
| J60-J70 | Lung diseases due to external agents (J60-J70) | 617 | 0.1% |
| J80-J84 | Other respiratory diseases principally affecting the interstitium (J80-J84) | 1675 | 0.3% |
| J85-J86 | Suppurative and necrotic conditions of lower respiratory tract (J85-J86) | 232 | 0.0% |
| J90-J94 | Other diseases of pleura (J90-J94) | 481 | 0.1% |
| J95-J99 | Other diseases of the respiratory system (J95-J99) | 3873 | 0.8% |
| K00-K14 | Diseases of oral cavity, salivary glands and jaws (K00-K14) | 69 | 0.0% |
| K20-K31 | Diseases of oesophagus, stomach and duodenum (K20-K31) | 2185 | 0.4% |
| K35-K38 | Diseases of appendix (K35-K38) | 140 | 0.0% |
| K40-K46 | Hernia (K40-K46) | 227 | 0.0% |
| K50-K52 | Noninfective enteritis and colitis (K50-K52) | 1721 | 0.3% |
| K55-K63 | Other diseases of intestines (K55-K63) | 1490 | 0.3% |
| K65-K67 | Diseases of peritoneum (K65-K67) | 208 | 0.0% |
| K70-K77 | Diseases of liver (K70-K77) | 4475 | 0.9% |
| K80-K87 | Disorders of gallbladder, biliary tract and pancreas (K80-K87) | 923 | 0.2% |
| K90-K93 | Other diseases of the digestive system (K90-K93) | 1040 | 0.2% |
| L00-L08 | Infections of the skin and subcutaneous tissue (L00-L08) | 350 | 0.1% |

File : COD2012

Underlying_Broad_Grp: Broad groups of the underlying causes of death

| Value | Label | Cases | Percentage |
|---------|---|-------|------------|
| L10-L14 | Bullous disorders (L10-L14) | 19 | 0.0% |
| L20-L30 | Dermatitis and eczema (L20-L30) | 34 | 0.0% |
| L40-L45 | Papulosquamous disorders (L40-L45) | 13 | 0.0% |
| L50-L54 | Urticaria and erythema (L50-L54) | 107 | 0.0% |
| L55-L59 | Radiation-related disorders of the skin and subcutaneous tissue (L55-L59) | 1 | 0.0% |
| L60-L75 | Disorders of skin appendages (L60-L75) | 4 | 0.0% |
| L80-L99 | Other disorders of the skin and subcutaneous tissue (L80-L99) | 632 | 0.1% |
| M00-M25 | Arthropathies (M00-M25) | 728 | 0.1% |
| M30-M36 | Systemic connective tissue disorders (M30-M36) | 360 | 0.1% |
| M40-M54 | Dorsopathies (M40-M54) | 67 | 0.0% |
| M60-M79 | Soft tissue disorders (M60-M79) | 337 | 0.1% |
| M80-M94 | Osteopathies and chondropathies (M80-M94) | 121 | 0.0% |
| N00-N08 | Glomerular diseases (N00-N08) | 263 | 0.1% |
| N10-N16 | Renal tubulo-interstitial diseases (N10-N16) | 294 | 0.1% |
| N17-N19 | Renal failure (N17-N19) | 6629 | 1.3% |
| N20-N23 | Urolithiasis (N20-N23) | 15 | 0.0% |
| N25-N29 | Other disorders of kidney and ureter (N25-N29) | 319 | 0.1% |
| N30-N39 | Other diseases of urinary system (N30-N39) | 341 | 0.1% |
| N40-N51 | Diseases of male genital organs (N40-N51) | 255 | 0.1% |
| N60-N64 | Disorders of breast (N60-N64) | 18 | 0.0% |
| N70-N77 | Inflammatory diseases of female pelvic organs (N70-N77) | 122 | 0.0% |
| N80-N98 | Noninflammatory disorders of female genital tract (N80-N98) | 125 | 0.0% |
| O00-O08 | Pregnancy with abortive outcome (O00-O08) | 94 | 0.0% |
| O10-O16 | Oedema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium (O10-O16) | 220 | 0.0% |
| O20-O29 | Other maternal disorders predominantly related to pregnancy (O20-O29) | 72 | 0.0% |
| O30-O48 | Maternal care related to the fetus and amniotic cavity and possible delivery problems (O30-O48) | 49 | 0.0% |
| O60-O75 | Complications of labour and delivery (O60-O75) | 144 | 0.0% |
| O85-O92 | Complications predominantly related to the puerperium (O85-O92) | 121 | 0.0% |
| O95-O99 | Other obstetric conditions, not elsewhere classified (O95-O99) | 318 | 0.1% |
| P00-P04 | Fetus and newborn affected by maternal factors and by complications of pregnancy, labour and delivery (P00-P04) | 899 | 0.2% |
| P05-P08 | Disorders related to length of gestation and fetal growth (P05-P08) | 1421 | 0.3% |
| P10-P15 | Birth trauma (P10-P15) | 17 | 0.0% |
| P20-P29 | Respiratory and cardiovascular disorders specific to the perinatal period (P20-P29) | 4213 | 0.9% |
| P35-P39 | Infections specific to the perinatal period (P35-P39) | 1191 | 0.2% |
| P50-P61 | Haemorrhagic and haematological disorders of fetus and newborn (P50-P61) | 446 | 0.1% |
| P70-P74 | Transitory endocrine and metabolic disorders specific to fetus and newborn (P70-P74) | 11 | 0.0% |
| P75-P78 | Digestive system disorders of fetus and newborn (P75-P78) | 336 | 0.1% |

File : COD2012

Underlying_Broad_Grp: Broad groups of the underlying causes of death





















| Value | Label | Cases | Percentage |
|---------|--|-------|------------|
| P80-P83 | Conditions involving the integument and temperature regulation of fetus and newborn (P80-P83) | 94 | 0.0% |
| P90-P96 | Other disorders originating in the perinatal period (P90-P96) | 1585 | 0.3% |
| Q00-Q07 | Congenital malformations of the nervous system (Q00-Q07) | 264 | 0.1% |
| Q10-Q18 | Congenital malformations of eye, ear, face and neck (Q10-Q18) | 12 | 0.0% |
| Q20-Q28 | Congenital malformations of the circulatory system (Q20-Q28) | 591 | 0.1% |
| Q30-Q34 | Congenital malformations of the respiratory system (Q30-Q34) | 69 | 0.0% |
| Q35-Q37 | Cleft lip and cleft palate (Q35-Q37) | 16 | 0.0% |
| Q38-Q45 | Other congenital malformations of the digestive system (Q38-Q45) | 231 | 0.0% |
| Q50-Q56 | Congenital malformations of genital organs (Q50-Q56) | 2 | 0.0% |
| Q60-Q64 | Congenital malformations of the urinary system (Q60-Q64) | 62 | 0.0% |
| Q65-Q79 | Congenital malformations and deformations of the musculoskeletal system (Q65-Q79) | 118 | 0.0% |
| Q80-Q89 | Other congenital malformations (Q80-Q89) | 389 | 0.1% |
| Q90-Q99 | Chromosomal abnormalities, not elsewhere classified (Q90-Q99) | 284 | 0.1% |
| R00-R09 | Symptoms and signs involving the circulatory and respiratory systems (R00-R09) | 48 | 0.0% |
| R10-R19 | Symptoms and signs involving the digestive system and abdomen (R10-R19) | 16 | 0.0% |
| R20-R23 | Symptoms and signs involving the skin and subcutaneous tissue (R20-R23) | 1 | 0.0% |
| R25-R29 | Symptoms and signs involving the nervous and musculoskeletal systems (R25-R29) | 6 | 0.0% |
| R30-R39 | Symptoms and signs involving the urinary system (R30-R39) | 7 | 0.0% |
| R40-R46 | Symptoms and signs involving cognition, perception, emotional state and behaviour (R40-R46) | 7 | 0.0% |
| R47-R49 | Symptoms and signs involving speech and voice (R47-R49) | 3 | 0.0% |
| R50-R69 | General symptoms and signs (R50-R69) | 2631 | 0.5% |
| R70-R79 | Abnormal findings on examination of blood, without diagnosis (R70-R79) | 8 | 0.0% |
| R80-R82 | Abnormal findings on examination of urine, without diagnosis (R80-R82) | 1 | 0.0% |
| R83-R89 | Abnormal findings on examination of other body fluids, substances and tissues, without diagnosis (R83-R89) | 22 | 0.0% |
| R90-R94 | Abnormal findings on diagnostic imaging and in function studies, without diagnosis (R90-R94) | 3 | 0.0% |
| R95-R99 | Ill-defined and unknown causes of mortality (R95-R99) | 62623 | 12.7% |
| V01-V99 | Transport accidents (V01-V99) | 5284 | 1.1% |
| W00-X59 | Other external causes of accidental injury (W00-X59) | 28391 | 5.7% |
| X60-X84 | Intentional self-harm (X60-X84) | 484 | 0.1% |
| X85-Y09 | Assault (X85-Y09) | 4816 | 1.0% |
| Y10-Y34 | Event of undetermined intent (Y10-Y34) | 6936 | 1.4% |
| Y35-Y36 | Legal intervention and operations of war (Y35-Y36) | 1 | 0.0% |
| Y40-Y84 | Complications of medical and surgical care (Y40-Y84) | 1270 | 0.3% |
| Y85-Y89 | Sequelae of external causes of morbidity and mortality (Y85-Y89) | 38 | 0.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : COD2012

Underlying_Main_Grp: Main groups of the underlying causes of death




| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable groups the underlying causes of death into main groups. It is derived from underlying cause of death. |

| Value | Label | Cases | Percentage |
|---------|---|--------|---|
| 8888888 | Stillbirth | 14401 |  2.9% |
| A00-B99 | Certain infectious and parasitic diseases (A00-B99) | 106752 |  21.6% |
| C00-D48 | Neoplasms (C00-D48) | 37467 |  7.6% |
| D50-D89 | Diseases of the blood and immune mechanism (D50-D89) | 14140 |  2.9% |
| E00-E90 | Endocrine, nutritional and metabolic diseases (E00-E90) | 27834 |  5.6% |
| F00-F99 | Mental and behavioural disorders (F00-F99) | 1755 |  0.4% |
| G00-G99 | Diseases of the nervous system (G00-G99) | 11914 |  2.4% |
| H00-H59 | Diseases of the eye and adnexa (H00-H59) | 40 |  0.0% |
| H60-H95 | Diseases of the ear and mastoid process (H60-H95) | 57 |  0.0% |
| I00-I99 | Diseases of the circulatory system (I00-I99) | 78817 |  15.9% |
| J00-J99 | Diseases of the respiratory system (J00-J99) | 52203 |  10.5% |
| K00-K93 | Diseases of the digestive system (K00-K93) | 12478 |  2.5% |
| L00-L99 | Diseases of the skin and subcutaneous tissue (L00-L99) | 1160 |  0.2% |
| M00-M99 | Diseases of the musculoskeletal system etc. (M00-M99) | 1613 |  0.3% |
| N00-N99 | Diseases of the genitourinary system (N00-N99) | 8381 |  1.7% |
| O00-O99 | Pregnancy, childbirth and puerperium (O00-O99) | 1018 |  0.2% |
| P00-P96 | Perinatal conditions (P00-P96) | 10213 |  2.1% |
| Q00-Q99 | Congenital malformations (Q00-Q99) | 2038 |  0.4% |
| R00-R99 | Symptoms and signs not elsewhere classified (R00-R99) | 65376 |  13.2% |
| V01-Y98 | External causes of morbidity and mortality (V01-Y98) | 47220 |  9.5% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NaturalUnnatural: Natural/non-natural underlying causes of death

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=494877 /-] [Invalid=0 /-] |
| Notes | This variable groups the underlying causes of death into natural and non-natural causes. It is derived from underlying cause of death. |

| Value | Label | Cases | Percentage |
|-------|------------------------------|--------|---|
| 1 | Natural underlying cause | 433256 |  87.5% |
| 2 | Non-natural underlying cause | 47220 |  9.5% |
| 8 | Stillbirth | 14401 |  2.9% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.