15,471,876 members Sign in

articles Q&A forums stuff lounge ? Search for articles, questions,

ButtonBar Control using .NET

Manish Ranjan Kumar

3 Dec 2009 CPOL

Rate me: 4.95/5 (43 votes)


Themed ButtonBar control supporting custom draw with full Designer support

Download library - 48.25 KB

Download demo - 58.93 KB

Download help - 539.71 KB

Download source - 105.73 KB



Introduction

`Buttonbar` control provides:

- Keyboard Support
- Full Designer Support
- Custom Drawing Support

Features


`ButtonBar` control has the following features:


- 6 pre-defined Themes
- Supports alpha blend image
- Full Keyboard support
- Full Design Time support
- Supports Saving/Loading of layout colors
- Supports Disabled back color
- Supports HotKeys

Using the Code

This control is an array of buttons aligned vertical.

Use the designer to fine tune the appearance.





Keyboard

- Enter Key - Select button. Move by arrow key or hover over a button to select and press enter.
- Down Key - Move to next button.
- Up Key - Move to previous button.

Points of Interest

ButtonBar

Properties

- `Appearance` - `Appearance` object containing Global Appearance information.
- `ButtonWidth`- Width of buttons. Control resizes itself to button.
- `DisableTransparency` - Gets or Sets Disabled State Transparency.
- `ImageTransparency` - Gets or Sets Background Image transparency.
- `Items` - Collections of buttons.
- `Padding` - Gets or sets distance of button from control boundary.
- `SelectedItem` - Gets current selected button.

- `ShowBorders` - Gets or Sets whether borders will be shown or not.
- `Spacing` - Gets or Sets distance between buttons.
- `ThemeProperty` - Property used to Get or Set which theme should be used. See also `ThemeProperty`.
- `UseMnemonic` - Indicates whether to use shortcut keys or not.

Events

- `BarClick` - Occurs when Bar is clicked. This fired when clicked on area other than buttons.
- `CustomDrawBackGround` - Occurs when `ButtonBar` requests drawing. This can be used to implement custom draw.
- `CustomDrawItems` - Occurs when `BarItem` requests drawing. This can be used to implement own drawing.
- `ItemClick` - Occurs when a button is pressed. This is also fired when Shortcut key is pressed or Enter key is pressed.
- `ItemsChanged` - Occurs when `BarItem` of `Items` is changed.
- `ItemsChanging` - Occurs when `BarItem` of `Items` is changing.
- `ItemsClearing` - Occurs when `Items` is clearing.
- `ItemsInserted` - Occurs when `BarItem` of `Items` is inserted into collection.
- `ItemsInserting` - Occurs when `BarItem` is being inserted on `Items`.
- `ItemsRemoved` - Occurs when `BarItem` of Items is removed from collection.
- `ItemsRemoving` - Occurs when `BarItem` is being removed from Items.
- `SelectionChanged` - Occurs when Button Selection changes.
- `SelectionChanging` - Occurs when Button Selection is about to change.

Methods

- `HitTestInfo HitTest(Point pt)` - Performs `HitTest` for specified `point.<code>pt` Point of hit. Returns `HitTestInfo` object containing information related to hit. e.g. Location, button index, etc.
- `HitTestInfo HitTest(int x, int y)` - Performs `HitTest` for specified `point.x` and `y` coordinate of `Point` of hit. Returns `HitTestInfo` object containing information related to hit. e.g. Location, button index, etc.
- `bool ExportAppearance(string fileName)` - Saves current color scheme of the Calendar control to an XML file. `fileName` is path of XML file to which data will be written. Returns whether save was successful or not.
- `bool ImportAppearance(string fileName)` - Loads the color scheme from an XML file. `fileName` is location of XML file containing color scheme. Returns whether Load was successful or not.
- `EnsureVisibility(int index)` - Ensures given item is visible. Scrolls to item if not visible. `index` is index of item which needs to be shown.
- `State GetButtonState(BarItem barItem)` - Gets Current State of button. `BarItem` of which state is to be determined. `State` of button.

- `bool SelectItem(BarItem item)` - Reset the appearance of Calendar control to default value. `Item` to be selected. Returns whether item was selected or not.

ThemeProperty

Properties

- `UseTheme` - Gets or Sets whether to use predefined theme or custom colors.
- `ColorScheme` - Gets or Sets `ColorScheme` to be applied. Please note: This will not be applicable when `UseTheme` is set as `false`.

Events

- `ThemeChanged` - Fired when `UseTheme` or `ColorScheme` is changed.

Methods

- `bool DefaultChanged()` - Returns whether `ThemeProperty` properties has changed or not.
- `void Reset()` - Resets current object to use default value for each property.

Appearance

Properties

- `Bar` - Gets appearance of `ButtonBar`.
- `IsEmpty`- Indicates Appearance is Empty or not.
- `Item` - Gets appearance of `BarItem`.

Events

- `AppearanceChanged` - Occurs when properties related to drawing have been modified.

Methods

- `Assign(Appearance appearance)` - Assigns properties of `appearance` to current object.
- `bool DefaultChanged()` - Returns whether property values have changed or not.
- `Reset()` - Resets current appearance to default appearance.

AppearanceBar

Properties

- `AppearanceBorder` - Gets border appearance of `ButtonBar`.

- `BackStyle` - Gets background style of `ButtonBar`.
- `CornerRadius`- Gets corner radius of `ButtonBar`
- `DisabledMask`- Gets or Sets disabled mask color of `ButtonBar`.
- `FocusedBorder` - Gets or Sets focused border color of `ButtonBar`.
- `IsEmpty` - Indicates current object is Empty or not.
- `NormalBorder` - Gets or Sets Normal border color of `ButtonBar`.

Events

- `AppearanceChanged` - Occurs when properties related to drawing have been modified.

Methods

- `Assign(AppearanceBar app)` - Assigns Values of supplied `AppearanceBar` to current `object.app AppearanceBar` object whose value is to be assigned.
- `bool DefaultChanged()` - Returns wether `ThemeProperty` properties has changed or not.
- `Reset()` - Resets current appearance to default appearance.

AppearanceItem

Properties

- `AppearenceText` - Gets `AppearenceText` of the item.
- `BackStyle` - Gets Back style of Item in Normal state.
- `ClickStyle`- Gets Back style of Item in Pressed state.
- `DisabledBorder` - Gets or Sets border color of Item in Disabled state.
- `DisabledForeGround` - Gets or Sets text color of Item in Disabled state.
- `DisabledStyle` - Gets Back style of Item in Disabled state.
- `Gradient` - Gets or Sets Gradient of Item `BackColor`. This will update `Gradient` for all States.
- `HoverBorder` - Gets or Sets border color of Item in Hover state.
- `HoverForeGround` - Gets or Sets text color of Item in Hover state.
- `HoverStyle` - Gets Back style of Item in Hover state.
- `IsEmpty` - Indicates current object is Empty or not.
- `NormalBorder` - Gets or Sets border color of Item in Normal state.
- `NormalForeGround` - Gets or Sets text color of Item in Normal state.
- `SelectedBorder` - Gets or Sets border color of Item in Selected state.
- `SelectedForeGround` - Gets or Sets text color of Item in Selected state.
- `SelectedHoverStyle` - Gets Back style of Item in `SelectedHover` state.
- `SelectedStyle` - Gets Back style of Item in Selected state.

Events

- `AppearanceChanged` - Occurs when properties related to drawing have been modified.

Methods

- `Assign(AppearanceItem app)` - Assigns properties of `app` to current object.
- `bool DefaultChanged()` - Returns whether `ThemeProperty` properties has changed or not.
- `Reset()` - Resets current appearance to default appearance.

Known Issues

- Some Event handlers do not get created with proper signature by designer. They need to be fixed manually.

History

- 2 December 2009: Initial draft of the control

License

This article, along with any associated source code and files, is licensed under The Code Project Open License (CPOL)

Written By

Manish Ranjan Kumar

Software Developer (Senior)

India

This member has not yet provided a Biography. Assume it's interesting and varied, and probably something to do with programming.

Comments and Discussions

You must Sign In to use this message board.

Search Comments

First Prev Next

Nice
User 13275593 21-Sep-17 5:55

changing the image on the button
namg 12-Sep-17 14:26

Re: changing the image on the button
namg 12-Sep-17 14:50

nice
BillW33 7-Nov-11 9:05

support
securigy 23-Jun-10 1:54

5!
Atanas Palavrov 7-Dec-09 22:12

A Good work
infinitess 7-Dec-09 16:00

Orientation
Ravi Bhavnani 5-Dec-09 1:28

Re: Orientation
Manish Ranjan Kumar 7-Dec-09 2:22

Re: Orientation
dhirtzbruch 13-Dec-10 10:47

Re: Orientation
Ravi Bhavnani 13-Dec-10 10:51

Fine article, fine control
Marcelo Ricardo de Oliveira 4-Dec-09 3:50

Multi-line Text support?
Paul Selormey 3-Dec-09 19:45

Re: Multi-line Text support?
Manish Ranjan Kumar 3-Dec-09 21:33

Re: Multi-line Text support?
Paul Selormey 3-Dec-09 21:39

Re: Multi-line Text support?

Manish Ranjan Kumar 4-Dec-09 1:17

Refresh 1

General News Suggestion Question Bug Answer Joke Praise Rant Admin

Use Ctrl+Left/Right to switch messages, Ctrl+Up/Down to switch threads, Ctrl+Shift+Left/Right to switch pages.

Permalink
Advertise
Privacy
Cookies
Terms of Use

Layout: fixed | fluid

Article Copyright 2009 by Manish Ranjan Kumar
Everything else Copyright © CodeProject, 1999-2022

Web01 2.8:2022-10-01:1